



PRODUCT LIST 2026-27



From  **TITAN BIOTECH LTD.**

Fulfilling

MICROBIOLOGY

Needs

Remarkable Presence in
100+ Countries

Trusted by
10,000+ Microbiologists

Market Presence
32+ Years



Fulfilling Microbiology Needs



TITAN BIOTECH LIMITED

Manufacturer & Exporter



13485:2016



9001:2015



11133:2014



GMP Certified



CE Marking



Certified



Certified



Certified

R. O. & Works

Unit I: A-902 A, RIICO Industrial Area, Phase-III, Bhiwadi-301019, Rajasthan, India
Unit II: E-540, Industrial Area, Chopanki, Bhiwadi-301707, Rajasthan, India

Corporate Office

903-909, 9th Floor, Big Jo's Tower, Netaji Subhash Place,
Delhi-110034, India

+91-9999 168 770 | www.tmmedia.in | marketing@titanbiotechltd.com



SERVICES

A team of experts are dedicated to provide the highest levels of technical support and customer service. The technical service department is available to answer questions about products. Along with it our technical sales representative is equipped with knowledge for product selection and evaluation.

ORDERS

The foremost mandatory point is that the order must carry complete details such as TM Media Product Code, Product Name, Pack Size and Price. In case the adequate information is not shared, the order will not be processed further. Orders, once placed, will not be edited or cancelled. Orders placed with us for execution, may be supplied directly through our stockist which is company's prerogative. All correspondence related to Purchase Orders should be done at our Headquarters (Delhi, India).

PRICE

The price mentioned in this list are applicable from 1st May 2026. No previous Price list is applicable. This Price list to be treated for further order and confirm these prices when placing an order. The prices are subject to change without prior notice. With mutual consent, the order will be finalized in case of change in price. All the amendments for the year 2026-27 will be updated on website www.tmmedia.in/ product catalogue.

TAXES AND DUTIES

Good and Service Tax (GST) is applicable on the products above the prices mentioned. State Road Permit/ E-Way Bills is also essential (if applicable), without which order despatch will not be processed. In case of any exemptions from GST, the certificate must be shared with the order otherwise GST will be charged extra as applicable.

Our GST No. is 08AAACT0078J1ZA.

STANDARD PACK SIZE

The orders for Culture Media and Media Bases are accepted in lot of 20*500 gm, 50*100 gm. Order for liquid items like Inorganic Acids, Ammonia Solution, Organic Solvents, other Chemicals are accepted in lots of 20*500 ml (Plastic Bottles), 4*2.5 ltr and 2*5 ltr. In case of Chemical in powder form, the order size begins with 20*500 gm. A similar standard is followed for Media Supplements and other products. This is essential to avoid breakage during transit. Every possible care is taken care during packaging as a standard operating procedure. Though we cannot assure breakage / leakage on delivery, we accept no responsibility of transportation.

DANGEROUS GOODS

Highly inflammable and corrosive materials are not accepted by road carriers and passenger trains and hence quick delivery cannot be assured.

To know about material safety for product, Material Safety Data Sheet (MSDS) is available on website www.tmmedia.in.

INSURANCE

If requested, the goods can be insured and charged on the invoice.

DELIVERY & FREIGHT

TM Media takes pride to provide the best customer service. As a mandate, the orders are processed and delivered within the specified schedule shared on the sales quote. In case of orders that require special handling, an additional fee might be applicable. All orders of the net value (after discount) of Rs. 25,000/- or more will be supplied F.O.R destination by general road transporter (if the location falls under ODA location supply would be till transporter godown). For orders with net value less than (after discount) Rs. 25,000/-, the consignment will be dispatched on freight to pay basis. The amount mentioned is without GST.

This is not applicable for the products on Page no. 322-325. Freight charges will be prepaid and added to the invoice as a separate item. There is a minimum charge per shipment for shipping and handling. A hazardous charge will be processed for shipment of hazardous materials. We recommend consolidating all hazardous materials onto a single order if possible to minimize hazardous charges. Please report all questions regarding a shipment to Customer Service within 7 days of receipt.

General Terms & Conditions

PAYMENTS

The payment must be made along with orders. In case of credit is given from the date of receipt of the consignment, the terms of payment must be met without any delay. In case the party fails to adhere, an interest of 18% will be charged from the due date. Payments must be made in demand draft, pay order, cheques drawn in favour of "Titan Biotech Ltd."

BANK DETAILS

A/C Name	Titan Biotech Limited
Bank Name	ICICI Bank
A/C No.	135351000043
Branch Add.	Plot no. C9, Netaji Subhash Place, New Delhi-110034
IFSC Code	ICIC0001353

STANDING ORDERS

Standing orders are welcome and such requests must be received at least 10 working days prior to the scheduled shipment.

DAMAGE

In the event of damaged goods, it is advised to retain goods and packaging. Kindly advise our office and the local carrier without delay.

RETURNS

Any issue related to product return must be coordinated with our representative. Request for returns must be made within 7 days of receipt. No returns will be entertained if there has been any error from customer. Perishable or temperature sensitive products cannot be returned for any reason. These items include but are not limited to:

- **Blood Culture Media • Reagents • Diagnostic Tests • Prepared Culture Media**
- **Susceptibility and Differentiation Disks • Dehydrated Culture Media • Chemicals**

The return will be accepted after due submission of adequate information, sufficing the reason of return. If the requested information is not received within 7 days we shall consider that we have dealt with complaint and the matter will be treated as "closed". Full and final replacement along with return invoice should be completed within 15 days.

COPYRIGHT

No imitation of our brand logo of TM Media or brand packaging is allowed. If found otherwise, Titan Biotech Ltd. has full authority to take such situation in court for legal action. Titan Biotech Ltd. will take no responsibility of any damage caused by fake or imitated products. It is advised that the customers must avoid such sellers for their own best interests. To know if the product is authentic, please reach out to marketing@titanbiotechltd.com

TECHNICAL SUPPORT AND DOCUMENTATION

All the product information and quality control specifications, which include ISO guidelines, GMP guidelines, USP/JP/EP/BP/IP and also CLSI guidelines are provided in the TM Media Manual. For a copy of the manual please contact your local Technical Sales Representative or Technical Service at customer@titanbiotechltd.com Also, Technical Data (TD), Material Safety Data Sheet (MSDS), Certificates of Analysis (COA) are available 24/7 on www.tmmedia.in.

DISCLAIMER

All the items listed here are for Laboratory use only and we assume no responsibility whatsoever, if used otherwise.

FORCE MAJEURE

We and our authorized stockists shall not be responsible for any delay or part supply due to circumstances beyond our control such as pandemic, riots, strikes, civil commotion, shortage of raw material, natural calamities, government restrictions and budgetary changes by the Government etc. However, the period of delay would be informed to the customers.

JURISDICTION

All disputes are subject to Alwar, Rajasthan jurisdiction only.

Dear Valued Customers,

As the Director and Managing Director of **Titan Biotech Limited**, a leading biotechnology company since 1992, we extend our warm greetings to you. Our unwavering focus on quality, innovation, and customer satisfaction continues to guide everything we do, enabling us to deliver trusted and high-performance products worldwide.

As we move into 2026-27, we are pleased to share continued advancements across our Lab Consumables and Ready-to-Use Culture Media portfolios. Our expanded range now includes specialized Sterile Zip Lock Bags, TM Duo-Snap Swabs for environmental surface sampling, and gamma-irradiated ready-to-use media plates developed to support efficiency, sterility, and dependable performance across laboratory applications. These developments further reflect our commitment to continuous improvement, scientific excellence, and meeting the evolving needs of modern laboratories.

Our dedicated R&D team remains at the heart of these developments, working relentlessly to ensure every product meets evolving industry requirements and application needs.

At Titan Biotech Limited, every TM Media product undergoes rigorous quality control measures to comply with leading international standards, including Halal, ISO 11133, ISO 13485, ISO 9001, FSSAI, GMP, REACH, European Union compliance, and FSSC 22000. This robust quality framework ensures dependable performance and consistency for your critical microbiological applications. Ongoing investments in R&D enable us to deliver solutions that are both reliable today and prepared for future challenges.

We strongly believe in building long-term partnerships with our customers. With a presence in over 100 countries, Titan Biotech Limited continues to be a trusted partner for laboratories, research institutions, and industries across the globe. Our dedicated support team remains ready to assist with customized solutions tailored to your specific requirements.

Our diverse and growing product portfolio ensures access to high-quality, innovative, and reliable laboratory solutions from a single, dependable source. Choosing TM Media means choosing a partner committed to your continued success.

Thank you for your trust in Titan Biotech Limited. We look forward to strengthening our collaboration and advancing this journey together.

With Warm Regards,

Udit Singla

Director

Suresh Singla

Managing Director

Journey & Certificates

Successful Journey



2025

Present in over 100 Countries worldwide



2024

Awarded Leading Biotechnology Company of the Year



2022

Udit Singla Recognized as Economic Times' Most Influential Leader



2010

Awarded Excellence Export Performance by Rajasthan Govt.



1992

Titan Biotech Ltd. was founded



1994

Titan Biotech Ltd. listed on BSE



1996



TM Media, Microbiology division of Titan Biotech Ltd., established




2008

Over 4,000 products introduced under TM Media

Quality & Relationship Certifications





- | | |
|--|---|
| 1. Product Name | 16. Customer Care Cell (Contact No. & Email ID) |
| 2. Synonym of Product Name | 17. Website URL |
| 3. Use of the Product | 18. ISO Certification 9001:2015 & 11133:2014 |
| 4. Received/Opened Date | 19. QR Code Scan for Technical Data |
| 5. For in Vitro Diagnostics | 20. Product Code Number |
| 6. ISO Certification Number 13485:2016 | 21. Pack Size |
| 7. Caution | 22. Lot/Batch Number |
| 8. Best Before | 23. Product's Brand Name |
| 9. Country of Origin | 24. Disposal Procedure |
| 10. Copyright Clause | 25. Instructions for Preparation of Medium |
| 11. Company Name & Address | 26. pH Range |
| 12. Company Logo | 27. Composition of the Medium |
| 13. Symbol for Certification of Good Manufacturing Practices | 28. Formula Weight |
| 14. Symbol for European Conformity | |
| 15. Manufacturer Symbol | |

Dehydrated Culture Media



100 Gm



500 Gm



5 Kg



25 Kg

Ready-to-Use Culture Media



Plates



Bags & Bottles



Tubes & Slants



Medium Swabs

Laboratory Chemicals



100 Gm



500 Gm & 1 Kg



5 Kg



25/50 Kg

Molecular Biology Grade Chemicals



100 Gm



500 Gm



1 Kg



5 Kg

Plant Tissue Culture Media



5*1 Ltr



1*10 Ltr



1*50 Ltr

Antibiotic Sensitivity Discs



1 Vial & 5 Vials



5 Ct.



1 Blister Set

Food Grade Chemicals



25/50 Kg



25 Ltr

Anytime, Anywhere, Anybody



www.tmmmedia.in



A one-stop digital hub for all your technical data needs. We offer our customers anytime, anywhere access to a wealth of essential information, right at your fingertips.



Easy Access

With just one click, access a vast repository of Technical Data (TD), Certificate Of Analysis (COA), and Material Safety Data Sheets (MSDS) for your products.



Time-Saving Solution

Download multiple documents for various products at once by simply entering the product name, code, and batch number.



Streamlined Experience

No need for tedious logins and complex navigation. Our user-friendly interface allows you to effortlessly find and download the information you need.



Reliable Information

Trust in the accuracy and integrity of our data. We take pride in delivering up-to-date technical information, ensuring compliance and peace of mind.

Empowering Diverse Industries with Precision

With over three decades of expertise in Microbiology and Life Sciences, TM Media is a trusted manufacturer of high-quality Culture Media, Biological Media Bases, and Laboratory Solutions. Backed by advanced manufacturing infrastructure and stringent quality control systems, these products are designed to ensure precision, consistency, and regulatory compliance. From research and quality testing to large-scale manufacturing environments, the portfolio supports critical microbial processes that demand reliability at every stage. Today, this expertise extends across multiple industry verticals, where accurate microbial solutions play a vital role in safety, quality, and innovation. The product portfolio is designed to meet the varied requirements of across industries:



Essentials for General Labs




TM 1199 | Chromogenic UTI Agar

Chromogenic UTI Agar is a differential medium used for the presumptive identification of microorganisms causing urinary tract infections. The media facilitates identification of bacterial colonies on the basis of genus-specific enzymatic reactions with chromogenic substrates that result in different contrasted colony colours. The media contains two specific chromogenic substrates that are cleaved by enzymes produced by *Enterococcus* spp., *Escherichia coli*, and coliforms. Enterococci spp. producing β -glucosidase grow as blue colonies as they are able to cleave one of the chromogens, whereas *E. coli* cleaves the other chromogen and grows as pink colonies.



TM 146 | Lactobacillus MRS Agar (MRS Agar)

Lactobacillus MRS Agar (MRS Agar) is used to isolate and cultivate lactobacilli species from dairy products, food samples, the oral cavity, faeces, and other sources. It was developed by de Man, Rogosa, and Sharpe as an alternative for the non-selective cultivation of fastidious lactobacilli. The medium is composed of peptone and dextrose, polysorbate 80, acetate, magnesium, and manganese. Peptone and dextrose provide carbon, nitrogen, and other growth-promoting elements. Polysorbate 80, acetate, magnesium, and manganese provide other growth factors for culturing a variety of lactobacilli and may also inhibit the growth of some other organisms.




TM 206 | Mannitol Salt Agar Base

Mannitol Salt Agar Base is used for selective isolation of pathogenic staphylococci from clinical and non-clinical samples. Staphylococci have the unique ability to grow on media containing a high concentration of salt. This medium is recommended for the isolation of coagulase-positive staphylococci from cosmetics, milk, food, and other specimens. The additional property of lipase activity in *Staphylococcus aureus* can be detected by the addition of Egg Yolk Emulsion. The lipase activity can be visualised as yellow, opaque zones around the colonies.



TM 339 | Mueller Hinton Agar

Mueller Hinton Agar is a non-differential standard culture medium used for routine susceptibility testing of non-fastidious microorganisms to antibiotics. It is recommended by the FDA, WHO, and CLSI for testing the most commonly encountered aerobic and facultative anaerobic bacteria in clinical material. The good batch-to-batch reproducibility, low levels of sulphonamide, trimethoprim, and tetracycline inhibitors, and the non-selective nature of the medium make it an excellent choice for testing antibiotics.



TM 386 | SS Agar (Salmonella Shigella Agar)

Salmonella Shigella Agar (SS Agar) medium is recommended as a differential and selective medium for the isolation of *Salmonella* and *Shigella* species from pathological specimens, suspected foodstuffs, and for microbial limit tests. The medium inhibits gram-positive bacteria and coliforms by the action of the selective inhibitory components brilliant green, bile salts, thiosulphate, and citrate, whereas differentiation of enteric organisms is achieved by the incorporation of lactose in the medium. Organisms that ferment lactose produce acid, which, in the presence of a neutral red indicator, results in the formation of red colonies, while the lactose-nonfermenter produces colourless colonies. The latter group contains the majority of the intestinal pathogens, including *Salmonella* and *Shigella*. The sodium thiosulphate and ferric citrate enable the detection of hydrogen sulfide production, as evidenced by colonies with black centres. This formulation, which is highly selective, is not recommended for the primary isolation of *Shigella*, as some *Shigella* spp. may be inhibited.




TM 344 | Potato Dextrose Agar

Potato Dextrose Agar (PDA) is a general-purpose medium used for the isolation and enumeration of yeast and moulds. It is recommended for testing foods, dairy products, and cosmetic samples with the plate count method. It can also be used for growing clinically significant Yeasts and Moulds. The nutritionally rich base (potato infusion) encourages mold sporulation and pigment production in some dermatophytes. It can be supplemented with acid or antibiotics to inhibit bacterial growth.




TMH 103 | Soya Casein Digest Agar (as per USP/EP/JP/BP/IP)

Soybean Casein Digest Agar is used for the cultivation of various microorganisms from pharmaceutical products in accordance with a harmonized method. This medium is recommended by various pharmacopeia as a sterility testing medium. It is also used in the validation of sterility checking procedures in accordance with the microbial limit testing harmonized methodology of USP/EP/BP/JP/IP. This medium is also used in microbial limit tests and antimicrobial preservative-effective tests. Gunn et al. used this medium for the growth of fastidious organisms and the study of haemolytic reactions after the addition of 5% v/v blood.




TM 492 | XLD Agar

Xylose Lysine Deoxycholate Agar (XLD) is a moderately selective and differential medium for the isolation and differentiation of gram-negative enteric pathogens from clinical specimens, food, and other samples. XLD Agar was especially designed to allow the growth of *Shigella* species and is a proven medium for the isolation of this organism. It has also been found to be an excellent medium for isolating *Salmonella* species. XLD Agar complies with ISO 6579:2002. It is also included in the USP microbial limit test for screening specimens for the presence or absence of *Salmonella* and is recommended for the testing of foods, dairy products, and water. The medium utilizes xylose fermentation, lysine decarboxylation, and H₂S production reactions to differentiate the target organisms, whereas the selective agent, i.e., sodium deoxycholate, helps inhibit the growth of gram-positive organisms.



TM 054 | CLED Agar W/ Andrade Indicator

CLED (Cystine-Lactose-Electrolyte-Deficient) Medium is recommended for use in urinary bacteriology, promoting the growth of all urinary pathogens. It is also recommended for dip stick procedures and as a dip inoculum transport medium for urine specimens. CLED Medium was modified by Bevis by the incorporation of Andrade's indicator. It is used to isolate and differentiate microorganisms based on lactose fermentation. This medium provides sharper differentiation between lactose fermenters (LF) and lactose non-fermenters (NLF). The addition of Andrade's indicator enhances the appearance of colonies and aids in the identification of microorganisms.



TMP 017 | Sheep Blood Agar Plate

Sheep Blood Agar Plate is a Ready-to-Use Culture Media Plate containing Sheep Blood Agar, which is both a differential and enriched medium used for the isolation, cultivation, and detection of haemolytic activity of fastidious organisms like streptococci and pneumococci. The nutritional components of the medium containing 5% defibrinated sheep blood allow for better recovery of the pathogenic organisms from clinical samples. This medium helps in differentiating the microorganism on the basis of their haemolytic reaction as α , β , or γ -haemolytic organisms.

Essentials for General Labs




TM 1197 | Chromogenic Candida Agar

Chromogenic Candida Differential Agar is a selective and differential medium that facilitates rapid isolation of yeasts from mixed cultures and allows differentiation of *Candida* species, namely *C. albicans*, *C. krusei*, *C. tropicalis*, and *C. glabrata*, on the basis of coloration and colony morphology. On this medium, results are obtained within 48 hours, and it is useful for the rapid and presumptive identification of common yeasts in the mycology and clinical microbiology laboratories.



TM 360 | Blood Agar Base (Infusion Agar)

Blood Agar Base is a highly nutritious medium generally used as a basal medium for preparing blood agar by supplementation with blood. It can also be used as a general-purpose medium without the addition of blood. The addition of blood makes the medium more nutritious by providing additional growth factors required by fastidious organisms. It also helps in visualizing the haemolytic reactions. This medium can also be used with added phenolphthalein phosphate for the detection of phosphate-producing staphylococci, with added salt and agar for the assessment of surface contamination on equipment and pig carcasses, and to determine the salinity range of marine Flavobacteria. It can also be used for the preparation of *Salmonella typhi* antigens. It is recommended by APHA and Standard Methods for testing food samples.




TM 379 | MacConkey Agar (W/ 0.15% Bile Salts, CV & NaCl)

MacConkey Agar stands as a cornerstone in diagnostic microbiology, expertly crafted for the selective isolation and differentiation of Gram-negative enteric bacteria, particularly coliforms, from a diverse array of clinical and non-clinical samples. Its formulation, incorporating Bile Salts and Crystal Violet, cleverly inhibits the growth of most Gram-positive organisms, paving the way for Gram-negative bacteria to flourish. The differential aspect of this medium hinges on lactose fermentation. Bacteria capable of fermenting lactose produce acid, causing a shift in the neutral red pH indicator to a vibrant pink or red, often accompanied by a tell-tale zone of precipitated bile. In stark contrast, non-lactose fermenters, such as *Shigella* and *Salmonella*, yield colourless colonies, leaving the Agar's appearance unchanged. This clear visual distinction empowers microbiologists to readily identify and further investigate key enteric pathogens, making MacConkey agar an indispensable tool in various fields, from clinical diagnostics to food and water safety testing.



TM 362 | Brain Heart Infusion Broth

Brain Heart Infusion (BHI) Broth is a highly nutritious medium used to isolate a wide variety of microorganisms, including fastidious bacteria and fungi. This medium is recommended by the Food and Drug Administration. It is also used to prepare the inocula for antimicrobial susceptibility testing. BHI Broth is a modification of the original formulation by Rosenow, where he added pieces of brain tissue to dextrose broth. This medium is well buffered to support the growth of a wide variety of organisms. With the addition of 10% defibrinated sheep blood, it is useful for the isolation and cultivation of *Histoplasma capsulatum* and other fungi. For selective isolation of fungi, the addition of gentamicin and/or chloramphenicol is recommended. This medium is not suitable for obtaining characteristic haemolytic reactions even after the addition of blood because of its glucose content.



TM 377 | Luria Broth

Luria Broth serves as a vital medium for growing and maintaining recombinant *Escherichia coli* strains. Its rich nutritional profile and straightforward composition make it a go-to choice in Molecular Biology and Genetic Research, offering the flexibility for easy modifications to suit specific experimental needs. The inclusion of Tryptone and Yeast Extract creates a nutritionally abundant environment, enabling rapid growth of recombinant *E. coli*, as all necessary growth factors, including B-vitamins, are readily available, eliminating the need for the bacteria to synthesize them. Furthermore, Sodium Chloride plays a crucial role in maintaining osmotic equilibrium within the medium.

Index

Ready-to-Use Culture Media

185-213

- [187-194] Plates (55mm, 90mm, 100mm & Bi-plates)
- [194-198] Ready-to-Use Culture Media (Glass Bottle)
- [198] Blood Culturing System (Ready-to-Use Broth Media)
- [200] Ready-to-Use Broth Media (Bags)
- [200-203] Ready-to-Use Liquid Medium (Tubes)
- [203] Ready-to-Use Slants
- [203-205] Ready-to-Use Kits
- [205] Combo Sterility Kits
- [207-208] Transports Swabs with Medium
- [210-211] Surface Sampling Swabs
- [212-213] Viral, Universal & Molecular Transport Kits

Culture Strains

225-227

Microbiological Lab Consumables

228-244

- [228] Anaerobic Culture System & Accessories
- [229] Inoculating Tools
- [231-234] Culture Vessels, Carriers, Tubes, Bottles & Swabs
- [235-236] Filtration Funnel & Membrane Filters
- [236] Cold Pack, Marker Pens & Manifold Systems
- [238-239] Autoclave Bags, Micropipette Tips & Transfer Pipettes
- [241] TMFlex™ Sampling Bags
- [242] Tips & Tubes
- [242] Cleanroom Tapes & Location Markers
- [243] Receiver Flasks, Spatulas, Silicon Cork & Syringe Filters
- [244] Zip Lock Bags & Deodorising Pearls

Plant Tissue Culture Media

253-269

- [255-257] Plant Tissue Culture Media
- [258-266] Plant Tissue Culture Media Ingredients
- [267-269] Pure Antibiotic Powder

Culture Media & Supplements

14-184

- Dehydrated Culture Media [17-145]
- Chromogenic Dehydrated Culture Media [147-152]
- Dehydrated Culture Media (as per BIS) [153-155]
- Dehydrated Culture Media (as per ISO) [155-161]
- Harmonized Culture Media (as per USP/JP/EP/BP/IP) [162-163]
- Sterile Dehydrated Culture Media (Gamma-irradiated) [164]
- Media Supplements [166-180]
- Biological Media Bases [182-184]

Antibiotic Sensitivity Discs

214-221

Microbiological Testing & Analytical Solutions

222-224

- Differentiation Discs & Test Strips [222]
- Staining and Indicator Solutions & Readymade Staining Kits [222-223]
- Analytical Reagents & Standard Solutions [223-224]
- pH Indicator Paper Strips & pH Buffer Capsules [224]

Micrbiological Lab Equipments

245-250

- Loop Sterilizer [245]
- Microbial Air Monitoring System [246-247]
- Petri Dish Revolving Table [248]
- Colony Counter, Vacuum Pump & Antibiotic Discs Dispenser [249]

Sterilization Indicators

250-252

- Biological Indicators [251]
- Chemical Indicators [252]

Chemicals

270-325

- Molecular Biology Grade Chemicals [271-274]
- Laboratory Chemicals (EP & AR Grade) [275-320]
- Acids & Solvents [321]
- Food Grade Chemicals [323-325]

Culture Media & Supplements

Dehydrated Culture Media



Dehydrated Culture Media is a combination of complex nutrient substrates formulated for the cultivation of microorganisms. The components of Dehydrated Culture Media, must satisfy the nutritional requirements like nitrogen, carbon and trace elements of microorganisms, in order to live and replicate.

Constituents	Source
Amino-Nitrogen	Peptone, Protein Hydrolysate, Infusions and Extracts
Energy Sources	Blood Serum, Yeast Extract or Vitamins, Nicotinamide Adenine Dinucleotide
Buffer Salts	Phosphates, Acetates and Citrates
Mineral Salts and Metal	Phosphate, Sulfate, Magnesium, Calcium, Iron
Selective Agents	Chemicals, Antimicrobials and Dyes
Indicator Dyes	Phenol Red, Neutral Red
Gelling Agents	Agar, Gelatine, Alginate, Silica Gel, Gellan Gum

Features

- Longer hydration time
- Optimum pH range
- Absolute clarity in the medium
- Gel strength of about 300-500 dynes / cm²
- Perfect composition of ingredients

Benefits

- Equally spread and longer life of colony size
- Better colony characteristic and performance
- Healthy environment for microorganisms to grow
- Balanced solidification of agar for streaking and spreading
- Healthier and full size colony

General Instructions For Users

Dissolving of medium: Accurately weigh the appropriate amount of dehydrated medium. Add part of the required amount of distilled water / deionized water and swirl to dissolve. Now add remaining water from the sides of container with gentle heating to dissolve it completely. While performing it, one should avoid overheating, scorching or burning.

pH adjustment: The pH value of the media shall produce the equivalent value at 25°C as mentioned on the label. For best results, prepare the medium with distilled or deionized water only. If old material is being used, it is recommended to check pH, and correct if necessary before use. pH adjustment (if required) should be carried out with 0.1N Hydrochloric Acid or Sodium Hydroxide Solution.

Sterilization: Generally, sterilization is done at 121°C for 15 mins at 15 psi using autoclave. Volume larger than 2 ltr may require more autoclaving time to achieve proper sterilization. Colour of the media may vary from other brands but the growth of microorganisms will be same as desired. Some media are only required heat with frequent agitation until the medium boils, so as to maintain the heat sensitive nutrients in the media. So, it is always recommended to follow the instructions as per the label or the technical data sheet of the product.

Pressure-Temperature Relations in autoclave

(Figure based on complete replacement of air by steam)

Pressure (in psi)	Temperature	
5	109°C	228°F
10	115°C	240°F
15	121°C	250°F
20	126°C	259°F
25	130°C	267°F
30	135°C	275°F

Note: Efficiency of the autoclave should be ascertained from time to time using various biological or chemical indicators (Refer to page 250-252)

Adding Enrichment and Supplement: Enrichments and Supplements are heat sensitive. Cool the medium to 45-55°C and add enrichments or supplement to the basal medium. Mix the enrichments or supplements thoroughly.

Dispensing of the Media: Cool the agar based medium to 40-50°C and pour as desired.

For Plating : After autoclaving pour into Petri plates, place them in upright position to cool under laminar flow & immediately cover with lid.

For Broth : After dissolving the media, dispense the required quantity into the tubes and then autoclave. Sterile broth may be cooled to room temperature or laminar flow as desired.

For Slant : After dissolving the media, dispense appropriate quantity (8 ml) into the tubes and then autoclave. Remove from autoclave and keep in slanted position to solidify.

Storage of prepared medium: If the prepared media are not to be used within 24 hours then these should be stored at low temperature i.e. 2-8°C in moisture proof container. Do not refrigerate the medium. Petri plates should be kept in upright position. Also, it is recommended to use Paraffin and then to keep in plastic zip bags when stored at 2-8°C. Ensure it does not retain moisture.

Disposal Of Media

All samples and cultures should be handled carefully and should not be discarded without autoclaving. These should be discarded after autoclaving at 15 psi (121°C) for 20 minutes. Whereas, high number of pathogenic organisms can be disastrous to mankind, hence they must be disposed off safely under the approved strict guidelines of biological safety and regulations.

Check List

- ♦ Read instructions carefully given over the labels and note the best before date of each lot before use.
- ♦ Confirm the physical characteristics of Dehydrated Culture Media, it should be homogenous and free flowing.
- ♦ Since the Culture Media are highly hygroscopic, store them in cool (preferred below 25°C, unless and otherwise specified) and dry place. Protect it from direct sunlight and humid place.
- ♦ Ensure proper capping box after use.
- ♦ Efficiency of the autoclave should be ascertained from time to time using various physical measurements or Biological/Chemicals indicators.
- ♦ Avoid contaminated apparatus and glassware.
- ♦ The petri plates should be sterilized by keeping washed and dried plates in oven at 150°C for 2 hours.
- ♦ Never store the prepared media at 0°C.
- ♦ Bring the stored media to room temperature before use or as per instructions for use.

Safety Measures

- ♦ Take care while using hazardous chemicals and use methods which reduce the risk of inhalation, ingestion and contact with skin, eyes and clothing. To avoid mishappening wear protective clothing and equipment's.
- ♦ Do not eat, drink or smoke while handling and using chemicals.
- ♦ Wash hands and exposed areas thoroughly and change contaminated clothings.
- ♦ Consult doctor immediately if affected by chemicals and use appropriate first aid.

Dehydrated Culture Media

The Science Behind Every Perfect Culture

Over 2500 Formulations
For Selective Isolation to Mass Production

Key Benefits

- Batch-to-batch consistency
- In-house manufacturing of raw materials
- Fast solubility and high clarity
- Superior stability and shelf life
- Dust-free powder for easy handling
- Optimized powder flowability
- Tailored for critical and high-sensitivity tests

Designed for Applications including

- Selective Isolation
- Preservation & Viability Maintenance
- Diagnosis & Differentiation
- Microbial Limit Test
- Sterility Testing
- Fermentation
- Enrichment
- Mass Production
- Environmental Monitoring
- Starter Cultures

Crafted in Compliance with



Bureau of Indian Standards (BIS)

Pharmacopoeial Standards



Indian Pharmacopoeia



US Pharmacopoeia



British Pharmacopoeia



European Pharmacopoeia



Japanese Pharmacopoeia

ISO Guidelines



11133:2014
9001:2015
13485:2016

CODE	PRODUCT NAME		F.Wt. Gm/Ltr	PACK SIZE	
TM 001	A-1 MEDIUM for determination of faecal coliforms in water and foods by MPN technique		31.50	100 gm 500 gm	
TM 1938	AATCC BACTERIOSTASIS AGAR for the detection of antibacterial activity of fabrics		35.00	500 gm	
TM 1939	AATCC BACTERIOSTASIS BROTH (FDA BROTH) for routine antibacterial testing of antiseptics and disinfectants		20.00	500 gm	
TM 002	AC AGAR for cultivation of various microorganisms especially for sterility testing		35.20	500 gm	
TM 003	AC BROTH for cultivation of aerobes and sterility testing of biological products without mercurial preservatives		34.20	500 gm	
TM 401	ACETAMIDE AGAR (DOUBLE PACK) for confirmation of <i>Pseudomonas aeruginosa</i> in water samples	(Part I) (Part II)	10.00 22.63	500 gm -	
TM 1942	ACETAMIDE AGAR, MODIFIED (DOUBLE PACK) for confirmation of <i>Pseudomonas aeruginosa</i> in water samples	(Part I) (Part II)	03.00 21.73	500 gm -	
TM 351	ACETAMIDE BROTH (DOUBLE PACK) for confirmation of <i>Pseudomonas aeruginosa</i> in water samples	(Part I) (Part II)	02.00 01.40	100 gm 500 gm	
TM 1943	ACETAMIDE BROTH (DOUBLE PACK) (ISO 16266-2:2018) for confirmation of non-fermentative Gram-negative bacteria, particularly <i>Pseudomonas aeruginosa</i>	(Part I) (Part II)	02.00 01.40	100 gm 500 gm	
TM 1128	ACETAMIDE NUTRIENT BROTH (DOUBLE PACK) for the detection of microbial utilization of acetamide	(Part I) (Part II)	00.56 02.00	100 gm 500 gm	
TM 1324	ACETATE AGAR for the isolation and cultivation of <i>Leuconostoc</i> and <i>Pediococcus</i> species		61.90	500 gm	
TM 006	ACETATE DIFFERENTIAL AGAR for the differentiation of <i>Shigella</i> species from <i>E. coli</i> and non fermentative gram-negative <i>bacilli</i>		29.18	500 gm	
TM 1944	ACETATE DIFFERENTIAL AGAR, MODIFIED for the differentiation of <i>Shigella</i> species from <i>Escherichia coli</i> in accordance with FDA BAM		29.28	500 gm	
TM 1129	ACETOBACTER AGAR (GLUCOSE) for maintenance of dextrose positive <i>Acetobacter</i> species		38.00	500 gm	
TM 1911	ACETOBACTER BROTH (GLUCOSE) For glucose positive <i>Acetobacter</i> species		23.00	500 gm	
TM 1130	ACETOBACTER AGAR (MANNITOL) for maintenance of mannitol positive <i>Acetobacter</i> species		48.00	500 gm	
TM 1912	ACETOBACTER BROTH (MANNITOL) For mannitol positive <i>Acetobacter</i> species		33.00	500 gm	
TM 1131	ACETOBACTER AGAR W/LIVER EXTRACT for maintenance of dextrose positive <i>Acetobacter</i> species		57.00	500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 1945	ACID BROTH for cultivation of acid tolerant microorganisms from canned food	27.50	500 gm	
TM 1946	ACTIDIONE AGAR W/ACTIDIONE® for the enumeration and detection of bacteria in specimens containing large numbers of Yeasts and Moulds	75.26	500 gm	
TM 1947	ACTIDIONE AGAR BASE W/O ACTIDIONE® for the enumeration and detection of bacteria in specimens containing large numbers of Yeasts and Moulds	75.25	500 gm	
TM 1133	ACTINOMYCES AGAR for cultivation and maintenance of anaerobic <i>Actinomyces</i> species	77.22	500 gm	
TM 1134	ACTINOMYCES BROTH for cultivation and maintenance of anaerobic <i>Actinomyces</i> species	57.22	500 gm	
TM 007	ACTINOMYCETE ISOLATION AGAR for isolation and propagation of <i>Actinomycetes</i> from soil and water	21.70	500 gm	
TM 1948	ADAMS AGAR for examination of sporulation in Yeasts	22.70	500 gm	
TM 1136	AEROMONAS ISOLATION MEDIUM BASE for selective & differential isolation of <i>Aeromonas hydrophila</i> from clinical & environmental samples	56.30	500 gm	
TS 099	AEROMONAS SELECTIVE SUPPLEMENT *	#18 vl	5 vl	
TM 1949	AEROMONAS SELECTIVE AGAR (BSIBG AGAR) for the selective isolation of <i>Aeromonas</i> species from food and clinical samples	45.48	500 gm	
TM 1137	AEROMONAS STARCH DNA AGAR BASE for selective isolation and enumeration of <i>Aeromonas</i> species from food and clinical samples	52.00	500 gm	
TS 097	AMPICILLIN SUPPLEMENT *	#10 vl	5 vl	
TM 1482	AEROMONAS PSEUDO SELECTIVE AGAR for detecting <i>Pseudomonas</i> and <i>Aeromonas</i> species in foodstuffs and waste water	44.86	500 gm	
TM 1950	AGAR MEDIUM C (SABOURAUD-GLUCOSE AGAR WITH CHLORAMPHENICOL) (as per EP/BP) for selective cultivation of Yeasts and Moulds	61.41	500 gm	
TM 1951	AGAR MEDIUM C (SABOURAUD-GLUCOSE AGAR WITH ANTIBIOTICS) (as per EP/BP) for selective cultivation of Yeasts and Moulds	61.36	500 gm	
TS 138	CHLORTETRACYCLINE SELECTIVE SUPPLEMENT *	#6 vl	5 vl 25 vl	
TM 1952	AGAR MEDIUM F (CRYSTAL VIOLET, NEUTRAL RED, BILE AGAR W/ GLUCOSE) (as per EP/BP) for detection and enumeration of <i>Enterobacteria</i>	50.12	500 gm	
TM 977	AGAR MEDIUM J (DEOXYCHOLATE CITRATE AGAR) (as per BP/EP/IP) for selective isolation of enteric pathogens	69.01	100 gm 500 gm	
TM 1953	AGAR MEDIUM L (BRILLIANT GREEN, PHENOL RED, LACTOSE MONOHYDRATE, SUCROSE AGAR) (as per EP) for selective isolation of <i>Salmonella</i> other than <i>Salmonella typhi</i> from faeces, foods, dairy products	57.59	100 gm 500 gm	
TM 1954	AGAR MEDIUM L (BRILLIANT GREEN, PHENOL RED, LACTOSE MONOHYDRATE, SUCROSE AGAR) (as per BP) for selective isolation of <i>Salmonella</i> other than <i>Salmonella typhi</i> from faeces, foods, dairy products	58.09	100 gm 500 gm	

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 1955	AGAR MEDIUM M (TRIPLE SUGAR, IRON AGAR) (as per BP/EP) for identification of gram-negative enteric bacilli on the basis of glucose, lactose and sucrose fermentation and hydrogen sulphide production	64.02	100 gm 500 gm	
TM 636	AGAR MEDIUM O (BAIRD PARKER AGAR BASE) (as per USP/EP/BP) for the isolation and enumeration of coagulase positive staphylococci from food, pharmaceutical and other materials	63.00	100 gm 500 gm	
TS 001	EGG YOLK TELLURITE EMULSION (100 ml/vl *	#4 vl	5 vl	
TS 005	POTASSIUM TELLURITE 1% (1ml /vl) *	#3 vl	5 vl 25 vl	
TM 1956	AGAR MEDIUM S (R-2 A AGAR) (as per EP/BP) for heterotrophic plate count of treated potable water using longer incubation periods	18.12	500 gm	
TM 1326	AK AGAR NO. 2 (SPORULATING AGAR) (ARRET AND KIRSHBAUM MEDIUM) for production of spores of <i>Bacillus subtilis</i> ATCC 6633 which are used as inoculum in detection of <i>Penicillin</i> and other antibiotics	30.80	500 gm	
TM 1940	AKI MEDIUM for identification of <i>Vibrio</i> species in accordance with FDA	24.00	500 gm	
TM 1889	ALEKSANDROW AGAR for isolation and detection of Potassium Solubilizing Bacteria from soil sample	29.60	500 gm	
TM 1890	ALEKSANDROW BROTH for enrichment of Potassium Solubilizing Bacteria from soil samples	09.60	500 gm	
TM 1443	ALOA LISTERIA AGAR BASE (L. MONO DIFFERENTIAL AGAR BASE) for selective and differential isolation of <i>Listeria monocytogenes</i>	72.00	100 gm 500 gm	
TS 227	L. MONO SELECTIVE SUPPLEMENT I *	#14 vl	5 vl	
TS 228	L. MONO SELECTIVE SUPPLEMENT II *	#14 vl	5 vl	
TS 321	L. MONO ENRICHMENT SUPPLEMENT I	#14 vl	5 vl	
TM 647	ALGAE CULTURE AGAR for isolation and cultivation of algae from soil and water	16.87	500 gm	
TM 648	ALGAE CULTURE BROTH for isolation and cultivation of algae from soil and water	01.87	100 gm 500 gm	
TM 008	ALKALINE PEPTONE WATER (pH 8.6) (ISO 21872-1 & 2:2007) for detection and enrichment of <i>Vibrio</i> species.	50.00	500 gm	
TM 352	ALKALINE PEPTONE WATER (pH 8.4) for enrichment of <i>Vibrio</i> species	20.00	100 gm 500 gm	
TMV 352	ALKALINE PEPTONE WATER (pH 8.4) (VEG.) for enrichment of <i>Vibrio</i> species	20.00	100 gm 500 gm	
TM 649	ALKALINE PEPTONE WATER (IS:5887 (Part V) 1976, reaffirmed 2005) for enrichment of <i>Vibrio</i> species	15.00	100 gm 500 gm	
TM 1878	ALKALINE SALINE PEPTONE WATER (ASPW) (ISO 8261, ISO 7218, ISO 6887, ISO 21872-1&2:2007) for enrichment of <i>Vibrio</i> species from food and water samples	40.00	100 gm 500 gm	
TM 301	ALTERNATIVE THIOGLYCOLLATE MEDIUM (NIH THIOGLYCOLLATE MEDIUM) (as per USP) for sterility testing of turbid or viscous biological products	29.00	100 gm 500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TMV 301	ALTERNATIVE THIOGLYCOLLATE MEDIUM (NIH THIOGLYCOLLATE MEDIUM) (as per USP) (VEG.) for sterility testing of turbid or viscous biological products	28.50	100 gm 500 gm	
TM 302	ALTERNATIVE THIOGLYCOLLATE MEDIUM (NIH THIOGLYCOLLATE MEDIUM) (as per IP) for sterility testing of turbid or viscous biological products	29.00	100 gm 500 gm	
TM 1957	ALTERNATIVE THIOGLYCOLLATE MEDIUM, STERILE POWDER for evaluation of sterility in manufacturing process	29.00	500 gm	
TM 456	AMIES TRANSPORT MEDIUM W/O. CHARCOAL for transportation and preservation of bacteriological samples	09.75	100 gm 500 gm	
TM 009	AMIES TRANSPORT MEDIUM W/ CHARCOAL for transportation and preservation of bacteriological samples	19.75	100 gm 500 gm	
TM 556	AMMONIUM PHOSPHATE AGAR for detection of the ability of microorganisms to utilize ammonium phosphate as nitrogen source	26.50	500 gm	
TM 1958	AMPICILLIN DEXTRIN AGAR BASE for differential and selective isolation of <i>Aeromonas</i> species from water samples	37.38	500 gm	
TS 319	AMPICILLIN DEXTRIN SELECTIVE SUPPLEMENT	#14 vl	5 vl	
TM 1959	AMPICILLIN DEXTRIN BROTH BASE for differential and selective isolation of <i>Aeromonas</i> species from water samples	22.38	500 gm	
TS 319	AMPICILLIN DEXTRIN SELECTIVE SUPPLEMENT	#22 vl	5 vl	
TM 010	ANAEROBIC AGAR for cultivation of anaerobic bacteria especially <i>Clostridium</i> species	58.00	100 gm 500 gm	
TM 011	ANAEROBIC AGAR (BREWER) for isolation and sensitivity testing of anaerobic and microaerophilic organisms	53.00	500 gm	
TM 1497	ANAEROBIC BASAL AGAR for cultivation of anaerobic microorganisms, like <i>Bacteroides</i> and other fastidious anaerobes	46.00	500 gm	
TM 1498	ANAEROBIC BASAL BROTH for cultivation of anaerobic microorganisms like <i>Bacteroides</i> and other fastidious anaerobes	35.40	500 gm	
TM 927	ANAEROBIC BLOOD AGAR BASE for isolation and cultivation of Group A and B streptococci from clinical samples	40.00	500 gm	
TS 095	NEOMYCIN SUPPLEMENT *	#13 vl	5 vl	
TM 1960	ANAEROBIC BLOOD AGAR BASE for cultivation of anaerobic microorganisms, including very fastidious organisms from clinical specimens	44.00	500 gm	
TS 266	VITAMIN K1 SUPPLEMENT *	#12 vl	5 vl	
TM 1961	ANAEROBIC CNA AGAR BASE * for selective isolation of anaerobic streptococci	44.14	100 gm	
TM 1962	ANAEROBIC EGG AGAR BASE Anaerobic Egg Agar Base supplemented with egg yolk emulsion is recommended for the detection of <i>Clostridium perfringens</i> in foods	55.00	500 gm	
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#15 vl	5 vl	
TM 651	ANAEROBIC FERMENTATION MEDIUM BASE for detection of fermentation reactions of anaerobic microorganisms	40.00	500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 1499	ANAEROBIC THIOGLYCOLLATE MEDIUM BASE for cultivation of anaerobes	40.50	500 gm	
TM 557	ANAEROBIC TRYPTONE SOYA AGAR for screening anaerobes in cosmetic products like talcum powder	50.41	500 gm	
TM 1859	ANDRADE 0.5% LACTOSE PEPTONE WATER for determination of coliform bacteria particularly <i>Enterobacteriaceae</i> on the basis of their ability to ferment lactose	15.01	100 gm 500 gm	
TM 1797	ANDRADE LACTOSE PEPTONE WATER to study fermentation reactions of members of the <i>Enterobacteriaceae</i>	25.01	500 gm	
TM 012	ANDRADE PEPTONE WATER a basal medium to study fermentation reactions by adding carbohydrates	15.10	100 gm 500 gm	
TMV 012	ANDRADE PEPTONE WATER (VEG.) a basal medium to study fermentation reactions by adding carbohydrates	15.10	100 gm 500 gm	
TM 936	ANDRADE PEPTONE WATER (IS : 5887 (Part I and IV) 1976, reaffirmed 2005) a basal medium to study fermentation reactions by adding carbohydrates	15.10	100 gm 500 gm	
TM 652	ANDRADE PEPTONE WATER W/ MEAT EXTRACT a basal medium to study fermentation reactions of members of the <i>Enterobacteriaceae</i>	18.10	500 gm	
TM 1963	ANDRADE PEPTONE WATER, MODIFIED for carbohydrate fermentation studies of particularly <i>Enterobacteriaceae</i> members in accordance with FDA BAM, 1998	23.02	500 gm	
TM 2451	ANTIBIOTIC ASSAY MEDIUM A for microbiological diffusion assay of several antibiotics in accordance with EP	30.40	100 gm 500 gm	
TM 390	ANTIBIOTIC ASSAY MEDIUM NO.1 (SEED AGAR) for microbiological assay of β -lactam and other antibiotics	30.50	100 gm 500 gm	
TMV 390	ANTIBIOTIC ASSAY MEDIUM NO.1 (SEED AGAR) (VEG.) for microbiological assay of β -lactam and other antibiotics	30.50	100 gm 500 gm	
TM 1729	ANTIBIOTIC ASSAY MEDIUM NO.1 (as per USP) for microbiological assay of β -lactam & other antibiotics	30.50	100 gm 500 gm	
TM 359	ANTIBIOTIC ASSAY MEDIUM NO.2 (BASE AGAR) for microbiological assay of antibiotics	25.50	500 gm	
TMV 359	ANTIBIOTIC ASSAY MEDIUM NO.2 (BASE AGAR) (VEG.) for microbiological assay of antibiotics	25.50	500 gm	
TM 1731	ANTIBIOTIC ASSAY MEDIUM NO.2 (as per USP) for microbiological assay of antibiotics	25.50	500 gm	
TM 1732	ANTIBIOTIC ASSAY MEDIUM B (as per IP) for microbiological assay of antibiotics	25.50	500 gm	
TM 1964	ANTIBIOTIC ASSAY MEDIUM B (as per BP) for the microbiological assay of Colistimethate sodium sulphate using <i>Bordetella bronchiseptica</i> and <i>Escherichia coli</i>	44.77	500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 015	ANTIBIOTIC ASSAY MEDIUM NO. 3 (ASSAY BROTH) for microbiological assay of antibiotics	17.50	100 gm 500 gm	
TMV 015	ANTIBIOTIC ASSAY MEDIUM NO. 3 (ASSAY BROTH) (VEG.) for microbiological assay of antibiotics	17.50	100 gm 500 gm	
TM 1734	ANTIBIOTIC ASSAY MEDIUM NO. 3 (as per USP) for turbidimetric or serial dilution assay of various antibiotics	17.50	100 gm 500 gm	
TM 1735	ANTIBIOTIC ASSAY MEDIUM C (as per IP) for turbidimetric or serial dilution assay of various antibiotics	17.50	100 gm 500 gm	
TM 1965	ANTIBIOTIC ASSAY MEDIUM C (as per BP) for turbidimetric assay of a wide variety of antibiotics	20	500 gm	
TM 427	ANTIBIOTIC ASSAY MEDIUM NO. 4 (YEAST MEAT AGAR) for detection of Penicillin-G in milk using <i>Bacillus stearothermophilus</i>	26.50	500 gm	
TMV 427	ANTIBIOTIC ASSAY MEDIUM NO.4 (VEG.) detection of Penicillin-G in milk using <i>Bacillus stearothermophilus</i>	26.50	500 gm	
TM 1737	ANTIBIOTIC ASSAY MEDIUM NO. 4 (as per USP) for detection of Penicillin in milk and for microbiological assay of different antibiotics	26.50	500 gm	
TM 017	ANTIBIOTIC ASSAY MEDIUM NO. 5 (STREPTOMYCIN ASSAY AGAR W/ YEAST EXTRACT) (as per IP/ USP) for microbiological assay of Streptomycin using <i>Bacillus subtilis</i>	25.50	500 gm	
TMV 017	ANTIBIOTIC ASSAY MEDIUM NO. 5 (STREPTOMYCIN ASSAY AGAR) (VEG.) for microbiological assay of Streptomycin using <i>Bacillus subtilis</i>	25.50	500 gm	
TM 1967	ANTIBIOTIC ASSAY MEDIUM E used in the microbiological assay of Neomycin sulphate and Framycetin sulphate using <i>Bacillus subtilis</i> and <i>Bacillus pumilus</i>	28.67	500 gm	
TM 018	ANTIBIOTIC ASSAY MEDIUM NO. 6 for induction of spore production in <i>Bacillus subtilis</i> strains used in antibiotic assay	30.00	500 gm	
TMV 018	ANTIBIOTIC ASSAY MEDIUM NO. 6 (VEG.) for induction of spore production in <i>Bacillus subtilis</i> strains used in antibiotic assay	30.00	500 gm	
TM 019	ANTIBIOTIC ASSAY MEDIUM NO. 8 (BASE AGAR W/ LOW pH) for microbiological assay of Mitomycin, Plicamycin and Vancomycin	25.50	500 gm	
TMV 019	ANTIBIOTIC ASSAY MEDIUM NO. 8 (BASE AGAR W/ LOW pH) (VEG.) for microbiological assay of Mitomycin, Plicamycin and Vancomycin	25.50	500 gm	
TM 1743	ANTIBIOTIC ASSAY MEDIUM NO. 8 (as per USP) for microbiological assay of Mitomycin, Plicamycin and Vancomycin	25.50	500 gm	
TM 1968	ANTIBIOTIC ASSAY MEDIUM F for microbiological assay of Amphotericin B and Nystatin using <i>Saccharomyces cerevisiae</i> and <i>Candida tropicalis</i>	60.00	500 gm	
TM 020	ANTIBIOTIC ASSAY MEDIUM NO. 9 (POLYMYXIN BASE AGAR) for assaying the products containing Polymyxin-b	50.00	500 gm	
TMV 020	ANTIBIOTIC ASSAY MEDIUM NO. 9 (POLYMYXIN BASE AGAR) (VEG.) for assaying the products containing Polymyxin-b	50.00	500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME		F.Wt. Gm/Ltr	PACK SIZE	
TM 1746	ANTIBIOTIC ASSAY MEDIUM NO. 9 (as per USP) for microbiological plate assay of Carbenicillin, Colistimethate sodium and Polymyxin-b		50.00	500 gm	
TM 021	ANTIBIOTIC ASSAY MEDIUM NO. 10 (POLYMYXIN SEED AGAR) for assay of Polymyxin-B, Carbenicillin, Colistin and Colistimethate Sodium	(Part I) (Part II)	42.00 10 ml	500 gm	
TMV 021	ANTIBIOTIC ASSAY MEDIUM NO. 10 (POLYMYXIN SEED AGAR) (VEG.) for assay of Polymyxin-B, Carbenicillin, Colistin and Colistimethate sodium	(Part I) (Part II)	42.00 10 ml	500 gm	
TM 1748	ANTIBIOTIC ASSAY MEDIUM NO. 10 (as per USP) for antibiotic assay of Carbenicillin, Colistimethate sodium and Polymyxin-b	(Part I) (Part II)	42.00 10 ml	500 gm	
TM 1970	ANTIBIOTIC ASSAY MEDIUM H for the microbiological turbidimetric assay of Apramycin using <i>Salmonella choleraesuis</i>		18.00	500 gm	
TM 2449	ANTIBIOTIC ASSAY MEDIUM H for the microbiological assay of Teicoplanin using <i>Bacillus subtilis</i> as a test organism		23.00	500 gm	
TM 022	ANTIBIOTIC ASSAY MEDIUM NO. 11 (NEOMYCIN, ERYTHROMYCIN ASSAY AGAR) for microbiological assay of antibiotics		30.50	100 gm 500 gm	
TMV 022	ANTIBIOTIC ASSAY MEDIUM NO. 11 (NEOMYCIN, ERYTHROMYCIN ASSAY AGAR) (VEG.) for microbiological assay of antibiotics		30.50	100 gm 500 gm	
TM 1751	ANTIBIOTIC ASSAY MEDIUM NO. 11 (as per USP) for microbiological assay of antibiotics		30.50	100 gm 500 gm	
TM 1966	ANTIBIOTIC ASSAY MEDIUM D for the microbiological assay of Erythromycin estolate using <i>Klebsiella pneumoniae</i>		19.50	100 gm	
TM 653	ANTIBIOTIC ASSAY MEDIUM D (as per IP) for microbiological assay of antibiotics		30.50	100 gm 500 gm	
TM 023	ANTIBIOTIC ASSAY MEDIUM NO. 12 (NYSTATIN ASSAY AGAR) for microbiological assay of Amphotericin B & Nystatin using <i>Saccharomyces cerevisiae</i>		62.50	500 gm	
TMV 023	ANTIBIOTIC ASSAY MEDIUM NO. 12 (NYSTATIN ASSAY AGAR) (VEG.) for microbiological assay of Amphotericin B & Nystatin using <i>Saccharomyces cerevisiae</i>		62.50	500 gm	
TM 024	ANTIBIOTIC ASSAY MEDIUM NO. 13 (NYSTATIN ASSAY BROTH) for microbiological assay of Candididin using <i>Saccharomyces cerevisiae</i>		30.00	500 gm	
TMV 024	ANTIBIOTIC ASSAY MEDIUM NO. 13 (NYSTATIN ASSAY BROTH) (VEG.) for microbiological assay of Candididin using <i>Saccharomyces cerevisiae</i>		30.00	500 gm	
TM 1753	ANTIBIOTIC ASSAY MEDIUM NO. 13 (as per USP) for turbidimetric microbiological assay of Candididin using <i>Saccharomyces cerevisiae</i> and to study the effectiveness of antibiotics on Yeasts and Moulds		30.00	500 gm	
TM 025	ANTIBIOTIC ASSAY MEDIUM NO. 19 for microbiological assay of Amphotericin B, Netamycin & Nystatin using <i>Saccharomyces cerevisiae</i>		60.00	500 gm	
TMV 025	ANTIBIOTIC ASSAY MEDIUM NO. 19 (VEG.) for microbiological assay of Amphotericin B, Netamycin & Nystatin using <i>Saccharomyces cerevisiae</i>		60.00	500 gm	
TM 1755	ANTIBIOTIC ASSAY MEDIUM NO. 19 (as per USP) for microbiological assay of Amphotericin B, Netamycin & Nystatin using <i>Saccharomyces cerevisiae</i>		60.00	500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 1969	ANTIBIOTIC ASSAY MEDIUM G for the microbiological assay of Bleomycin sulphate using <i>Mycobacterium smegmatis</i>	38.00	500 gm	
TM 026	ANTIBIOTIC ASSAY MEDIUM NO. 20 (YEAST BEEF BROTH) for microbiological assay of Amphotericin B using <i>Candida tropicalis</i>	42.50	500 gm	
TMV 026	ANTIBIOTIC ASSAY MEDIUM NO. 20 (YEAST BEEF BROTH) (VEG.) for microbiological assay of Amphotericin B using <i>Candida tropicalis</i>	42.50	500 gm	
TM 654	ANTIBIOTIC ASSAY MEDIUM NO. 32 for microbiological assay of Dihydrostreptomycin and Vancomycin by preparing inoculum of <i>Bacillus subtilis</i> ATCC 6633	30.80	500 gm	
TMV 654	ANTIBIOTIC ASSAY MEDIUM NO. 32 (VEG.) for microbiological assay of Dihydrostreptomycin and Vancomycin by preparing inoculum of <i>Bacillus subtilis</i> ATCC 6633	30.80	500 gm	
TM 1760	ANTIBIOTIC ASSAY MEDIUM NO. 32 (as per USP) for assay of dihydrostreptomycin and Vancomycin by plate assay method by preparing inoculum of <i>Bacillus subtilis</i>	30.80	500 gm	
TM 655	ANTIBIOTIC ASSAY MEDIUM NO. 34 for microbiological assay of Bleomycin by using <i>Mycobacterium smegmatis</i>	23.00	500 gm	
TM 1761	ANTIBIOTIC ASSAY MEDIUM NO. 34 (as per USP) for microbiological assay of Bleomycin by using <i>Mycobacterium smegmatis</i>	23.00	500 gm	
TM 656	ANTIBIOTIC ASSAY MEDIUM NO. 35 for microbiological assay of Bleomycin using <i>Mycobacterium smegmatis</i>	40.00	500 gm	
TMV 656	ANTIBIOTIC ASSAY MEDIUM NO. 35 (VEG.) for microbiological assay of Bleomycin using <i>Mycobacterium smegmatis</i>	40.00	500 gm	
TM 1763	ANTIBIOTIC ASSAY MEDIUM NO. 35 (as per USP) for microbiological assay of Bleomycin by using <i>Mycobacterium smegmatis</i>	40.00	500 gm	
TM 1971	ANTIBIOTIC ASSAY MEDIUM I for the microbiological turbidimetric assay of Apramycin using <i>Salmonella choleraesuis</i>	18.00	500 gm	
TM 1974	ANTIBIOTIC ASSAY MEDIUM NO. 36 a general purpose medium for cultivation of a wide variety of fastidious microorganisms	40.00	100 gm 500 gm	
TM 345	ANTIBIOTIC ASSAY MEDIUM NO. 36 (SOYA BEAN CASEIN DIGEST AGAR) (TRYPTONE SOYA AGAR) (as per USP) for enrichment and isolation of fastidious microorganisms with or without blood	40.00	100 gm 500 gm	
TMV 345	ANTIBIOTIC ASSAY MEDIUM NO. 36 (SOYA BEAN CASEIN DIGEST AGAR) (TRYPTONE SOYA AGAR) (as per USP)(VEG.) for isolation of various fastidious microorganisms with or without added blood	40.00	100 gm 500 gm	
TM 332	ANTIBIOTIC ASSAY MEDIUM NO. 37 (SOYA CASEIN DIGEST MEDIUM) (TRYPTONE SOYA BROTH) for sterility testing and cultivation of fastidious and non-fastidious microorganisms	30.00	100 gm 500 gm	
TMV 332	ANTIBIOTIC ASSAY MEDIUM NO. 37 (SOYA CASEIN DIGEST MEDIUM) (TRYPTONE SOYA BROTH) (VEG.) for sterility testing and cultivation of fastidious and non-fastidious microorganisms	30.00	100 gm 500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 1476	ANTIBIOTIC ASSAY MEDIUM NO. 37 (as per USP) for sterility testing of Moulds and cultivation of various microorganisms	30.00	100 gm 500 gm	
TM 658	ANTIBIOTIC ASSAY MEDIUM NO. 38 for microbiological assay of Ticarcillin using <i>Pseudomonas aeruginosa</i>	45.40	500 gm	
TMV 658	ANTIBIOTIC ASSAY MEDIUM NO. 38 (VEG.) for microbiological assay of Ticarcillin using <i>Pseudomonas aeruginosa</i>	45.40	500 gm	
TM 1770	ANTIBIOTIC ASSAY MEDIUM NO. 38 (as per USP) for microbiological assay of Ticarcillin using <i>Pseudomonas aeruginosa</i>	45.40	500 gm	
TM 659	ANTIBIOTIC ASSAY MEDIUM NO. 39 for microbiological assay of Neomycin and Streptomycin using <i>Klebsiella pneumoniae</i>	17.50	500 gm	
TMV 659	ANTIBIOTIC ASSAY MEDIUM NO. 39 (VEG.) for microbiological assay of Neomycin using <i>Klebsiella pneumoniae</i>	17.50	500 gm	
TM 1772	ANTIBIOTIC ASSAY MEDIUM NO. 39 (as per USP) for microbiological assay of Neomycin using <i>Klebsiella pneumoniae</i>	17.50	500 gm	
TM 660	ANTIBIOTIC ASSAY MEDIUM NO. 40 for microbiological assay of Thiostrepton using <i>Streptococcus faecium</i> (<i>Enterococcus faecium</i>)	47.10	500 gm	
TMV 660	ANTIBIOTIC ASSAY MEDIUM NO. 40 (VEG.) for microbiological assay of Thiostrepton using <i>Streptococcus faecium</i>	47.10	500 gm	
TM 1774	ANTIBIOTIC ASSAY MEDIUM NO. 40 (as per USP) for microbiological assay of Thiostrepton using <i>Streptococcus faecium</i>	47.10	500 gm	
TM 661	ANTIBIOTIC ASSAY MEDIUM NO. 41 for the microbiological assay of Thiostrepton using <i>Streptococcus faecium</i> as the test organism	46.00	500 gm	
TMV 661	ANTIBIOTIC ASSAY MEDIUM NO. 41 (VEG.) for the microbiological assay of Thiostrepton using <i>Streptococcus faecium</i> as the test organism	46.00	500 gm	
TM 1776	ANTIBIOTIC ASSAY MEDIUM NO. 41 (as per USP) for the microbiological assay of Thiostrepton using <i>Streptococcus faecium</i> as the test organism	46.00	500 gm	
TM 1972	ANTIBIOTIC ASSAY MEDIUM L - AOAC for microbiological assay of Monensin using <i>Bacillus subtilis</i>	28.64	500 gm	
TM 1973	ANTIBIOTIC ASSAY MEDIUM M - AOAC for microbiological assay of Lasalocid using <i>Bacillus subtilis</i>	33.64	500 gm	
TM 1460	ANTIBIOTIC SULPHONAMIDE SENSITIVITY TEST AGAR (ASS AGAR) for testing antimicrobial activity of antibiotics and sulphonamides and also for detecting the presence of antimicrobial substances	40.04	500 gm	
TM 027	ANTIFUNGAL ASSAY AGAR for assay of antifungal activity in pharmaceutical and other products by cylinder plate/disc method	75.76	500 gm	
TM 1975	ANTIMICROBIAL INHIBITOR TEST AGAR pH 6.0 for residual analysis of antimicrobial components in meat and organ samples, using <i>Bacillus subtilis</i>	25.00	500 gm	
TM 1976	ANTIMYCOTIC SENSITIVITY TEST AGAR for testing antimycotic sensitivity by diffusion method using antimycotic sensitivity discs	85.00	500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 1329	APRY AGAR BASE for detection and isolation of acid resistant yeasts, <i>Zygosaccharomyces bacillii</i> and <i>Zygosaccharomyces rouxii</i> in food products	107.50	500 gm	
TS 137	POTASSIUM SORBATE 10% (10ml/vl)	#5 vl	5 vl	
TM 1330	APRY BROTH BASE for detection and isolation of acid resistant yeasts, <i>Zygosaccharomyces bacillii</i> and <i>Zygosaccharomyces rouxii</i> in food products	82.55	500 gm	
TS 138	CHLORTETRACYCLINE SELECTIVE SUPPLEMENT	#6 vl	5 vl 25 vl	
TM 1323	APT AGAR for cultivation of hetero-fermentative lactobacilli and other organisms by extra thiamine content	61.20	500 gm	
TM 1462	APT BROTH for cultivation of hetero-fermentative Lactic acid bacteria by extra thiamine content	46.20	500 gm	
TM 1470	ARABINOSE AGAR BASE for differentiation between <i>Enterococcus faecium</i> & <i>Streptococcus faecalis</i>	54.10	500 gm	
TS 168	ENTEROCOCCUS FAECIUM SELECTIVE SUPPLEMENT *	#19 vl	5 vl	
TM 1140	ARGININE DIHYDROLASE BROTH for detection of Arginine dihydrolase producing microorganisms	19.30	500 gm	
TM 1505	L-ARGININE DIHYDROLASE MEDIUM, MODIFIED (ISO 22964:2006) for confirmation of <i>Enterococcus sakazakii</i> from milk and milk products	09.01	500 gm	
TM 1141	ASCOSPORE AGAR for detection of ascosporegenous yeasts	43.50	500 gm	
TM 1977	ASEPTIC PACKING LINE MEDIUM a fluid medium used in validating aseptic packing lines	17.50	500 gm	
TM 662	ASHBY'S GLUCOSE AGAR for cultivation of <i>Azotobacter</i> species by using glucose as carbon source	40.70	500 gm	
TM 663	ASHBY'S MANNITOL AGAR for isolation of <i>Azotobacter</i> species from soil	40.70	500 gm	
TM 1978	ASHBY'S SUCROSE AGAR for growth and maintenance of <i>Azotobacter</i> species from soil samples	40.70	500 gm	
TM 1979	ASHBY'S SUCROSE BROTH for growth and maintenance of <i>Azotobacter</i> species	25.70	500 gm	
TM 1331	ASLA AGAR BASE for selective isolation and cultivation of <i>Propionibacterium</i> species	16.19	500 gm	
TS 139	PROPIONIBACTERIA GROWTH SUPPLEMENT	#62 vl	5 vl	
TM 1980	ASPARAGINE BROTH FOR PSEUDOMONAS for presumptive identification and enumeration of <i>Pseudomonas aeruginosa</i> by MPN method	04.50	100 gm 500 gm	
TM 664	ASPARAGINE BROTH * for identification and enumeration of <i>Pseudomonas aeruginosa</i>	28.00	100 gm 500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME		F.Wt. Gm/Ltr	PACK SIZE	
TM 665	ASPARAGINE GELATIN LACTATE MEDIUM BASE for isolation of sulphur bacteria		15.25	100 gm	
TM 599	ASPARAGINE NITRATE MEDIUM for cultivation and isolation of denitrifying bacteria from soil		27.70	100 gm	
TM 666	ASPARAGINE PROLINE BROTH for cultivation of <i>Pseudomonas aeruginosa</i> from water by membrane filter technique		14.50	100 gm 500 gm	
TM 667	ASPERGILLUS DIFFERENTIATION MEDIUM BASE detection of aflatoxin producing <i>Aspergillus</i> species from foods		45.50	500 gm	
TS 053	CHLORAMPHENICOL SELECTIVE SUPPLEMENT *		#22 vl	5 vl 25 vl	
TM 1941	ATCC 2039 BROTH (DOUBLE PACK) for maintenance of cultures of streptococci and other microorganisms	(Part I) (Part II)	22.05 20.00	500 gm	
TM 431	AYERS AND JOHNSON AGAR (STOCK CULTURE AGAR) for maintenance of cultures of streptococci and other microorganisms		50.00	500 gm	
TM 028	AZIDE BLOOD AGAR BASE for selective isolation and cultivation of staphylococci & streptococci from mixed bacterial flora		33.20	500 gm	
TM 412	AZIDE DEXTROSE BROTH for detection of faecal streptococci in water, sewage, food and other materials		34.70	500 gm	
TM 029	AZIDE DEXTROSE BROTH W/ BCP for cultivation of faecal streptococci in water		34.70	500 gm	
TM 638	AZOSPIRILLUM MEDIUM W/ 0.17% AGAR (DOUBLE PACK) for cultivation of <i>Azospirillum</i> species	(Part I) (Part II)	08.08 04.00	100 gm 500 gm	
TM 1981	AZOSPIRILLUM MEDIUM W/O AGAR (DOUBLE PACK) for cultivation of <i>Azospirillum</i> species	(Part I) (Part II)	06.33 04.00	500 gm -	
TM 1982	AZOTOBACTER AGAR (GLUCOSE) for isolation and cultivation of Glucose positive <i>Azotobacter</i> species from soil		31.40	500 gm	
TM 353	AZOTOBACTER AGAR (DEXTROSE) for isolation and cultivation of dextrose positive <i>Azotobacter</i> species from soil		31.40	500 gm	
TM 1648	AZOTOBACTER BROTH (DEXTROSE) for enrichment & cultivation of <i>Azotobacter</i> species from soil		16.40	500 gm	
TM 354	AZOTOBACTER AGAR (MANNITOL) for isolation, cultivation and identification of mannitol positive <i>Azotobacter</i> species from soil		41.40	500 gm	
TM 1983	AZOTOBACTER BROTH (MANNITOL) for cultivation of mannitol positive <i>Azotobacter</i> species from soil		26.40	500 gm	
TM 1649	AZOTOBACTER MEDIUM (MANNITOL) for isolation, cultivation and enrichment of <i>Azotobacter</i> species		26.40	500 gm	
TM 1877	AZOTOBACTER AGAR (SUCROSE) for isolation, cultivation and identification of sucrose positive <i>Azotobacter</i> species from soil		36.37	500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 1865	B12 ASSAY AGAR (USING <i>E. COLI</i> MUTANT CULTURE) * for microbiological assay of Vitamin B12 by plate method using <i>E.coli</i> mutant as test organism	51.50	100 gm	
TM 1866	B12 ASSAY AGAR (USING <i>L. LEICHMANNII</i>) * for microbiological assay of Vitamin B12 by using <i>Lactobacillus leichmannii</i> as test organism	84.50	100 gm	
TM 1985	B12 ASSAY MEDIUM (USING <i>L. LEICHMANNII</i>) * for microbiological assay of Vitamin B12 by using <i>Lactobacillus leichmannii</i>	84.53	100 gm	
TM 1986	B12 ASSAY MEDIUM * for microbiological assay of Vitamin B12 by using <i>Lactobacillus leichmannii</i>	79.36	100 gm	
TM 1879	B12 CULTURE AGAR (<i>E. COLI</i> MAINTENANCE MEDIUM) (<i>E. COLI</i> MUTANT CULTURE AGAR) for propagation, cultivation and maintenance of <i>E. coli</i> mutant used in microbiological assay of Vitamin B12	37.85	100 gm	
TM 1880	B12 CULTURE AGAR (<i>L. LEICHMANNII</i> MAINTENANCE MEDIUM) for propagation, cultivation and maintenance of <i>L.leichmannii</i> ATCC 7830	42.10	100 gm	
TM 030	B.A.G.G BROTH BASE (BUFFERED AZIDE GLUCOSE GLYCEROL BROTH BASE) for detection of faecal streptococci from various clinical and non-clinical samples	36.00	500 gm	
TM 1984	B.C.P.-D.C.L.S. Agar for the selective isolation of <i>Salmonella</i> and <i>Shigella</i> species	67.52	500 gm	
TM 2442	BAT AGAR (ALICYCLOBACILLUS AGAR) for the isolation of <i>Alicyclobacillus</i> species in fruit juices	28.95	500 gm	
TM 938	B.C. MOTILITY TEST MEDIUM (BC MOTILITY MEDIUM) for motility testing of <i>Bacillus cereus</i>	23.00	500 gm	
TM 035	B.C.G. DEXTROSE AGAR (SNYDER TEST AGAR) for estimation of lactobacilli, an indication of caries activity	65.00	500 gm	
TM 1987	B.D.G - BROTH HAJNA for the detection of enteric bacilli from food and in treated drinking water	35.60	500 gm	
TM 033	BG SULPHA AGAR (BRILLIANT GREEN SULPHA AGAR) for isolation and detection of <i>Salmonella</i> species from food	59.09	100 gm 500 gm	
TM 1988	BHI CC AGAR (BRAIN HEART INFUSION CC AGAR) * for selective isolation and cultivation of fastidious pathogenic fungi from specimens heavily contaminated with bacteria	52.50	100 gm	
TM 1989	BHI AGAR (BRAIN HEART INFUSION AGAR) (SPECIAL INFUSION AGAR) for the cultivation of fastidious pathogenic Bacteria, Yeasts and Moulds from clinical and non clinical samples	52.50	100 gm 500 gm	
TM 1990	BHI AGAR MODIFIED (BRAIN HEART INFUSION AGAR, MODIFIED) for the cultivation of a wide variety of organisms like Bacteria, Yeasts and Moulds	53.00	500 gm	
TM 1991	BHI AGAR (BRAIN HEART INFUSION AGAR WITH 1% AGAR) for the cultivation of fastidious pathogenic Bacteria, Yeasts and Moulds	47.00	500 gm	
TM 1992	BHI W/ 0.1% AGAR (BRAIN HEART INFUSION W/ 0.1% AGAR) for propagation of fastidious pathogenic cocci and other organisms associated with blood culture work and allied pathological investigations	38.00	500 gm	

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 1993	BHI W/ 6.5% NaCl (BRAIN HEART INFUSION BROTH WITH 6.5 % NaCl) for the selective cultivation of salt tolerant microorganisms	97.00	500 gm	
TM 1994	BHI AGAR W/ 3.0% AGAR (BRAIN HEART INFUSION AGAR WITH 3.0% AGAR) for cultivation of fastidious microorganisms using hard (3%) agar gel	67.00	500 gm	
TM 1995	BHI W/ PABA(BRAIN HEART INFUSION W/ PABA) for examination of blood from patients under Sulphonamide therapy	282.05	500 gm	
TM 1996	BHI AGAR W/ PABA (BRAIN HEART INFUSION W/ PABA AND AGAR) for culturing blood from patients under Sulphonamide therapy	38.05	500 gm	
TM 668	B.T.B. LACTOSE AGAR for isolation of pathogenic staphylococci	33.17	100 gm 500 gm	
TM 669	B.T.B. LACTOSE AGAR, MODIFIED for differentiating lactose positive and lactose negative colonies of <i>Enterobacteriaceae</i>	40.04	500 gm	
TM 045	BPL AGAR (BRILLIANT GREEN PHENOL RED LACTOSE AGAR) for isolation and identification of <i>Salmonella</i> except <i>Salmonella typhi</i> in faeces, urine and milk	30.00	500 gm	
TM 216	B.Q. VACCINE MEDIUM (THIOGLYCOLLATE BROTH W/ LIVER EXTRACT) for mass cultivation of anaerobes for vaccine production	30.00	500 gm	
TMV 216	B.Q. VACCINE MEDIUM (THIOGLYCOLLATE BROTH W/ VEG. EXTRACT) for mass cultivation of anaerobes for vaccine production	52.00	500 gm	
TM 1998	BYE AGAR for the cultivation of <i>Mycoplasma</i> or <i>Pleuropneumonia</i> like organisms and L-forms of bacteria	41.00	500 gm	
TM 1120	BACILLUS CEREUS AGAR BASE selective isolation and enumeration of <i>Bacillus cereus</i>	41.00	100 gm 500 gm	
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT *	#25 vI	5 vI 25 vI	
TS 002	EGG YOLK EMULSION (100 ml/vI) *	#7 vI	5 vI	
TM 1881	BACILLUS CEREUS SELECTIVE AGAR BASE (MYP) (ISO 7932:2004) selective isolation and enumeration of <i>Bacillus cereus</i>	46.03	500 gm	
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT *	#22 vI	5 vI 25 vI	
TS 002	EGG YOLK EMULSION (100 ml/vI) *	#11 vI	5 vI	
TM 941	BACILLUS DIFFERENTIATION AGAR for differentiation of <i>Bacillus cereus</i> and <i>Bacillus subtilis</i> based on mannitol fermentation	22.00	500 gm	
TM 942	BACILLUS MEDIUM (DOUBLE PACK) for cultivation of <i>Bacillus licheniformis</i>	(Part I) 07.50 (Part II) 20.00	100 gm 500 gm	
TM 1144	BACTEROIDES BILE ESCULIN AGAR BASE (BBE AGAR BASE) for selective isolation, identification and cultivation of <i>Bacteroides fragilis</i> group	61.52	500 gm	
TS 100	BACTEROIDES SELECTIVE SUPPLEMENT *	#17 vI	5 vI	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 1999	BAIRD PARKER AGAR BASE (FPT) for the isolation and enumeration of coagulase positive staphylococci from food and other materials	63.00	100 gm 500 gm	
TS 176	RPF SUPPLEMENT (FIBRINOGEN PLASMA TRYPSIN INHIBITOR SUPPLEMENT) *	#80 vl	5 vl 25 vl	
TM 358	BAIRD PARKER AGAR BASE for isolation and enumeration of coagulase positive staphylococci from food and other products	63.00	100 gm 500 gm	
TS 001	EGG YOLK TELLURITE EMULSION (100 ml /vl) *	#4 vl	5 vl	
TS 002	EGG YOLK EMULSION (100 ml /vl) *	#4 vl	5 vl	
TS 003	POTASSIUM TELLURITE 3.5% (10 ml/vl) *	#3 vl	5 vl	
TS 004	B. P. SULPHA SUPPLEMENT *	#8 vl	5 vl	
TS 176	RPF SUPPLEMENT (FIBRINOGEN PLASMA TRYPSIN INHIBITOR SUPPLEMENT) *	#80 vl	5 vl 25 vl	
TMV 358	BAIRD PARKER AGAR BASE (VEG.) for isolation and enumeration of coagulase positive staphylococci from food and other products	63.00	100 gm 500 gm	
TS 003	POTASSIUM TELLURITE 3.5% (10 ml/vl) *	#3 vl	5 vl	
TS 004	B. P. SULPHA SUPPLEMENT *	#8 vl	5 vl	
TS 176	RPF SUPPLEMENT (FIBRINOGEN PLASMA TRYPSIN INHIBITOR SUPPLEMENT) *	#80 vl	5 vl 25 vl	
TM 1579	BAIRD PARKER AGAR BASE (RPF) (ISO 6888-1 & 2:1999) for isolation & enumeration of coagulase positive staphylococci from food & pharma products	56.00	500 gm	
TS 001	EGG YOLK TELLURITE EMULSION (100 ml /vl) *	#4 vl	5 vl	
TS 176	RPF SUPPLEMENT (FIBRINOGEN PLASMA TRYPSIN INHIBITOR SUPPLEMENT) *	#80 vl	5 vl 25 vl	
TM 635	BAIRD PARKER AGAR BASE (IS : 5887 (Part II) 1976, reaffirmed 2005.) for isolation and enumeration of coagulase positive staphylococci from food and other products	65.00	100 gm 500 gm	
TS 001	EGG YOLK TELLURITE EMULSION (100 ml /vl) *	#4 vl	5 vl	
TS 002	EGG YOLK EMULSION (100 ml /vl) *	#4 vl	5 vl	
TS 003	POTASSIUM TELLURITE 3.5% (10 ml/vl) *	#3 vl	5 vl	
TM 636	BAIRD PARKER AGAR BASE (AGAR MEDIUM O) (as per USP/EP) for the isolation and enumeration of coagulase positive staphylococci from food, pharmaceutical and other materials	63.00	100 gm 500 gm	
TS 001	EGG YOLK TELLURITE EMULSION (100 ml /vl) *	#4 vl	5 vl	
TS 005	POTASSIUM TELLURITE 1% (1ml /vl) *	#3 vl	5 VL 25 vl	
TMH 119	BAIRD PARKER AGAR BASE (as per EP/IP/BP) for the isolation and enumeration of coagulase positive staphylococci from food, pharmaceutical and other materials	63.00	100 gm 500 gm	
TS 001	EGG YOLK TELLURITE EMULSION (100 ml /vl) *	#4 vl	5 vl	
TS 002	EGG YOLK EMULSION (100 ml /vl) *	#4 vl	5 vl	
TS 003	POTASSIUM TELLURITE 3.5% (10 ml/vl) *	#3 vl	5 vl	
TM 2000	BAIRD PARKER AGAR W/O EGG YOLK EMULSION recommended for direct enumeration of coagulase positive staphylococci	47.73	100 gm 500 gm	
TM 943	BAIRD PARKER AGAR BASE W/ SULPHA for isolation and enumeration of coagulase positive staphylococci from food and other products	63.00	500 gm	
TS 001	EGG YOLK TELLURITE EMULSION (100 ml /vl)*	#4 vl	5 vl	
TS 002	EGG YOLK EMULSION (100 ml /vl)*	#4 vl	5 vl	
TS 003	POTASSIUM TELLURITE 3.5% (10 ml/vl)*	#3 vl	5 vl	

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 670	BAIRD STAPHYLOCOCCUS ENRICHMENT BROTH BASE for selective enrichment of pathogenic staphylococci	43.00	500 gm	
TS 005	POTASSIUM TELLURITE 1% (1ml /vl) *	#12 vl	5 vl 25 vl	
TM 032	BALANCED SENSITIVITY TEST MEDIUM for antimicrobial susceptibility testing by agar diffusion	65.02	500 gm	
TM 2001	BASAL MINERAL MEDIUM for cultivation of <i>Beggiatoa</i> species	01.53	500 gm	
TM 359	BASE AGAR (ANTIBIOTIC ASSAY MEDIUM NO. 2) (as per IP) for microbiological assay of antibiotics	25.50	500 gm	
TM 019	BASE AGAR W/ LOW pH (ANTIBIOTIC MEDIUM NO. 8) for microbiological assay of Mitomycin, Plicamycin and Vancomycin	25.50	500 gm	
TM 1743	BASE AGAR W/ LOW pH (ANTIBIOTIC MEDIUM NO. 8) (as per USP) for microbiological assay of Mitomycin, Plicamycin and Vancomycin	25.50	500 gm	
TM 2002	BEER SPOILAGE ISOLATION BROTH for recommended as a selective medium for the detection of contaminating/spoilage microorganisms	109.08	100 gm	
TM 2003	BEER SPOILAGE ISOLATION AGAR for selective medium recommended for the detection of contaminating/spoilage microorganisms	69.90	100 gm	
TM 2004	BENNET'S AGAR for the sporulation and cultivation of <i>Nocardia</i> and <i>Streptomyces</i> species	29.00	500 gm	
TM 1997	BENNET'S BROTH for the cultivation and maintenance of species of <i>Nocardia</i> , <i>Streptomyces</i> and <i>Micromonospora</i>	14.00	500 gm	
TM 671	B. MEAT EXTRACT AGAR general purpose medium	33.00	100 gm	
TM 672	B. MEAT EXTRACT BROTH general purpose medium	18.00	500 gm	
TM 1891	BIFIDOBACTERIUM AGAR for the cultivation and maintenance of <i>Bifidobacterium</i> species	49.30	500 gm	
TM 1892	BIFIDOBACTERIUM BROTH for the cultivation of <i>Bifidobacterium</i> species	78.65	500 gm	
TM 238	Bi.G.G.Y AGAR (NICKERSON MEDIUM) for detection, selective isolation, differentiation & presumptive identification of <i>Candida tropicalis</i>	45.00	500 gm	
TM 303	BILE BROTH BASE for cultivation of <i>Enterobacteriaceae</i> group	30.00	100 gm 500 gm	
TM 036	BILE ESCULIN AGAR (ISO 10273:1994) for isolation & identification of <i>Yersinia enterocolitica</i> from food and animal feeding products	64.50	100 gm 500 gm	
TM 673	BILE ESCULIN AGAR W/ KANAMYCIN for selective isolation and presumptive identification of <i>Bacteroides fragilis</i> from mixed flora	44.60	100 gm 500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 037	BILE ESCULIN AGAR BASE for differential & presumptive identification of group D streptococci from food & pharma products	63.50	500 gm	
TS 090	ESCULIN SUPPLEMENT (0.5g/vl) *	#16 vl	5 vl	
TM 2005	BILE ESCULIN AGAR, MODIFIED for isolation and presumptive identification of group D streptococci/enterococci from food and pharmaceutical products	44.50	500 gm	
TM 038	BILE ESCULIN AZIDE AGAR for selective isolation and presumptive identification of faecal streptococci	56.65	500 gm	
TM 1883	BILE ESCULIN AZIDE AGAR (ISO 7899-2:2000) for isolation and presumptive identification of faecal streptococci	56.65	500 gm	
TM 2006	BILE ESCULIN AZIDE AGAR, MODIFIED for rapid, selective detection and enumeration of <i>Enterococci</i> and Group D streptococci	56.25	500 gm	
TM 1793	BILE ESCULIN AZIDE BROTH for selective isolation and presumptive identification of faecal enterococci	43.00	500 gm	
TM 2007	BILE ESCULIN AZIDE BROTH, MODIFIED used to differentiate between enterococci and Group D streptococci	42.75	500 gm	
TM 304	BILE PEPTONE TRANSPORT MEDIUM for transporting specimens in hot climates prone to cholera outbreak	25.00	500 gm	
TM 410	BILE SALT AGAR for isolation and enumeration of bile tolerant enteric bacilli	43.00	100 gm 500 gm	
TM 674	BILE SALT AGAR (IS : 5887 (Part V) 1976, reaffirmed 2005.) for isolation and enumeration of bile tolerant enteric bacilli	40.00	100 gm 500 gm	
TM 039	BISMUTH SULPHITE AGAR for selective isolation of <i>Salmonella</i> from faeces, urine, sewage and other materials	52.33	100 gm 500 gm	
TM 2458	BISMUTH SULPHITE AGAR-TBL for selective isolation of <i>Salmonella</i> from faeces, urine, sewage and other materials	52.33	500 gm	
TMV 039	BISMUTH SULPHITE AGAR (VEG.) for selective isolation of <i>Salmonella</i> from faeces, urine, sewage and other materials	52.33	100 gm 500 gm	
TM 946	BISMUTH SULPHITE AGAR (as per USP) for selective isolation of <i>Salmonella</i> from faeces, urine, sewage and other materials	52.32	100 gm 500 gm	
TM 414	BISMUTH SULPHITE AGAR (as per IP) for selective isolation and identification of <i>Salmonella</i>	63.41	100 gm 500 gm	
TM 2008	BISMUTH SULPHITE AGAR MEDIUM (as per USP) for the selective isolation of <i>Salmonella</i> from faeces, urine, sewage and other materials	52.32	100 gm 500 gm	
TM 2009	BISMUTH SULPHITE AGAR MODIFIED for the selective isolation and preliminary identification of <i>Salmonella typhi</i> and other <i>Salmonella</i> from pathological materials, sewage, water supplies, food etc.	40.00	100 gm 500 gm	
TM 360	BLOOD AGAR BASE (INFUSION AGAR) for isolation and cultivation of fastidious pathogenic microorganisms after addition of blood	40.00	100 gm 500 gm	
TMV 360	BLOOD AGAR BASE (INFUSION AGAR) (VEG.) for isolation and cultivation of fastidious pathogenic microorganisms after addition of blood	40.00	100 gm 500 gm	

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 2010	BLOOD AGAR BASE, MODIFIED for recommended as a base to which blood may be added for use in the isolation and cultivation of fastidious pathogenic microorganisms	33.64	500 gm	
TM 040	BLOOD AGAR BASE W/ LOW pH for isolation and cultivation of fastidious organisms after addition of blood	40.00	100 gm 500 gm	
TM 041	BLOOD AGAR BASE No. 2 for isolation, cultivation and detection of haemolytic activity of streptococci, pneumococci and other fastidious microorganisms	42.50	100 gm 500 gm	
TS 006	BRUCELLA SELECTIVE SUPPLEMENT *	#24 vl	5 vl 25 vl	
TS 007	CAMPYLOBACTER SUPPLEMENT-I (BLASER-WANG) *	#24 vl	5 vl	
TS 008	CAMPYLOBACTER SUPPLEMENT-II (BUTZLER) *	#24 vl	5 vl 25 vl	
TS 009	CAMPYLOBACTER SUPPLEMENT-III (SKIRROW) *	#24 vl	5 vl	
TS 010	CAMPYLOBACTER GROWTH SUPPLEMENT *	#24 vl	5 vl	
TS 011	STREPTO SUPPLEMENT *	#24 vl	5 vl 25 vl	
TM 1842	BLOOD AGAR BASE NO. 2 (ISO 11290-1:2017) for isolation, cultivation and detection of haemolytic activity of streptococci, pneumococci and other fastidious microorganisms	42.50	100 gm 500 gm	
TS 006	BRUCELLA SELECTIVE SUPPLEMENT *	#26 vl	5 vl 25 vl	
TS 007	CAMPYLOBACTER SUPPLEMENT-I (BLASER-WANG)*	#26 vl	5 vl	
TS 008	CAMPYLOBACTER SUPPLEMENT-II (BUTZLER) *	#26 vl	5 vl 25vl	
TS 009	CAMPYLOBACTER SUPPLEMENT-III (SKIRROW) *	#26 vl	5 vl	
TS 010	CAMPYLOBACTER GROWTH SUPPLEMENT *	#26 vl	5 vl	
TS 011	STREPTO SUPPLEMENT *	#26 vl	5 vl 25 vl	
TM 2011	BLOOD AGAR BASE NO. 2 WITH 1.2% AGAR especially to permit the maximum recovery of fastidious pathogenic microorganisms without interfering with their haemolytic reactions	39.50	500 gm	
TS 006	BRUCELLA SELECTIVE SUPPLEMENT *	#26 vl	5 vl 25 vl	
TS 007	CAMPYLOBACTER SUPPLEMENT-I (BLASER-WANG)*	#26 vl	5 vl	
TS 008	CAMPYLOBACTER SUPPLEMENT-II (BUTZLER) *	#26 vl	5 vl 25vl	
TS 009	CAMPYLOBACTER SUPPLEMENT-III (SKIRROW) *	#26 vl	5 vl	
TS 010	CAMPYLOBACTER GROWTH SUPPLEMENT *	#26 vl	5 vl	
TS 011	STREPTO SUPPLEMENT *	#26 vl	5 vl 25 vl	
TM 1145	BLOOD FREE CAMPYLOBACTER BROTH BASE for selective isolation of <i>Campylobacter</i> species	33.50	500 gm	
TS 101	CCDA SELECTIVE SUPPLEMENT *	#30 vl	5 vl	
TM 1146	BLOOD FREE CAMPYLOBACTER SELECTIVITY AGAR BASE (ISO 10272-1&2:2017) for selective isolation and differentiation of <i>Campylobacter</i> species	45.50	500 gm	
TS 102	CAMPYLOBACTER SUPPLEMENT V (BFCSA) *	#22 vl	5 vl	
TS 103	CAT SELECTIVE SUPPLEMENT *	#22 vl	5 vl	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 947	BLUE AGAR for study of carbohydrate fermentation by adding carbohydrates	35.08	500 gm	
TM 1510	BOLTON BROTH BASE (ISO 10272-1:2017) for selective enrichment of <i>Campylobacter</i> species from foods	27.60	500 gm	
TS 179	BOLTON SELECTIVE SUPPLEMENT *	#37 vl	5 vl	
TM 044	BORDET GENGOU AGAR BASE for detection and isolation of <i>Bordetella pertussis</i> and <i>Bordetella parapertussis</i>	40.00	500 gm	
TS 012	BRODETELLA SELECTIVE SUPPLEMENT *	#25 vl	5 vl	
TM 1147	BORDET GENGOU AGAR BASE W/ 1.6% AGAR for detection and isolation of <i>Bordetella pertussis</i> and <i>Bordetella parapertussis</i>	36.00	500 gm	
TS 012	BORDETELLA SELECTIVE SUPPLEMENT *	#28 vl	5 vl	
TM 2012	BORDET GENGOU BROTH for the selective enrichment of <i>Bordetella pertussis</i> and <i>Bordetella parapertussis</i>	140.50	500 gm	
TM 948	BORIC ACID BROTH for detection and presumptive identification of <i>E.coli</i> on the basis of the ability to grow at 43°C and gas production	34.60	500 gm	
TM 581	BRAIN HEART CC AGAR * for selective isolation and cultivation of fastidious fungi like <i>Histoplasma capsulatum</i> and <i>Blastomyces dermatitidis</i> from samples heavily contaminated with bacteria	52.50	100 gm	
TM 361	BRAIN HEART INFUSION AGAR for cultivation of fastidious pathogenic Bacteria, Yeasts and Moulds	52.00	100 gm 500 gm	
TMV 361	BRAIN HEART INFUSION AGAR (VEG.) for cultivation of fastidious pathogenic Bacteria, Yeasts and Moulds	52.00	100 gm 500 gm	
TM 1990	BRAIN HEART INFUSION AGAR, MODIFIED (BHI AGAR MODIFIED) for the cultivation of a wide variety of organisms like Bacteria, Yeasts and Moulds	53.00	500 gm	
TM 1991	BRAIN HEART INFUSION AGAR WITH 1% AGAR (BHI AGAR W/ 1% AGAR) for the cultivation of fastidious pathogenic Bacteria, Yeasts and Moulds	47.00	500 gm	
TM 1992	BRAIN HEART INFUSION W/ 0.1% AGAR (BHI W/ 0.1% AGAR) for propagation of fastidious pathogenic cocci and other organisms associated with blood culture work and allied pathological investigations	38.00	500 gm	
TM 1993	BRAIN HEART INFUSION BROTH WITH 6.5 % NaCL (BHI W/ 6.5% NaCL) for the selective cultivation of salt tolerant microorganisms	97.00	500 gm	
TM 1994	BRAIN HEART INFUSION AGAR WITH 3.0% AGAR (BHI AGAR W/ 3.0% AGAR) for cultivation of fastidious microorganisms using hard (3%) agar gel	67.00	500 gm	
TM 362	BRAIN HEART INFUSION BROTH for cultivation of fastidious microorganisms associated with blood culture	37.00	100 gm 500 gm	
TMV 362	BRAIN HEART INFUSION BROTH (VEG.) for cultivation of fastidious microorganisms associated with blood culture	37.00	100 gm 500 gm	
TM 1995	BRAIN HEART INFUSION W/ PABA (BHI W/ PABA) for examination of blood from patients under Sulphonamide therapy	37.50	500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 1913	BRAIN HEART INFUSION BROTH (ISO 6880-1983) for propagation of pathogenic cocci and other fastidious organisms associated with blood culture work and allied pathological investigations and for enrichment of <i>Staphylococcus aureus</i>	37.00	500 gm	
TM 305	BREWER THIOGLYCOLLATE MEDIUM for sterility testing of biological products and for isolation of aerobes and anaerobes	40.50	100 gm 500 gm	
TMV 305	BREWER THIOGLYCOLLATE MEDIUM (VEG.) for sterility testing of biological products and for isolation of aerobes and anaerobes	40.50	100 gm 500 gm	
TM 306	BREWER THIOGLYCOLLATE MEDIUM for sterility testing of biological products and for isolation of aerobes and anaerobes	38.50	100 gm 500 gm	
TMV 306	BREWER THIOGLYCOLLATE MEDIUM, MODIFIED (LINDEN THIOGLYCOLLATE MEDIUM) (VEG.) for sterility testing of biological products & for isolation of aerobes and anaerobes	38.50	100 gm 500 gm	
TM 677	BREWER THIOGLYCOLLATE MEDIUM, MODIFIED for sterility testing of biological products and for isolation of aerobes and anaerobes	20.60	100 gm 500 gm	
TM 364	BRILLIANT GREEN AGAR BASE, MODIFIED for selective isolation of <i>Salmonella</i> other than <i>Salmonella typhi</i> from faeces and foods etc	58.09	100 gm 500 gm	
TS 013	SULPHA SUPPLEMENT *	#18 vl	5 vl	
TM 951	BRILLIANT GREEN AGAR MEDIUM (BRILLIANT GREEN AGAR, MODIFIED) (as per USP) for isolation of <i>Salmonella</i> other than <i>Salmonella typhi</i> from faeces, foods and dairy products	58.09	100 gm 500 gm	
TM 1953	BRILLIANT GREEN, PHENOL RED, LACTOSE MONOHYDRATE, SUCROSE AGAR (AGAR MEDIUM L) (as per EP) for selective isolation of <i>Salmonella</i> other than <i>Salmonella typhi</i> from faeces, foods, dairy products	57.59	100 gm 500 gm	
TM 2106	BRILLIANT GREEN AGAR MEDIUM 16. (as per IP) for selective isolation of <i>Salmonella</i> other than <i>Salmonella typhi</i> from faeces, foods, dairy products etc.	50.09	100 gm 500 gm	
TM 047	BRILLIANT GREEN AGAR BASE W/ 1.2% AGAR for selective isolation of <i>Salmonella</i> other than <i>Salmonella typhi</i> from faeces, foods & dairy products	50.09	100 gm 500 gm	
TS 013	SULPHA SUPPLEMENT*	#20 vl	5 vl	
TM 046	BRILLIANT GREEN AGAR BASE W/ PHOSPHATES for selective isolation & cultivation of <i>Salmonella</i> by inhibiting <i>E.coli</i> , <i>Proteus</i> and <i>Pseudomonas</i> species	51.69	500 gm	
TS 013	SULPHA SUPPLEMENT*	#20 vl	5 vl	
TM 1512	BRILLIANT GREEN AGAR W/ PHOSPHATES (ISO 6785:2001, ISO 6579:1981, ISO 3565:1975) for selective isolation of <i>Salmonella</i>	54.69	500 gm	
TS 013	SULPHA SUPPLEMENT*	#20 vl	5 vl	
TM 952	BRILLIANT GREEN AGAR BASE W/ PHOSPHATES (IS : 5887 (Part III) 1999, reaffirmed 2005) for selective isolation of <i>Salmonella</i> by inhibiting <i>E.coli</i> , <i>Proteus</i> and <i>Pseudomonas</i> species	52.00	100 gm 500 gm	
TS 013	SULPHA SUPPLEMENT*	#20 vl	5 vl	
TM 048	BRILLIANT GREEN BILE AGAR (BRILLIANT GREEN LACTOSE BILE AGAR) for enumeration of coliform bacteria in water and foods	20.70	100 gm 500 gm	
TMV 048	BRILLIANT GREEN BILE AGAR (BRILLIANT GREEN LACTOSE BILE AGAR) (VEG.) for enumeration of coliform bacteria in water and foods	20.70	100 gm 500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 365	BRILLIANT GREEN BILE BROTH 2% (BRILLIANT GREEN LACTOSE BILE BROTH 2%) (ISO 4831:2006, ISO 4832:2006) for detection and confirmation of coliform bacteria in water and foods	40.00	100 gm 500 gm	
TMV 365	BRILLIANT GREEN BILE BROTH 2% (BRILLIANT GREEN LACTOSE BILE BROTH 2%) (VEG.) for detection and confirmation of coliform bacteria in water and foods	40.00	100 gm 500 gm	
TM 678	BRILLIANT GREEN BILE BROTH 2% (BIS 5401-2 : 2012) for detection and confirmation of coliform bacteria in water and foods	40.00	100 gm 500 gm	
TM 033	BRILLIANT GREEN SULPHA AGAR (BG SULPHA AGAR) for isolation and detection of <i>Salmonella</i> species from foods	59.09	100 gm 500 gm	
TMV 033	BRILLIANT GREEN SULPHA AGAR (BG SULPHA AGAR) (VEG.) for isolation and detection of <i>Salmonella</i> species from foods	59.09	100 gm 500 gm	
TM 2021	BRILLIANT GREEN PHENOL RED LACTOSE AGAR for selective isolation of <i>Salmonella</i> species from water samples	46.69	500 gm	
TM 1463	BROMO CRESOL PURPLE AGAR W/O CARBOHYDRATE (LACTOSE) for detection and confirmation of coliform bacteria in water and foods	28.03	100 gm 500 gm	
TM 2016	BROMO CRESOL PURPLE AGAR W/LACTOSE for the isolation of coliforms	33.03	100 gm 500 gm	
TM 049	BROMO CRESOL PURPLE AZIDE BROTH for confirmation of the presence of faecal streptococci in water	35.93	500 gm	
TM 568	BROMO CRESOL PURPLE BROTH BASE (YEAST FERMENTATION BROTH BASE) for differentiation of various microorganisms based on their fermentation of specific carbohydrates	18.04	500 gm	
TM 2013	BROMO CRESOL PURPLE BROTH W/DEXTROSE for identification of <i>Escherichia coli</i> and coliform bacteria from water samples	28.02	500 gm	
TM 2014	BROMOTHYMOL LACTOSE BLUE AGAR It is a selective medium used for the isolation of Gram-negative bacteria from urine & faeces	72.73	500 gm	
TM 514	BRUCELLA AGAR BASE for selective isolation and cultivation of <i>Brucella</i> or <i>Campylobacter</i> species	43.10	100 gm 500 gm	
TS 006	BRUCELLA SELECTIVE SUPPLEMENT *	#26 vl	5 vl 25 vl	
TS 007	CAMPYLOBACTER SUPPLEMENT-I (BLASER-WANG)	#26 vl	5 vl	
TS 008	CAMPYLOBACTER SUPPLEMENT-II (BUTZLER) *	#26 vl	5 vl 25vl	
TS 009	CAMPYLOBACTER SUPPLEMENT-III (SKIRROW) *	#26 vl	5 vl	
TS 010	CAMPYLOBACTER GROWTH SUPPLEMENT *	#26 vl	5 vl	
TS 014	HORSE SERUM*	-	100 ml	
TMV 514	BRUCELLA AGAR BASE (VEG.) for selective isolation and cultivation of <i>Brucella</i> or <i>Campylobacter</i> species	43.10	100 gm 500 gm	
TS 006	BRUCELLA SELECTIVE SUPPLEMENT *	#26 vl	5 vl 25 vl	
TS 007	CAMPYLOBACTER SUPPLEMENT-I (BLASER-WANG)	#26 vl	5 vl	
TS 008	CAMPYLOBACTER SUPPLEMENT-II (BUTZLER) *	#26 vl	5 vl 25vl	
TS 009	CAMPYLOBACTER SUPPLEMENT-III (SKIRROW) *	#26 vl	5 vl	
TS 010	CAMPYLOBACTER GROWTH SUPPLEMENT *	#26 vl	5 vl	
TS 014	HORSE SERUM*	-	100 ml	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 680	BRUCELLA AGAR BASE, MODIFIED for cultivation of <i>Campylobacter</i> species	44.10	500 gm	
TS 009	CAMPYLOBACTER SUPPLEMENT-III, (SKIRROW)*	#23 vl	5 vl	
TS 010	CAMPYLOBACTER GROWTH SUPPLEMENT*	#23 vl	5 vl	
TS 006	BRUCELLA SELECTIVE SUPPLEMENT*	#24 vl	5 vl	
TS 014	HORSE SERUM*	600 ml	25 vl 100 ml	
TM 1513	BRUCELLA AGAR BASE W/ 1.0% DEXTROSE for cultivation of <i>Brucella</i> species and for isolation and subculture of anaerobes by adding blood	45.00	500 gm	
TS 006	BRUCELLA SELECTIVE SUPPLEMENT*	#36 vl	5 vl 25 vl	
TS 014	HORSE SERUM*	900 ml	100 ml	
TM 681	BRUCELLA AGAR BASE W/ HEMIN AND VITAMIN K for cultivation of <i>Brucella</i> species and for isolation and subculture of anaerobes by adding blood	43.12	500 gm	
TM 050	BRUCELLA BROTH BASE for cultivation & enrichment of <i>Brucella</i> or <i>Campylobacter</i> species	28.10	100 gm 500 gm	
TS 007	CAMPYLOBACTER SUPPLEMENT - I (BLASER-WANG) *	#23 vl	5 vl	
TS 008	CAMPYLOBACTER SUPPLEMENT - II (BUTZLER) *	#23 vl	5 vl 25 vl	
TS 009	CAMPYLOBACTER SUPPLEMENT - III (SKIRROW) *	#23 vl	5 vl	
TM 682	BRUCELLA SELECTIVE MEDIUM BASE for isolation and identification of <i>Brucella</i> species	43.50	500 gm	
TS 006	BRUCELLA SELECTIVE SUPPLEMENT *	#23 vl	5 vl 25 vl	
TM 1514	BRYANT AND BURKEY AGAR for detection and enumeration of spores of lactate fermenting <i>Clostridium</i> in dairy products	34.05	500 gm	
TM 683	BRYANT AND BURKEY MEDIUM for detection and enumeration of spores of lactate fermenting <i>Clostridium</i> in dairy products	33.00	500 gm	
TM 1464	BRYANT AND BURKEY BROTH BASE (WITH RESAZURIN) for detection and enumeration of spores of lactate fermenting <i>Clostridium</i> in dairy products	31.51	500 gm	
TM 030	BUFFERED AZIDE GLUCOSE GLYCEROL BROTH BASE (B.A.G.G BROTH BASE) for detection of faecal streptococci from various clinical and non-clinical samples	36.01	500 gm	
TM 684	BUFFERED CHARCOAL YEAST EXTRACT AGAR BASE for selective isolation and cultivation of <i>Legionella</i> species	40.00	500 gm	
TS 015	LEGIONELLA SELECTIVE SUPPLEMENT *	#5 vl	5 vl 25 vl	
TS 016	LEGIONELLA SELECTIVE SUPPLEMENT II *	#5 vl	5 vl	
TS 017	LEGIONELLA SELECTIVE SUPPLEMENT III *	#5 vl	5 vl	
TS 018	LEGIONELLA SELECTIVE SUPPLEMENT IV (MWY) *	#5 vl	5 vl	
TS 019	LEGIONELLA SUPPLEMENT *	#5 vl	5 vl	
TM 1894	BUFFERED CHARCOAL YEAST EXTRACT AGAR MEDIUM (ISO 11731-2:2017) For selective isolation and cultivation of <i>Legionella</i> species from cooling towers, water samples, clinical and other materials	35.00	100 gm 500 gm	
TS 018	LEGIONELLA SELECTIVE SUPPLEMENT IV (MWY) *	#5 vl	5 vl	
TS 019	LEGIONELLA SUPPLEMENT *	#5 vl	5 vl	
TS 115	LEGIONELLA (GVPC) SELECTIVE SUPPLEMENT*	#5 vl	5 vl 25 vl	
TS 254	PCP SUPPLEMENT *	#5 vl	5 vl	
TM 324	BUFFERED GLUCOSE BROTH (MR-VP MEDIUM) used in differentiation of bacteria by MR-VP test	17.00	100 gm 500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TMV 324	BUFFERED GLUCOSE BROTH (MR-VP MEDIUM) (VEG.) used in differentiation of bacteria by MR-VP test	17.00	100 gm 500 gm	
TM 685	BUFFERED GLUCOSE BROTH (MR-VP MEDIUM) (IS: 5887 (Part I, III and IV) 1976, reaffirmed 2005) for differentiation of coli-aerogenes group by MR-VP test	15.00	100 gm 500 gm	
TM 2015	BUFFERED GLYCEROL SALINE BASE for collection and transportation of faecal specimens	08.30	100 gm 500 gm	
TM 1333	BUFFERED LISTERIA ENRICHMENT BROTH BASE (BLE Broth Base) (as per FDA) for selective isolation of <i>Listeria monocytogenes</i>	47.95	500 gm	
TS 092	LISTERIA SELECTIVE SUPPLEMENT II *	#21 vl	5 vl 25 vl	
TMH 101	BUFFERED NaCl-PEPTONE SOLUTION (as per USP/EP/JP/BP) dilution fluid for samples in case of microbiological contamination	16.10	100 gm 500 gm	
TMHV 101	BUFFERED NaCl-PEPTONE SOLUTION (as per USP/EP/JP/BP) (VEG.) dilution fluid for samples in case of microbiological contamination	16.10	100 gm 500 gm	
TM 307	BUFFERED PEPTONE WATER (ISO 6579-1:2017, 11133:2014, 11290-2:2017, 21528:2017, 6887-1/2/3/4:2017) for pre enrichment of injured <i>Salmonella</i> species prior to selective enrichment and isolation	20.00	100 gm 500 gm	
TMV 307	BUFFERED PEPTONE WATER (VEG.) for pre enrichment of injured <i>Salmonella</i> species prior to selective enrichment and isolation	20.00	100 gm 500 gm	
TM 2017	BUFFERED PEPTONE WATER for increasing the recovery of injured <i>Salmonella</i> species from foods prior to selective enrichment and isolation	20.00	100 gm 500 gm	
TS 248	EC O157:H7 SELECTIVE SUPPLEMENT *	#25 vl	5 vl 25 vl	
TM 686	BUFFERED PEPTONE WATER (IS : 5887 (Part III) 1999, reaffirmed 2005) for pre-enrichment of injured <i>Salmonella</i> species prior to selective enrichment and isolation	20.07	100 gm 500 gm	
TM 1837	BUFFERED PEPTONE WATER (as per EP) for pre enrichment of injured <i>Salmonella</i> species prior to selective enrichment and isolation	16.10	500 gm	
TM 2018	BUFFERED PEPTONE WATER (6 FOLD STRENGTH PHOSPHATE BUFFER) a pre-enrichment medium used for increasing the recovery of injured <i>Salmonella</i> species from foods prior to selective enrichment and isolation	78.00	500 gm	
TM 2019	BUFFERED PEPTONE WATER WITH NaCl recommended as a diluent for carrying microbial limit test from clinical and non clinical specimens	16.09	500 gm	
TM 687	BUFFERED PEPTONE WATER W/ NaCl (as per IP) used as diluents for carrying out microbial limit test	16.09	500 gm	
TM 2020	BUFFERED PEPTONE WATER W/ PYRUVATE for the isolation of <i>Enterohemorrhagic E. coli</i> (EHEC)	42.10	100 gm 500 gm	
TS 267	ACRIFLAVIN-CEFSULODIN-VANCOMYCIN SUPPLEMENT (ACV SUPPLEMENT) *	#24 vl	5 vl	
TM 688	BUFFERED TRYPTONE GLUCOSE YEAST EXTRACT BROTH for cultivation and characterization of <i>Clostridia</i> isolated from food samples	85.00	500 gm	
TM 567	BUFFERED YEAST AGAR for cultivation of Yeasts and Moulds in brewery	41.00	500 gm	

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE
TM 1934	BURKHOLDERIA CEPACIA AGAR BASE for isolation of <i>Burkholderia cepacia</i> from the respiratory secretions of patients with cystic fibrosis and other non-clinical specimens	36.53	500 gm
TS 323	BURKHOLDERIA SELECTIVE SUPPLEMENT	#28 vl	5 vl
TM 2022	BURKHOLDERIA CEPACIA SELECTIVE AGAR BASE for isolation of <i>Burkholderia cepacia</i> from the respiratory secretions of patients with cystic fibrosis and other non-clinical specimens	50.58	500 gm
TS 322	BCSA SELECTIVE SUPPLEMENT	#10 vl	5 vl 25 vl
TM 558	BURK'S MEDIUM for isolation and cultivation of nitrogen fixing bacteria like <i>Azotobacter</i> species	21.30	500 gm
TM 559	BUSHNELL HAAS AGAR for examination of fuels for microbial contamination and hydrocarbon deterioration by bacteria	23.27	500 gm
TM 053	BUSHNELL HAAS BROTH for examination of fuels for microbial contamination and hydrocarbon deterioration by bacteria	03.27	100 gm 500 gm
TM 1151	CAE AGAR BASE (CITRATE AZIDE ENTEROCOCCUS AGAR BASE) for detection of enterococci in Meat, dairy product and other food products	58.40	500 gm
TS 042	TTC SOLUTION 1% (10 ml/vl) *	#9 vl	5 vl 25 vl
TM 1152	CAL AGAR (CELLOBIOSE ARGININE LYSINE AGAR) for isolation and biochemical identification of <i>Yersinia enterocolitica</i>	46.00	100 gm
TM 1153	CAL BROTH (CELLOBIOSE ARGININE LYSINE BROTH) for isolation and biochemical identification of <i>Yersinia enterocolitica</i>	26.00	100 gm
TM 1154	C. BOTULINUM ISOLATION AGAR BASE for isolation of <i>Clostridium botulinum</i> from food and clinical samples	74.00	500 gm
TS 104	C.B.I. SUPPLEMENT *	#14 vl	5 vl
TS 002	EGG YOLK EMULSION (100 ml /vl)*	#7vl	5 vl
TM 2023	CFC AGAR BASE (CEPHALOTHIN-SODIUM FUSIDATE-CETRIMIDE AGAR) for selective isolation of <i>Pseudomonas</i> species	52.40	100 gm 500 gm
TS 268	MODIFIED CFC SELECTIVE SUPPLEMENT *	#20 vl	5 vl
TM 2024	CFC BROTH BASE for selective isolation of <i>Pseudomonas</i> species	37.40	500 gm
TS 268	MODIFIED CFC SELECTIVE SUPPLEMENT *	#20 vl	5 vl
TM 930	CHO MEDIUM BASE (FERMENTATION BROTH) for studies of anaerobic fermentation by adding carbohydrates	26.00	500 gm
TM 054	CLED AGAR W/ ANDRADE INDICATOR (CYSTINE LACTOSE ELECTROLYTE DEFICIENT AGAR) for isolation and differentiation of microorganisms based on lactose fermentation	36.25	100 gm 500 gm
TMV 054	CLED AGAR W/ ANDRADE INDICATOR (CYSTINE LACTOSE ELECTROLYTE DEFICIENT AGAR) (VEG.) for isolation and differentiation of microorganisms based on lactose fermentation	36.25	100 gm 500 gm
TM 405	CLED AGAR (W/ BROMO THYMOL BLUE) (BROLACIN AGAR) for isolation and differentiation of urinary pathogens by lactose fermentation	36.15	100 gm 500 gm
TMV 405	CLED AGAR (W/ BROMO THYMOL BLUE) (BROLACIN AGAR) (VEG.) for isolation and differentiation of urinary pathogens by lactose fermentation	36.15	100 gm 500 gm
TM 2025	CLED AGAR BASE W/O INDICATOR for isolation, enumeration and presumptive identification of bacterial flora in the urinary tract	36.13	100 gm 500 gm
TS 269	BROMO THYMOL BLUE SUPPLEMENT*	#14 vl	5 vl
TM 2026	CLED AGAR W/BROMO THYMOL BLUE for isolation, enumeration and identification of urinary pathogens on the basis of lactose fermentation	36.15	100 gm 500 gm

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 1422	CPC AGAR BASE for cultivation of <i>Vibrio</i> species from foods	65.08	100 gm	
TS 141	CPC SUPPLEMENT*	#4 vl	5 vl	
TM 2027	CPC AGAR BASE W/ 1% CELLOBIOSE for the cultivation and identification of <i>Vibrio</i> species from foods in accordance with FDA BAM, 1998	60.08	100 gm	
TS 270	MODIFIED CPC SUPPLEMENT	#4 vl	5 vl	
TS 271	COLISTIN SELECTIVE SUPPLEMENT *	#10 vl	5 vl	
TM 1423	C. PERFRINGENS SPORULATION BROTH for promoting sporulation in <i>Clostridium perfringens</i>	33.10	500 gm	
TM 1424	CRAMP AGAR BASE (CONGO RED-ACID MORPHOLINE PROPANE SULPHONIC ACID PIGMENTATION AGAR) for cultivation of <i>Yersinia</i> species with plasmids	32.54	100 gm	
TM 954	CSMA BROTH (DISINFECTANT TEST MEDIUM) for testing of disinfectants as per Chemical Specialities Manufacturer's Association (CSMA)	20.00	500 gm	
TM 2028	C.T. AGAR for cultivation of <i>Myxobacteria</i> species	41.71	500 gm	
TM 1156	CAFFEIC ACID FERRIC CITRATE TEST AGAR (CAFC MEDIUM) for selective and presumptive identification of <i>Cryptococcus neoformans</i> and its differentiation from other species	33.70	100 gm	
TM 2029	CALCIUM CARBONATE AGAR for the differentiation of microorganisms especially yeasts based on the production of acid from glucose	75.00	500 gm	
TM 560	CALCIUM CASEINATE AGAR for detection and enumeration of proteolytic microorganism in food	30.20	500 gm	
TM 1157	CAMPYLO THIOLYCOLLATE MEDIUM BASE (CAMPY-THIO MEDIUM) for isolation, maintenance and transport of <i>Campylobacter</i> species	26.80	500 gm	
TS 007	CAMPYLOBACTER SUPPLEMENT-I (BLASER-WANG) *	#38 vl	5 vl	
TM 056	CAMPYLOBACTER AGAR BASE for selective isolation of <i>Campylobacter</i> species from faecal, food and environmental samples	39.50	500 gm	
TS 007	CAMPYLOBACTER SUPPLEMENTS I (BLASER-WANG)*	#26 vl	5 vl	
TS 009	CAMPYLOBACTER SUPPLEMENTS III (SKIRROW)*	#26 vl	5 vl	
TM 1158	CAMPYLOBACTER CEFEX AGAR BASE for isolation and cultivation of <i>Campylobacter</i> species	49.35	500 gm	
TS 074	PARK AND SENDER'S SELECTIVE SUPPLEMENT B *	#11 vl	5 vl	
TM 1335	CAMPYLOBACTER CEFEX BROTH BASE for selective isolation of <i>Campylobacter</i> species from faecal samples, foods and environment	33.35	500 gm	
TS 073	PARK AND SENDER'S SELECTIVE SUPPLEMENT A *	#15 vl	5 vl	
TS 074	PARK AND SENDER'S SELECTIVE SUPPLEMENT B *	#15 vl	5 vl	
TM 956	CAMPYLOBACTER ENRICHMENT AGAR BASE (PRESTON ENRICHMENT AGAR BASE) for cultivation of <i>Campylobacter</i> species	37.00	500 gm	
TS 067	CAMPYLOBACTER SUPPLEMENT IV (Preston)*	#27 vl	5 vl	

Approximate number of vials required for 500 gm of dehydrated medium. | * Store Between 2-8°C

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 603	CAMPYLOBACTER ENRICHMENT BROTH BASE (PRESTON ENRICHMENT BROTH BASE) for selective enrichment and cultivation of <i>Campylobacter</i> species	25.00	500 gm	
TS 067	CAMPYLOBACTER SELECTIVE SUPPLEMENT IV (PRESTON)*	#40 vI	5 vI	
TM 690	CAMPYLOBACTER NITRATE BROTH for identification of <i>Campylobacter</i> species by Nitrate reduction	27.00	500 gm	
TM 1517	CANDIDA AGAR for isolation and differentiation of <i>Candida albicans</i>	41.10	500 gm	
TM 057	CANDIDA BCG AGAR BASE for primary isolation and identification of <i>Candida</i> species	66.00	500 gm	
TM 691	CANDIDA MEDIUM for selective isolation and cultivation of <i>Candida</i> species	35.50	500 gm	
TM 1159	CARBOHYDRATE CONSUMPTION BROTH BASE for cultivation and differentiation of <i>Listeria</i> species	16.10	500 gm	
TM 523	CARBON UTILIZATION AGAR (ISP MEDIUM NO. 9) for characterization of <i>Streptomyces</i> based on carbon utilization	24.83	100 gm 500 gm	
TM 2030	CARROT AGAR for sporangial production and study of mating techniques of <i>Phytophthora</i> spp.	19.00	500 gm	
TM 415	CARY-BLAIR MEDIUM BASE (TRANSPORT MEDIUM W/O CHARCOAL) (CARY & BLAIR TRANSPORT MEDIUM) for collection and shipment of clinical specimen	12.60	100 gm 500 gm	
TM 569	CASEIN HYDROLYSATE AGAR W/ 1.5% AGAR used as a general purpose culture medium	35.50	500 gm	
TM 692	CASEIN HYDROLYSATE AGAR W/ 2.5% AGAR for large scale cultivation of <i>Vibrio cholerae</i> for cholera vaccine production	45.50	500 gm	
TM 2031	CASITOSE BROTH for production of <i>Staphylococcal enterotoxin</i> for use in Cat test and in serological studies	29.33	500 gm	
TM 2032	CASITOSE BROTH, MODIFIED used as a general purpose medium	169	500 gm	
TM 2033	CASITOSE YEAST EXTRACT BROTH (CAYE) for cultivation of <i>Vibrio cholerae</i> cultures while testing their enterotoxigenicity	36.50	500 gm	
TM 2034	CASITOSE YEAST EXTRACT SALTS BROTH BASE (CAYES) for isolation of <i>Escherichia coli</i> in food in accordance with APHA	37.21	500 gm	
TM 570	CASEIN HYDROLYSATE BROTH for production of staphylococcus <i>enterotoxin</i> for use in Cat test and in serological studies	29.33	500 gm	
TM 693	CASEIN HYDROLYSATE BROTH, MODIFIED used as general purpose culture medium	20.50	500 gm	
TM 694	CASEIN HYDROLYSATE YEAST EXTRACT BROTH (CAYE) (CASAMINO ACID YEAST EXTRACT BROTH) for use in cultivation of <i>Vibrio cholerae</i> while testing their enterotoxigenicity	36.50	500 gm	
TM 695	CASEIN HYDROLYSATE YEAST EXTRACT BROTH (CAYES) (CASAMINO ACID YEAST EXTRACT SALT BROTH) for isolation of <i>Escherichia coli</i> in foods	37.21	500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 958	CASEIN MAGNESIUM BROTH for cultivation of recombinant strains of <i>E.coli</i>	16.00	500 gm	
TM 345	CASEIN SOYA PEPTONE DIGEST AGAR (TRYPTONE SOYA AGAR) (SOYA BEAN CASEIN DIGEST AGAR) (ANTIBIOTIC ASSAY MEDIUM NO. 36) for enrichment and isolation of fastidious microorganisms with or without blood	40.00	100 gm 500 gm 5 kg	
TMV 345	CASEIN SOYA PEPTONE DIGEST AGAR (VEG.) (TRYPTONE SOYA AGAR) (SOYA BEAN CASEIN DIGEST AGAR) (VEG.) (ANTIBIOTIC ASSAY MEDIUM NO. 36) for enrichment and isolation of fastidious microorganisms with or without blood	40.00	100 gm 500 gm	
TM 332	CASO BROTH (SOYA CASEIN DIGEST MEDIUM) (ANTIBIOTIC ASSAY MEDIUM NO.37) (TRYPTONE SOYA BROTH) for sterility testing and cultivation of fastidious and non-fastidious microorganisms	30.00	100 gm 500 gm	
TMV 332	CASO BROTH (SOYA CASEIN DIGEST MEDIUM) (ANTIBIOTIC ASSAY MEDIUM NO.37) (TRYPTONE SOYA BROTH) (VEG.) for sterility testing and cultivation of fastidious and non-fastidious microorganisms	30.00	100 gm 500 gm	
TM 696	CASEIN YEAST MAGNESIUM AGAR (NZYM AGAR) for cultivation of recombinant strains of <i>Escherichia coli</i>	35.98	500 gm	
TM 697	CASEIN YEAST MAGNESIUM BROTH (NYZM BROTH) for cultivation of recombinant strains of <i>Escherichia coli</i>	21.00	500 gm	
TM 513	CASMAN AGAR for isolation of fastidious bacteria from clinical samples under reduced oxygen tension	43.60	500 gm	
TM 611	CASMAN BROTH BASE for isolation of fastidious bacteria from clinical samples under reduced oxygen tension	29.60	500 gm	
TM 2035	CETRIMIDE AGAR BASE (W 1.3% AGAR) for the selective isolation of <i>Pseudomonas aeruginosa</i> from various materials	44.70	100 gm 500 gm	
TS 020	NALIDIXIC SELECTIVE SUPPLEMENT *	#12 vl	5 vl	
TM 060	CETRIMIDE AGAR BASE for selective isolation of <i>Pseudomonas aeruginosa</i> from clinical samples	46.70	100 gm 500 gm	
TS 020	NALIDIXIC SELECTIVE SUPPLEMENT *	#11 vl	5 vl	
TMV 060	CETRIMIDE AGAR BASE (VEG.) for selective isolation of <i>Pseudomonas aeruginosa</i> from clinical samples	46.70	100 gm 500 gm	
TS 020	NALIDIXIC SELECTIVE SUPPLEMENT *	#11 vl	5 vl	
TM 416	CETRIMIDE AGAR BASE (AGAR MEDIUM) (as per IP) for selective isolation of <i>Pseudomonas aeruginosa</i>	45.30	100 gm 500 gm	
TMH 113	CETRIMIDE AGAR (as per USP/EP/JP/BP) for selective isolation of <i>Pseudomonas aeruginosa</i>	45.30	100 gm 500 gm	
TM 422	CETRIMIDE BROTH for selective enrichment of <i>Pseudomonas aeruginosa</i>	25.30	100 gm 500 gm	
TMV 422	CETRIMIDE BROTH (VEG.) for selective enrichment of <i>Pseudomonas aeruginosa</i>	25.30	100 gm 500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 1522	CETRIMIDE BROTH BASE (ISO 8360-2:1988) for cultivation of <i>Pseudomonas aeruginosa</i> from water samples using membrane filter technique	31.90	500 gm	
TM 061	CHAPMAN STONE AGAR for selective isolation of staphylococci causing food poisoning	202.50	500 gm	
TM 062	CHARCOAL AGAR BASE for cultivation of fastidious microorganisms like <i>Bordetella pertussis</i> for vaccine production	62.50	500 gm	
TS 012	BORDETELLA SELECTIVE SUPPLEMENT *	#16 vl	5 vl	
TM 1160	CHARCOAL BLOOD AGAR BASE for cultivation of <i>Bordetella pertussis</i> for vaccine production & also for maintenance of stock cultures	54.50	500 gm	
TM 063	CHARCOAL AGAR BASE W/ NIACIN for cultivation & isolation of <i>Bordetella pertussis</i> & <i>Haemophilus influenzae</i>	51.00	500 gm	
TS 012	BORDETELLA SELECTIVE SUPPLEMENT *	#20 vl	5 vl	
TM 604	CHINA BLUE LACTOSE AGAR for differentiation and enumeration of microorganisms in milk	38.30	500 gm	
TM 962	CHLAMYDOSPORE AGAR for differentiation of <i>Candida albicans</i> from other <i>Candida</i> on the basis of chlamydospore formation	37.10	100 gm 500 gm	
TM 498	CHLORAMPHENICOL YEAST GLUCOSE AGAR (IS : 5403:1999 Reaffirmed 2005) for selective enumeration of Yeasts and Moulds in milk and milk products.	40.00	100 gm 500 gm	
TM 2036	CHLORELLA AGAR for the isolation and maintenance of <i>Chlorella</i> species	34.60	500 gm	
TM 2037	CHLORELLA BROTH for the cultivation & enumeration of <i>Chlorella</i> species	17.60	500 gm	
TM 064	CHOCOLATE AGAR BASE for isolation and cultivation of fastidious microorganisms like <i>Neisseria gonorrhoeae</i>	45.50	500 gm	
TS 021	HAEMOGLOBIN POWDER *	-	100 gm	
TS 022	VITAMINS AMINO GROWTH SUPPLEMENT (VITAMINS & AMINO ACIDS MIXTURE) *	#22 vl	5 vl 25 vl	
TS 023	YEAST AUTOLYSATE SUPPLEMENT *	#22 vl	5 vl 25 vl	
TM 2264	CHOCOLATE NO. 2 AGAR BASE for the cultural isolation of <i>Neisseria</i> and <i>Haemophilus</i> species from a variety of clinical specimens	76.00	500 gm	
TS 021	HAEMOGLOBIN POWDER *	20.00	100 gm	
TS 272	VITAMINO GROWTH SUPPLEMENT, MODIFIED	#27 vl	5 vl	
TM 411	CHOLERA MEDIUM BASE for selective isolation of <i>Vibrio</i> species from samples contaminated with <i>Enterobacteriaceae</i>	65.10	500 gm	
TS 005	POTASSIUM TELLURITE 1% (1ml /vl) *	#2 vl	5 vl 25 vl	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 2038	CHOPPED LIVER BROTH (CL BROTH) for the cultivation and enrichment of anaerobic bacteria from food specimen	112.00	500 gm	
TM 065	CHRISTENSEN CITRATE AGAR for differentiation of enteric pathogens and coliforms on the basis of citrate utilization	24.81	100 gm 500 gm	
TM 066	CHRISTENSEN CITRATE SULPHITE AGAR for differentiation of enteric bacilli based on citrate utilization and H ₂ S production	24.29	500 gm	
TM 2039	CHRISTENSEN CITRATE SULPHITE AGAR, W/ 1.5% AGAR for differentiation of enteric bacilli on the basis of citrate utilization and hydrogen sulphide production in accordance with FDA BAM, 1998	25.29	500 gm	
TM 1841	CHROMOGENIC A. RAMBACH AGAR * for detection and isolation of <i>Salmonella</i> species in clinical sample	(Part I) (Part II) 30.70 10 ml	500 gm -	
TM 1523	CHROMOGENIC BACILLUS AGAR for isolation & differentiation between various species of <i>Bacillus</i> using chromogenic substrates	49.20	100 gm 500 gm	
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT *	#11 vI	5 vI 25 vI	
TM 2110	CHROMOGENIC BACILLUS AGAR BASE for isolation and differentiation between various species of <i>Bacillus</i> by chromogenic method	49.22	100 gm 500 gm	
TS 281	BACILLUS SELECTIVE SUPPLEMENT	#11 vI	5 vI	
TM 1885	CHROMOGENIC BACILLUS CEREUS AGAR for isolation and differentiation of <i>Bacillus cereus</i> from food	40.98	100 gm 500 gm	
TS 255	BACILLUS CEREUS SELECTIVE SUPPLEMENT*	#25 vI	5 vI	
TM 2111	CHROMOGENIC BIFIDOBACTERIUM AGAR for the differentiation of <i>Bifidobacterium</i> and <i>Lactobacillus</i> species	59.48	100 gm 500 gm	
TM 2112	CHROMOGENIC CAMPYLOBACTER AGAR BASE for selective isolation and presumptive identification of <i>Campylobacter</i> species	59.53	100 gm 500 gm	
TS 145	CAMPYLOBACTER SELECTIVE SUPPLEMENT (KARMALI)*	#01 vI	5 vI 25 vI	
TM 1197	CHROMOGENIC CANDIDA AGAR (CHROMOGENIC CANDIDA DIFFERENTIAL AGAR) * for fast isolation and identification of <i>Candida</i> species from mixed flora	42.72	100 gm 500 gm	
TM 2113	CHROMOGENIC CANDIDA DIFFERENTIAL AGAR BASE selective and differential medium for rapid isolation and identification of <i>Candida</i> species from mixed cultures	31.20	100 gm 500 gm	
TS 282	CHROMOGENIC CANDIDA DIFFERENTIAL SELECTIVE SUPPLEMENT *	#32 vI	5 vI	
TM 1588	CHROMOGENIC CANDIDA DIFFERENTIAL AGAR MODIFIED for fast isolation and identification of <i>Candida</i> species from clinical and non-clinical specimens	42.05	100 gm 500 gm	
TS 213	CHROMOGENIC CANDIDA SELECTIVE SUPPLEMENT *	#24 vI	5 vI 25 vI	
TM 1833	CHROMOGENIC CLED AGAR BASE for isolation and differentiation of UTI pathogens	43.00	500 gm	

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 2114	CHROMOGENIC CLOSTRIDIAL AGAR BASE for selective isolation and presumptive identification of <i>Clostridium</i> species	47.81	100 gm 500 gm	
TM 1858	CHROMOGENIC COLIFORM AGAR (CCA) (ISO 9308-1:2014, ISO 11133:2014) for determination of coliforms and <i>Escherichia coli</i> in water samples	26.45	100 gm 500 gm	
TM 2115	CHROMOGENIC COLIFORM AGAR (CCA) W/1% AGAR * (ISO 9308-1:2014) for recommended for detection of total coliforms and <i>Escherichia coli</i> in water samples	25.92	100 gm 500 gm	
TM 1338	CHROMOGENIC COLIFORM AGAR W/SLS * for simultaneous detection of total coliforms and <i>Escherichia coli</i> in water and foods	27.00	100 gm 500 gm	
TM 2116	CHROMOGENIC COLIFORM AGAR MODIFIED * recommended for the simultaneous detection of <i>Escherichia coli</i> and thermotolerant coliforms in water, milk, dairy products and other food samples	24.00	100 gm 500 gm	
TM 2117	CHROMOGENIC COLISTIN RESISTANT AGAR BASE * recommended for isolation and differentiation of gram negative colistin resistant microorganisms	38.50	500 gm	
TS 283	CHROMOGENIC COLISTIN RESISTANT SELECTIVE SUPPLEMENT *	#13 vI	5 vI	
TM 2118	CHROMOGENIC CRONOBACTER ISOLATION AGAR (CCI AGAR) * (ISO /TS 22964: 2017) recommended for the isolation and identification of <i>Cronobacter sakazakii</i> from food product	32.40	500 gm	
TM 1854	CHROMOGENIC EC 0157:H7 AGAR (ISO 16654:2001) for isolation and differentiation of <i>Escherichia coli</i> 0157:H7 from food and environmental samples	28.85	100 gm 500 gm	
TS 248	CHROMOGENIC EC 0157:H7 SELECTIVE SUPPLEMENT *	#18 vI	5 vI 25 vI	
TM 1340	CHROMOGENIC ECC AGAR for presumptive identification of <i>Escherichia coli</i> and other coliforms in food and environmental samples	55.83	100 gm 500 gm	
TM 1341	CHROMOGENIC ECC SELECTIVE AGAR BASE * for detection of <i>Escherichia coli</i> and coliforms in water and food samples	26.48	100 gm 500 gm	
TS 187	CHROMOGENIC ECC SELECTIVE SUPPLEMENT *	#19 vI	5 vI	
TM 2119	CHROMOGENIC E. COLI AGAR for the detection and enumeration of <i>Escherichia coli</i> in foods without further confirmation on membrane filter or by indole reagent	36.57	100 gm 500 gm	
TM 1339	CHROMOGENIC E. COLI AGAR (CHROMOGENIC TRYPTONE BILE GLUCURONIDE AGAR) (TBX AGAR) (ISO 16649-1 & 2:2001, ISO 16649-3:2015, ISO 11133:2014) * for enumeration of <i>Escherichia coli</i> from food samples, animal feed and water samples	36.57	100 gm 500 gm	
TM 2120	CHROMOGENIC EC BROTH W/ RUG * recommended for detection of <i>Escherichia coli</i> in water and food samples by a chromogenic and fluorogenic method	10.56	100 gm	
TM 2121	CHROMOGENIC EC 0157:H7 AGAR, MODIFIED * recommended for isolation and differentiation of <i>Escherichia coli</i> 0157:H7 from food, environmental and clinical samples	28.85	100 gm 500 gm	
TS 005	POTASSIUM TELLURITE 1% (1ml /vI) *	#5 vI	5 vI 25 vI	
TM 2441	CHROMOGENIC EC0157:H7 SELECTIVE AGAR BASE, MODIFIED * for presumptive enumeration of <i>Escherichia coli</i> 0157:H7 by membrane filtration technique from food samples	66.82	100 gm 500 gm	
TS 313	CHROMOGENIC EC 0157:H7 SELECTIVE SUPPLEMENT, MODIFIED *	#8 vI	5 vI	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 2122	CHROMOGENIC ECC SELECTIVE AGAR BASE, MODIFIED * for detection of <i>Escherichia coli</i> and coliforms in water and food samples	39.30	500 gm	
TM 2123	CHROMOGENIC ENRICHMENT BROTH BASE FOR EC O157:H7 * for isolation and selective differentiation of <i>Escherichia coli</i> O157:H7 from food, environmental and clinical samples by chromogenic method	22.80	100 gm 500 gm	
TS 248	CHROMOGENIC EC O157:H7 SELECTIVE SUPPLEMENT I *	#44 vl	5 vl 25 vl	
TM 1343	CHROMOGENIC ECD W/ MUG * for detection of <i>Escherichia coli</i> by chromogenic and fluorogenic substrates	53.17	100 gm 500 gm	
TM 1631	CHROMOGENIC ENTEROBACTER SAKAZAKII AGAR * for isolation and identification of <i>Enterobacter sakazkii</i> from dairy and food products	51.67	100 gm 500 gm	
TM 1853	CHROMOGENIC ENTEROBACTER SAKAZAKII AGAR, MODIFIED (ISO 22964:2017, ISO 22964:2006) * for isolation and identification of <i>Cronobacter sakazkii</i> from milk and milk products	30.75	100 gm 500 gm	
TM 1344	CHROMOGENIC ENTEROCOCCI BROTH * for identification and differentiation of enterococci from water	18.59	100 gm 500 gm	
TM 1632	CHROMOGENIC ENTEROCOCCUS FAECIUM AGAR BASE for identification and differentiation of <i>Enterococcus faecium</i> from faeces, sewage and water supplies	29.00	100 gm 500 gm	
TS 215	CHROMOGENIC ENTEROCOCCUS FAECIUM SELECTIVE SUPPLEMENT *	#19 vl	5 vl	
TM 1633	CHROMOGENIC KLEBSIELLA SELECTIVE AGAR BASE * for selective isolation of <i>Klebsiella</i> species from water can be used by membrane filter technique	40.80	100 gm 500 gm	
TS 204	CHROMOGENIC KLEBSIELLA SELECTIVE SUPPLEMENT *	#25 vl	5 vl	
TM 2124	CHROMOGENIC L. MONO DIFFERENTIAL AGAR BASE * for the selective and differential isolation, enumeration and identification of <i>Listeria monocytogenes</i> and <i>Listeria</i> species based on PCPLC activity	67.20	500 gm	
TS 285	LECITHIN SOLUTION *	#16 vl	5 vl	
TS 286	MODIFIED L.MONO SELECTIVE SUPPLEMENT *	#16 vl	5 vl	
TM 1845	CHROMOGENIC L-MONO LISTERIA DIFFERENTIAL AGAR * for selective identification and differentiation of <i>Listeria monocytogenes</i>	70.30	100 gm	
TS 205	CHROMOGENIC LISTERIA SELECTIVE SUPPLEMENT *	#15 vl	5 vl	
TS 031	CHROMOGENIC ENRICHMENT SUPPLEMENT *	#15 vl	5 vl	
TM 1634	CHROMOGENIC LISTERIA AGAR BASE (Modified) * for selective identification and differentiation of <i>Listeria</i> species	67.25	100 gm 500 gm	
TS 205	CHROMOGENIC LISTERIA SELECTIVE SUPPLEMENT *	#15 vl	5 vl	
TM 004	CHROMOGENIC LISTERIA AGAR BASE (ISO 11290-1 & 2:2004, ISO 11133:2014) * for selective identification and differentiation of <i>Listeria</i> species	70.05	100 gm 500 gm	
TS 205	CHROMOGENIC LISTERIA SELECTIVE SUPPLEMENT	#15 vl	5 vl	
TS 031	CHROMOGENIC ENRICHMENT SUPPLEMENT	#15 vl	5 vl	
TM 1635	CHROMOGENIC MeReSA AGAR BASE * for isolation and identification of Methicillin resistant <i>Staphylococcus aureus</i> from clinical samples	83.30	100 gm 500 gm	
TS 206	CHROMOGENIC MeReSa SELECTIVE SUPPLEMENT *	#12 vl	5 vl	
TS 219	CEFOXITIN SUPPLEMENT *	#12 vl	5 vl	
TM 1636	CHROMOGENIC MM AGAR * for identification and differentiation of <i>Salmonella</i> and non- <i>Salmonella</i> from water and clinical samples	49.13	100 gm 500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 2127	CHROMOGENIC M-COLICONFIRM BROTH * recommended for detection of <i>E.coli</i> & other total coliforms in water samples by membrane filtration	17.43	500 gm	
TS 287	ECC SELECTIVE SUPPLEMENT MODIFIED	#29 vl	5 vl	
TS 042	TTC SOLUTION 1% (10 ml/vl) *	#21 vl	5 vl 25 vl	
TM 1638	CHROMOGENIC M-LAURYL SULPHATE AGAR * for enumeration and differentiation of <i>E. coli</i> and other coliforms by membrane filter technique	88.00	100 gm 500 gm	
TM 1198	CHROMOGENIC OGYE AGAR BASE * for isolation and enumeration of Yeasts and Moulds from milk and milk products using chromogenic substrate	37.10	100 gm 500 gm	
TS 071	OXYTETRA SELECTIVE SUPPLEMENT *	#27 vl	5 vl 25 vl	
TM 2125	CHROMOGENIC RAJHANS MEDIUM (SALMONELLA AGAR) * for identification and differentiation of <i>Salmonella</i> species from among the members of <i>Enterobacteriaceae</i> , especially <i>Proteus</i> species	46.82	100 gm 500 gm	
TM 1426	CHROMOGENIC SALMONELLA AGAR * for isolation and differentiation of <i>Salmonella</i> species from <i>coliforms</i>	27.90	100 gm 500 gm	
TM 1839	CHROMOGENIC SALMONELLA AGAR * for identification of <i>Salmonella</i> species from other organisms in the family <i>Enterobacteriaceae</i>	54.00	100 gm 500 gm	
TS 252	SALMONELLA SELECTIVE SUPPLEMENT *	#10 vl	5 vl	
TM 1824	CHROMOGENIC SALMONELLA AGAR, MODIFIED * for identification and differentiation of <i>Salmonella</i> species from among the members of <i>Enterobacteriaceae</i> , especially <i>Proteus</i> species	42.34	100 gm 500 gm	
TM 1337	CHROMOGENIC STAPHYLOCOCCUS AUREUS AGAR BASE * for isolation and identification of staphylococci	63.00	100 gm 500 gm	
TS 001	EGG YOLK TELLURITE EMULSION (100 ml/vl) *	#4 vl	5 vl	
TM 1339	CHROMOGENIC TRYPTONE BILE GLUCURONIDE AGAR (CHROMOGENIC E.COLI AGAR) (TBX AGAR) (ISO 16649-1:2001 / 16649-2:2001 / 16649-3:2015) for enumeration of <i>Escherichia coli</i> from food samples, animal feed and water samples	36.57	100 gm 500 gm	
TM 2126	CHROMOGENIC UNIVERSAL DIFFERENTIAL MEDIUM recommended for presumptive identification of microorganisms from clinical and non-clinical specimens	35.00	100 gm 500 gm	
TM 1199	CHROMOGENIC UTI AGAR * for identification and confirmation of microorganisms causing urinary tract infections	32.45	100 gm 500 gm	
TM 1909	CHROMOGENIC UTI AGAR * for presumptive identification of microorganisms mainly causing urinary tract infections	56.80	100 gm 500 gm	
TM 1639	CHROMOGENIC UTI AGAR,MODIFIED * for enumeration and differentiation of enteric pathogens in urinary tract infections	55.44	100 gm 500 gm	
TS 207	DMACA REAGENT (10 ml/vl)	-	1 vl	
TS 208	TDA REAGENT (10 ml/vl) *	-	1 vl	
TM 1825	CHROMOGENIC UTI SELECTIVE AGAR * for identification, differentiation and confirmation of enteric bacteria from specimens such as urine	56.94	100 gm 500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 1640	CHROMOGENIC VIBRIO AGAR * for selective isolation and differentiation of <i>Vibrio</i> species	67.50	100 gm 500 gm	
TM 1907	CHROMOGENIC VRE MEDIA BASE * for identification of Vancomycin Resistant enterococci from clinical specimens	50.95	100 gm 500 gm	
TS 253	CHROMOGENIC VRE AGAR SUPPLEMENT *	#20 vl	5 vl	
TM 2266	CHRYSOIDIN AGAR WITH MUG (OXGALL CHRYSOIDIN AGAR WITH MUG) for the isolation and differentiation of <i>Enterobacteriaceae</i> and several other Gram negative rods. It can also be used for the identification of <i>E. coli</i> from clinical and non-clinical specimens	48.23	500 gm	
TM 637	CHU'S MEDIUM NO. 10 for cultivation of Blue Green Algae	0.123	100 gm	
TM 501	CIN AGAR (YERSINIA SELECTIVE AGAR BASE) for selective isolation and enumeration <i>Yersinia enterocolitica</i> from clinical and food samples	58.00	500 gm	
TS 057	YERSINIA SELECTIVE SUPPLEMENT *	#18 vl	5 vl 25 vl	
TM 067	CITRATE AGAR for cultivation of Iron Bacteria from soil	27.20	100 gm 500 gm	
TM 2040	CITRATE AZIDE AGAR for selective cultivation of enterococci in dairy products	55.41	100 gm 500 gm	
TM 2041	CITRATE AZIDE TWEEN CARBONATE BASE for the identification of enterococci in meat, meat products, dairy products and other foodstuffs	56.00	500 gm	
TS 273	CATC SUPPLEMENT*	#18 vl	5 vl	
TM 1525	CLAUSEN MEDIUM used as sterility medium as per Nordic Pharmacopeia Board	39.61	500 gm	
TM 644	CLOSTRIDIAL AGAR for selective isolation of pathogenic <i>Clostridia</i> from mixed flora	46.40	100 gm 500 gm	
TM 645	CLOSTRIDIUM BROTH BASE for identification of spores of <i>Clostridium tyrobutyricum</i>	35.50	500 gm	
TM 2042	CLOSTRIDIUM BRAZIER AGAR BASE for isolation and differentiation of <i>Clostridium difficile</i> with added supplements	47.66	500 gm	
TS 002	EGG YOLK EMULSION (100 ml /vl) *	#9vl	5 vl	
TS 024	CLOSTRIDIUM DIFFICILE SUPPLEMENT *	#21vl	5 vl 25 vl	
TM 068	CLOSTRIDIUM DIFFICILE AGAR BASE for isolation of <i>Clostridium difficile</i> from food and pathological specimens	69.10	500 gm	
TS 024	CLOSTRIDIUM DIFFICILE SUPPLEMENT *	#15 vl	5 vl 25 vl	
TM 2043	CLOSTRIDIUM DIFFICILE MANNITOL TAUROCHOLATE BROTH BASE for cultivation of <i>Clostridium difficile</i> from certain clinical specimens	55.63	500 gm	
TS 274	CLOSTRIDIUM DIFFICILE SELECTIVE SUPPLEMENT *	#9 vl	5 vl	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 1886	CLOSTRIDIUM PERFRINGENS AGAR BASE for identification and enumeration of <i>Clostridium perfringens</i> from food	60.05	100 gm 500 gm	
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#9 vl	5 vl	
TM 1836	COAGULASE MANNITOL AGAR BASE for isolation and differentiation of pathogenic staphylococci from clinical specimens	47.02	100 gm 500 gm	
TM 070	COAGULASE MANNITOL BROTH BASE for detection of coagulase production and mannitol fermentation in differentiation of staphylococci	35.00	100 gm 500 gm	
TM 698	COLIFORM BROTH for isolation and cultivation of coliform organisms from milk and milk products	57.14	500 gm	
TM 2132	COLIFORM BROTH, MODIFIED * for the detection and confirmation of <i>Escherichia coli</i> and total coliforms from water samples, using a combination of chromogenic and fluorogenic substrates	17.40	100 gm 500 gm	
TM 1908	COLIFORM BROTH W/ SLS for detection of <i>E.coli</i> and other <i>Enterobacteriaceae</i> in water samples	15.10	100 gm 500 gm	
TM 699	COLIFORM PA BROTH for determination of presence or absence of coliform bacteria in treated water	92.40	500 gm	
TMH 116	COLUMBIA AGAR (as per USP/EP/JP/BP) for detection of <i>Clostridium sporogenes</i> from pharmaceutical products	44.00	100 gm 500 gm	
TS 217	GENTAMYCIN SUPPLEMENT	#12 vl	5 vl	
TM 701	COLUMBIA AGAR (MEDIUM Q) (as per BP) for detection of <i>Clostridium perfringens</i> from pharmaceutical products	44.00	500 gm	
TS 217	GENTAMYCIN SUPPLEMENT	#12 vl	5 vl	
TM 071	COLUMBIA BLOOD AGAR BASE for preparation of various selective & identification media & isolation of organisms from clinical specimens	44.00	100 gm 500 gm	
TS 006	BRUCELLA SELECTIVE SUPPLEMENT*	#23 vl	5 vl 25 vl	
TS 007	CAMPYLOBACTER SUPPLEMENT - I (BLASER-WANG)*	#23 vl	5 vl	
TS 008	CAMPYLOBACTER SUPPLEMENT - II (BUTZLER)*	#23 vl	5 vl 25 vl	
TS 009	CAMPYLOBACTER SUPPLEMENT - III (SKIRROW)*	#23 vl	5 vl	
TS 010	CAMPYLOBACTER GROWTH SUPPLEMENT*	#23 vl	5 vl	
TS 011	STREPTO SUPPLEMENT*	#23 vl	5 vl 25 vl	
TS 089	STAPH-STREPTO SUPPLEMENT*	#23 vl	5 vl	
TS 025	G. VAGINALIS SELECTIVE SUPPLEMENT*	#23 vl	5 vl	
TS 026	CAMPYLOBACTER SELECTIVE SUPPLEMENT*	#23 vl	5 vl	
TS 027	CAMPYLOBACTER SUPPLEMENT VI (BUTZLER)*	#23 vl	5 vl 25 vl	
TS 256	STREPTOCOCCUS SELECTIVE SUPPLEMENT	#23vl	5 vl 25 vl	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE
TMV 071	COLUMBIA BLOOD AGAR BASE (VEG.) for preparation of various selective & identification media & isolation of organisms from clinical specimens	44.00	100 gm 500 gm
TS 006	BRUCELLA SELECTIVE SUPPLEMENT *	#23 vl	5 vl 25 vl
TS 007	CAMPYLOBACTER SUPPLEMENT - I (BLASER-WANG) *	#23 vl	5 vl
TS 008	CAMPYLOBACTER SUPPLEMENT - II (BUTZLER) *	#23 vl	5 vl 25 vl
TS 009	CAMPYLOBACTER SUPPLEMENT - III (SKIRROW) *	#23 vl	5 vl
TS 010	CAMPYLOBACTER GROWTH SUPPLEMENT*	#23 vl	5 vl
TS 011	STREPTO SUPPLEMENT *	#23 vl	5 vl 25 vl
TS 089	STAPH-STREPTO SUPPLEMENT *	#23 vl	5 vl
TS 025	G. VAGINALIS SELECTIVE SUPPLEMENT *	#23 vl	5 vl
TS 026	CAMPYLOBACTER SELECTIVE SUPPLEMENT *	#23 vl	5 vl
TS 027	CAMPYLOBACTER SUPPLEMENT VI (BUTZLER) *	#23 vl	5 vl 25 vl
TS 256	STREPTOCOCCUS SELECTIVE SUPPLEMENT	#23 vl	5 vl 25 vl
TM 072	COLUMBIA BLOOD AGAR BASE W/ HEMIN an efficient and enriched base for fastidious microorganisms	44.00	500 gm
TM 2044	COLUMBIA BLOOD AGAR BASE W/ 1% AGAR for isolation and cultivation of fastidious bacteria	39.00	500 gm
TS 006	BRUCELLA SELECTIVE SUPPLEMENT*	#26 vl	5 vl 25 vl
TS 007	CAMPYLOBACTER SUPPLEMENT - I (BLASER-WANG)*	#26 vl	5 vl
TS 008	CAMPYLOBACTER SUPPLEMENT - II (BUTZLER)*	#26 vl	5 vl 25 vl
TS 009	CAMPYLOBACTER SUPPLEMENT - III (SKIRROW)*	#26 vl	5 vl
TS 010	CAMPYLOBACTER GROWTH SUPPLEMENT*	#26 vl	5 vl
TS 011	STREPTO SUPPLEMENT*	#26 vl	5 vl 25 vl
TS 089	STAPH-STREPTO SUPPLEMENT*	#26 vl	5 vl
TS 025	G. VAGINALIS SELECTIVE SUPPLEMENT*	#26 vl	5 vl
TS 026	CAMPYLOBACTER SELECTIVE SUPPLEMENT*	#26 vl	5 vl
TS 027	CAMPYLOBACTER SUPPLEMENT VI (BUTZLER)*	#26 vl	5 vl 25 vl
TS 256	STREPTOCOCCUS SELECTIVE SUPPLEMENT	#26 vl	5 vl 25 vl
TM 2045	COLUMBIA BLOOD AGAR BASE (ISO 10272-2:2017) recommended for selective detection and enumeration of <i>Campylobacter</i> species from food chain	44.00	500 gm
TM 073	COLUMBIA BROTH BASE for cultivation of fastidious microorganisms from clinical sources	35.00	500 gm
TM 074	COLUMBIA C.N.A. AGAR BASE for selective isolation of gram positive cocci from clinical and non clinical samples Store between 10- 20°C	44.00	500 gm
TM 970	COLUMBIA C.N.A. AGAR BASE (1% AGAR) * for selective isolation of pathogenic gram-positive cocci from clinical and non clinical samples	39.00	500 gm
TM 971	CONN'S AGAR for cultivation of fungi	38.00	500 gm
TM 075	COOKE ROSE BENGAL AGAR BASE for selective isolation and cultivation of fungi	36.54	500 gm

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 702	COOKED MEAT MEDIUM (R.C. MEDIUM) (MEAT GRANULES) for cultivation of aerobes and anaerobes especially pathogenic <i>Clostridia</i> and also for maintenance of stock cultures	125.00	100 gm 500 gm	
TM 366	COOKED MEAT MEDIUM (R.C. MEDIUM) (COMPLETE SOLUBLE) for cultivation and maintenance of aerobes, anaerobes of stock cultures	125.00	500 gm	
TM 703	COOKED MEAT MEDIUM (R.C. MEDIUM) (as per BIS) for cultivation of aerobes and anaerobes especially pathogenic <i>Clostridia</i> and also for maintenance of stock cultures. It is recommended by BIS committee under the specifications IS:5887(Part II)-1976	11.54	100 gm 500 gm	
TM 076	CORN MEAL AGAR for production of chlamydospores by <i>Candida albicans</i> & maintenance of fungal stock cultures	17.00	100 gm 500 gm	
TM 2046	CORN MEAL AGAR W/ DEXTROSE for cultivation of phytopathological and other fungi	19.00	500 gm	
TM 972	CORN MEAL PEPTONE YEAST AGAR for cultivation of fungi	64.00	500 gm	
TM 1164	CRAIG'S MEDIUM for cultivation of <i>Vibrio cholerae</i> to determine its enterotoxigenicity	34.50	500 gm	
TM 2047	CRONOBACTER SELECTIVE BROTH (CSB) (ISO 22964:2017) for screening <i>Cronobacter</i> (formerly <i>Enterobacter sakazakii</i>) from food	28.04	100 gm 500 gm	
TS 218	VANCOMYCIN SUPPLEMENT *	#18 vl	5 vl 25 vl	
TM 705	CRYSTAL VIOLET LACTOSE AGAR for differentiation of pure cultures of pathogenic and nonpathogenic staphylococci	33.00	500 gm	
TM 706	CRYSTAL VIOLET LACTOSE BROTH for detection of coliforms in water filtration control works	16.00	500 gm	
TM 1952	CRYSTAL VIOLET, NEUTRAL RED, BILE AGAR W/ GLUCOSE (AGAR MEDIUM F) (as per EP/BP) for detection and enumeration of <i>Enterobacteria</i>	50.12	500 gm	
TM 516	CULTURE MEDIUM FOR RWC (DISINFECTANT TEST BROTH) (RWC MEDIUM) for determination of phenol coefficients of disinfectants using <i>Salmonella typhi</i> as a test organism	50.00	100 gm 500 gm	
TM 2048	CRYSTAL VIOLET TETRAZOLIUM AGAR BASE for detection of gram-negative psychrotrophic bacteria causing food spoilage	23.50	500 gm	
TS 042	TTC SOLUTION 1% (10 ml/vl) *	#11 vl	5 vl 25 vl	
TM 973	CYANOPHYCEAN AGAR for isolation and cultivation of Blue Green algae	20.30	500 gm	
TM 2446	CYCLOSERINE-CEFOXITIN FRUCTOSE AGAR (CCFA) for the isolation and presumptive identification of <i>Clostridium difficile</i> , a recognized cause of pseudomembranous (antimicrobial agent-associated) colitis	69.20	500 gm	
TS 315	CYCLOSERINE -CEFOXITIN SUPPLEMENT *	#8 vl #8 vl	5 vl 25 vl	
TM 078	CYSTINE HEART AGAR BASE for isolation, detection and cultivation of saprophytic fungi, Yeasts and Moulds	51.00	500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 707	CYSTINE TELLURITE AGAR BASE for selective isolation and differentiation of <i>Corynebacterium diphtheriae</i> types	40.05	500 gm	
TS 005	POTASSIUM TELLURITE 1% (1ml /vl) *	#25 vl	5 vl 25 vl	
TM 079	CYSTINE TRYPTONE AGAR for detection & maintenance and subculturing of motility and fermentation studies with the addition of various sugars	28.50	100 gm 500 gm	
TM 367	CZAPEK DOX AGAR semisynthetic medium for general cultivation of fungi	49.00	100 gm 500 gm	
TM 080	CZAPEK DOX AGAR, MODIFIED for cultivation and maintenance of fungi	45.36	500 gm	
TS 049	10% LACTIC ACID SOLUTION (10 ml/vl) *	#22 vl	5 vl 25 vl	
TM 368	CZAPEK DOX BROTH semisynthetic medium for cultivation of fungi	35.00	100 gm 500 gm	
TM 1528	CZAPEK DOX LIQUID MEDIUM for cultivation of fungi and bacteria by utilizing sodium nitrate as a nitrogen source	33.40	500 gm	
TM 708	CZAPEK MALT AGAR for isolation, detection and cultivation of saprophytic fungi, Yeasts and Moulds	94.00	100 gm 500 gm	
TM 2049	CZAPEK YEAST AUTOLYSATE AGAR (CYA AGAR) for the isolation and cultivation of heat resistant filamentous fungi (Moulds) from foods	54.01	500 gm	
TS 049	10% LACTIC ACID SOLUTION (10 ml/vl) *	#20 vl	5 vl 25 vl	
TM 709	CZAPEK YEAST EXTRACT AGAR for cultivation and maintenance of <i>Aspergillus brasiliensis</i>	51.40	500 gm	
TS 063	TOLUIDINE BLUE (0.1gm/vl)	#12 vl	5 vl 25 vl	
TM 081	DNASE TEST AGAR BASE (W/O INDICATOR) * for detection of deoxyribonuclease activity of microorganisms & identification of pathogenic staphylococci	42.00	100 gm	
TM 974	DNASE TEST AGAR W/ METHYL GREEN * for detection of deoxyribonuclease activity of microorganisms & identification of pathogenic staphylococci	42.05	100 gm	
TM 580	DNASE TEST AGAR W/ TOLUIDINE BLUE * for detection of deoxyribonuclease activity of microorganisms and for identification of staphylococci	42.10	100 gm	
TMV 580	DNASE TEST AGAR W/ TOLUIDINE BLUE (VEG.) (Store between 10-25° C) for detection of deoxyribonuclease activity of microorganisms and for identification of staphylococci	42.10	100 gm	
TM 710	DNASE TEST AGAR BASE (W/O. DNA AND TOLUIDINE BLUE) with the addition of DNA it is used for detection of deoxyribonuclease activity of bacteria and fungi	40.00	100 gm 500 gm	
TM 082	D.C.L.S. AGAR for selective isolation and detection of <i>Salmonella</i> and <i>Shigella</i> species from faecal samples	45.53	100 gm 500 gm	
TM 711	D.C.L.S. AGAR, HAJNA for isolation of gram negative enteric bacilli	73.52	100 gm 500 gm	
TM 083	D.T.M. AGAR BASE (DERMATOPHYTE TEST AGAR BASE) for selective isolation of Dermatophytes	40.20	100 gm 500 gm	
TS 028	DERMATO SUPPLEMENT *	#25 vl	5 vl	

Approximate number of vials required for 500 gm of dehydrated medium. | * Store Between 2-8°C

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 976	DAVIS SUPPLEMENTED MINIMUM MEDIUM W/O DEXTROSE for enrichment and determination of titre coliforms in water samples	30.60	500 gm	
TM 084	DECARBOXYLASE AGAR BASE for differentiation of bacteria based on their ability to decarboxylate the amino acid	24.00	500 gm	
TM 085	DECARBOXYLASE BROTH BASE, MOELLER (MOELLER DECARBOXYLASE BROTH BASE) for differentiation of bacteria on the basis of their ability to decarboxylate the amino acid	10.52	100 gm 500 gm	
TMV 085	DECARBOXYLASE BROTH BASE, MOELLER (MOELLER DECARBOXYLASE BROTH BASE) (VEG.) for differentiation of bacteria on the basis of their ability to decarboxylate the amino acid	10.52	100 gm 500 gm	
TM 086	DECARBOXYLASE TEST MEDIUM BASE (FALKOW) (IS : 5887 (Part V) 1976, reaffirmed 2005) for cultivation and differentiation of bacteria based on their decarboxylase activity	09.02	100 gm 500 gm	
TM 2455	DEMI FRASER BROTH for cultivation and maintenance of <i>Listeria spp.</i>	54.97	500 gm	
TM 087	DEOXYCHOLATE AGAR for direct differential count of coliforms in dairy products and also for isolation of enteric pathogens from rectal swabs, faeces and other pathological specimens	45.00	100 gm 500 gm	
TM 369	DEOXYCHOLATE CITRATE AGAR for isolation of enteric pathogens especially <i>Salmonella</i> and <i>Shigella</i> species	70.52	100 gm 500 gm	
TMV 369	DEOXYCHOLATE CITRATE AGAR (VEG.) for isolation of enteric pathogens especially <i>Salmonella</i> and <i>Shigella</i> species	70.52	100 gm 500 gm	
TM 1870	DEOXYCHOLATE CITRATE AGAR MEDIUM (IS : 5887 (Part VII) 1999, reaffirmed 2005) for isolation of <i>Shigella</i> species from food samples	55.45	100 gm 500 gm	
TM 977	DEOXYCHOLATE CITRATE AGAR (AGAR MEDIUM J) (as per BP/EP/IP) for selective isolation of enteric pathogens	69.02	100 gm 500 gm	
TM 2051	DESOXYCHOLATE-CITRATE AGAR MEDIUM 14 (as per IP) for the a selective isolation and identification of <i>Salmonella</i> in accordance	69.02	100 gm 500 gm	
TM 1529	DEOXYCHOLATE CITRATE AGAR W/ 1.5% AGAR for the isolation of enteric pathogens	48.50	500 gm	
TM 088	DEOXYCHOLATE CITRATE AGAR, MODIFIED (HYNES) for selective isolation of <i>Salmonella</i> and <i>Shigella</i> species	51.92	500 gm	
TM 714	DEOXYCHOLATE CITRATE AGAR W/O SUCROSE for isolation and identification of enteric pathogens	45.00	100 gm 500 gm	
TM 089	DEOXYCHOLATE LACTOSE AGAR for isolation and enumeration of coliforms in water, milk and dairy products	42.50	100 gm 500 gm	
TM 1546	DEV GELATIN AGAR (GELATIN DEV AGAR) for determination of total microbial count and detection of gelatin liquefying microorganisms	50.00	500 gm	
TM 712	DEV GLUCOSE BROTH for detection of microbial decomposition of glucose	28.02	500 gm	
TM 713	DEV LACTOSE PEPTONE BROTH for enrichment and determination of titre coliforms in water samples	25.01	500 gm	
TM 1617	DEV LACTOSE PEPTONE BROTH for enrichment and determination of titre coliforms in water samples	35.62	500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 2050	DEV NUTRIENT AGAR for the enumeration of microorganisms in water, food and other materials	43.00	500 gm	
TM 1846	DEV TRYPTOPHAN BROTH (as per ISO 9308) for subcultivation of coliform, differentiation & for indole testing in bacteriological examination of water	16.00	500 gm	
TM 334	DEXTROSE AGAR for cultivation of wide variety of microorganisms	43.00	100 gm 500 gm	
TMV 334	DEXTROSE AGAR (VEG.) for cultivation of wide variety of microorganisms	43.00	100 gm 500 gm	
TM 090	DEXTROSE AGAR BASE, EMMONS (SABOURAUD DEXTROSE AGAR BASE, MODIFIED) for selective cultivation of pathogenic fungi	47.00	100 gm 500 gm	
TS 275	CC SUPPLEMENT *	#22 vl	5 vl	
TMV 090	DEXTROSE AGAR BASE, EMMONS (SABOURAUD DEXTROSE AGAR BASE, MODIFIED) (VEG.) for selective cultivation of pathogenic fungi	47.00	100 gm 500 gm	
TS 275	CC SUPPLEMENT *	#22 vl	5 vl	
TM 308	DEXTROSE BROTH (GLUCOSE BROTH) for antibiotic sensitivity testing by tube dilution method for the isolation, cultivation and enumeration of different microorganisms	23.00	100 gm 500 gm	
TMV 308	DEXTROSE BROTH (GLUCOSE BROTH) (VEG.) for antibiotic sensitivity testing by tube dilution method for the isolation, cultivation and enumeration of different microorganisms	23.00	100 gm 500 gm	
TM 631	DEXTROSE MANNITOL AGAR (GILLIES AGAR NO. 1) for primary isolation of <i>Salmonella</i> and <i>Shigella</i> and for detection of urease production, dextrose and mannitol fermentation	46.05	500 gm	
TM 335	DEXTROSE PEPTONE AGAR (GLUCOSE PEPTONE AGAR) for general cultivation of microorganisms	50.00	500 gm	
TM 309	DEXTROSE PEPTONE BROTH for routine sterility testing and for cultivation of fastidious organisms	35.00	500 gm	
TM 1165	DEXTROSE PROTEOSE PEPTONE AGAR BASE for isolation of <i>Corynebacterium diphtheriae</i>	42.00	500 gm	
TS 005	POTASSIUM TELLURITE 1% (10ml /vl) *	#24 vl	5 vl 25 vl	
TM 517	DEXTROSE SALT AGAR for enumeration of Yeasts & Moulds in butter and other dairy products	35.00	500 gm	
TM 310	DEXTROSE SALT BROTH for enumeration of Yeasts & Moulds in butter and other dairy products	20.00	500 gm	
TM 2052	DEXTROSE STARCH AGAR for propagating pure cultures of <i>Neisseria gonorrhoeae</i> and other fastidious organisms	65.00	500 gm	
TM 092	DEXTROSE TRYPTONE AGAR for detection and enumeration of mesophilic and thermophilic aerobic organisms in foods	30.04	500 gm	
TM 2053	DEXTROSE TRYPTONE AGAR, MODIFIED for the isolation and cultivation of aciduric and thermophilic aerobic flat-sour sporeformers from canned food, sugar etc	32.29	500 gm	
TM 311	DEXTROSE TRYPTONE BROTH for enrichment and cultivation of mesophilic and thermophilic organisms in foods	15.00	500 gm	

CODE	PRODUCT NAME		F.Wt. Gm/Ltr	PACK SIZE	
TM 2054	DEXTROSE TRYPTONE BROTH, MODIFIED for the detection and enumeration of mesophilic and thermophilic aerobic microorganisms in foods		17.29	500 gm	
TM 715	DEY-ENGLEY NEUTRALIZING AGAR (D/E AGAR DISINFECTANT TESTING) for disinfectant testing, where neutralization agent is important for determining its bactericidal activity		54.00	500 gm	
TMV 715	DEY-ENGLEY NEUTRALIZING AGAR (D/E AGAR DISINFECTANT TESTING) (VEG.) for disinfectant testing, where neutralization agent is important for determining its bactericidal activity		54.00	500 gm	
TM 716	DEY-ENGLEY NEUTRALIZING BROTH for neutralizing and testing antiseptics and disinfectants		39.00	500 gm	
TMV 716	DEY-ENGLEY NEUTRALIZING BROTH (VEG.) for neutralizing and testing antiseptics and disinfectants		39.00	500 gm	
TM 1530	DEY-ENGLEY (D/E) NEUTRALIZING BROTH (W/O BROMO CRESOL PURPLE) (as per USP) for neutralization of antiseptics and disinfectants in determining its bactericidal activity		39.00	500 gm	
TM 717	DEY-ENGLEY NEUTRALIZING BROTH BASE * for disinfectant testing where the neutralization of the antiseptics and disinfectants is important for determining its bactericidal activity		17.50	500 gm	
TM 1900	DEY-ENGLEY NEUTRALIZING BROTH W/ 1.0% SLS & 1.0% TWEEN 80 for environmental sampling where neutralization of antiseptics and disinfectants is important for determining the bactericidal activity		54.00	500 gm	
TM 1904	DEY-ENGLEY NEUTRALIZING BROTH W/ 10.0% TWEEN 80 (DOUBLE PACK) for environmental sampling where neutralization of antiseptics and disinfectants is important for determining the bactericidal activity	(Part I) (Part II)	40.00	500 gm -	
TM 605	DIAGNOSTIC SENSITIVITY TEST AGAR (DST AGAR) for antibiotic sensitivity testing of fastidious pathogens like <i>Neisseria</i> , <i>Streptococcus</i> and <i>Haemophilus</i> species with blood enrichment		43.00	100 gm 500 gm	
TM 477	DIAGNOSTIC STUART'S UREA BROTH BASE (UREA BROTH BASE) a general-purpose medium for the cultivation of microorganisms, especially obligate anaerobes		18.70	100 gm 500 gm	
TS 030	UREA 40% (5 ml/vl)*		#268 vl	5 vl 25 VL	
TM 447	DIAGNOSTIC THIOGLYCOLLATE MEDIUM W/O INDICATOR it is used for enrichment of blood cultures		30.00	500 gm	
TMV 447	DIAGNOSTIC THIOGLYCOLLATE MEDIUM W/O INDICATOR (VEG.) it is used for enrichment of blood cultures		30.00	500 gm	
TM 980	DIAMALT AGAR (as per APHA) for isolation and identification of Yeasts from water sample		170.00	500 gm	
TM 981	DICHLORAN GLYCEROL MEDIUM BASE for selective isolation and enumeration of Yeasts and Moulds from food samples		31.60	100 gm 500 gm	
TM 982	DICHLORAN GLYCEROL MEDIUM BASE W/ROSE BENGAL for selective isolation and enumeration of Yeasts and Moulds from food samples		31.60	100 gm 500 gm	
TS 053	CHLORAMPHENICOL SELECTIVE SUPPLEMENT *		#32 vl	5 vl 25 vl	
TMV 982	DICHLORAN GLYCEROL MEDIUM BASE W/ROSE BENGAL (VEG.) for selective isolation and enumeration of Yeasts and Moulds from food samples		31.60	100 gm 500 gm	
TS 053	CHLORAMPHENICOL SELECTIVE SUPPLEMENT *		#32 vl	5 vl 25 vl	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 1852	DICHLORAN ROSE BENGAL CHLORAMPHENICOL AGAR (DRBC AGAR) (ISO 21527-1:2008, 11133:2014) for selective isolation of Yeasts and Moulds of significance in food spoilage	31.60	100 gm 500 gm	
TM 983	DIFFERENTIAL BUFFERED CHARCOAL YEAST EXTRACT AGAR BASE for selective isolation and differentiation of <i>Legionella</i> species	37.37	100 gm	
TS 276	V.P. SUPPLEMENT *	#3 vl	5 vl	
TM 1802	DIFFERENTIAL REINFORCED CLOSTRIDIAL AGAR for enumeration and cultivation of <i>Clostridia</i> from water	42.50	500 gm	
TM 625	DIFFERENTIAL REINFORCED CLOSTRIDIAL BROTH BASE for cultivation of <i>Clostridia</i> from water	29.00	100 gm 500 gm	
TMV 625	DIFFERENTIAL REINFORCED CLOSTRIDIAL BROTH BASE (VEG.) for cultivation of <i>Clostridia</i> from water	29.00	100 gm 500 gm	
TM 2055	DIFFERENTIAL REINFORCED CLOSTRIDIAL BROTH BASE (ISO 6461-1:1986) for cultivation of <i>Clostridia</i> from water	29.00	500 gm	
TM 1166	DIHYDROLASE BROTH BASE for detection of dihydrolase reaction of <i>Vibrio parahaemolyticus</i>	43.03	500 gm	
TM 718	DILUTING FLUID A (as per USP) for sterility testing of pharma products	01.00	500 gm	
TM 1531	DILUTING FLUID D (as per USP) for sterility testing of pharma products	02.00	500 gm	
TM 719	DILUTING FLUID K (as per USP) for sterility testing of pharma products	18.00	500 gm	
TM 984	DIPHTHERIA VIRULENCE AGAR BASE for determination of toxigenicity of <i>Corynebacterium diphtheriae</i>	37.50	500 gm	
TS 134	KL VIRULENCE ENRICHMENT (20 ml/vl)	#134 vl	5 vl 25 vl	
TS 005	POTASSIUM TELLURITE 1% (1 ml/vl)*	#67 vl	5 vl 25 vl	
TM 516	DISINFECTANT TEST BROTH (CULTURE MEDIUM FOR RWC) for determination of phenol coefficients of disinfectants using <i>Salmonella typhi</i> as a test organism	50.00	100 gm 500 gm	
TM 313	DISINFECTANT TEST BROTH (USING S. AUREUS AS TEST ORGANISM) for enrichment of <i>Staphylococcus aureus</i>	20.00	500 gm	
TM 312	DISINFECTANT TEST BROTH (as per AOAC) for checking disinfectants	20.00	500 gm	
TM 954	DISINFECTANT TEST MEDIUM (CSMA BROTH) for testing of disinfectants as per Chemical Specialities Manufacturer's Association (CSMA)	20.00	500 gm	
TM 2056	DOUBLE MODIFIED LYSINE IRON AGAR BASE for selective and differential cultivation of <i>Salmonella</i> species	63.12	100 gm 500 gm	
TS 070	NOVOBIOCIN SELECTIVE SUPPLEMENT*	#8 vl	5 vl	
TM 986	DOUBLE SUGAR AGAR, RUSSELL for differentiation of gram-negative enteric bacilli based on their ability to ferment dextrose and lactose, with or without gas formation	44.02	500 gm	
TM 987	DOYLE'S ENRICHMENT BROTH BASE for selective enrichment of <i>Campylobacter</i> species	31.20	500 gm	
TS 135	DOYLE'S ANTIBIOTIC SUPPLEMENT *	#32 vl	5 vl 25 vl	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 1167	DRAKE'S MEDIUM 10 for cultivation of <i>Pseudomonas</i> species from water	23.20	500 gm	
TM 1168	DRIGALSKI LACTOSE AGAR, MODIFIED for detection and differentiation of enteric pathogens	40.04	500 gm	
TM 1169	DRIGALSKI LITMUS LACTOSE AGAR for detection and differentiation of enteric pathogens	41.20	500 gm	
TM 2057	DRIGALSKI SELECTIVE AGAR for the selective isolation of <i>Enterobacteria</i> from urine stool and other clinical samples on the basis of their ability to ferment lactose	49.08	500 gm	
TM 1170	DROSOPHILA MEDIUM for cultivation of <i>Drosophila</i>	339.69	500 gm	
TM 099	DUBOS BROTH BASE for cultivation of <i>Mycobacterium tuberculosis</i> and other <i>Mycobacterium</i> species	06.50	100 gm 500 gm	
TS 178	ALBUMIN GLUCOSE SUPPLEMENT *	#385 vl	5 vl	
TM 100	DUBOS OLEIC AGAR BASE for cultivation of <i>Mycobacterium tuberculosis</i>	20.00	100 gm 500 gm	
TS 062	OLEIC ALBUMIN SUPPLEMENT *	#125 vl	5 vl 25 vl	
TM 720	DUBOS OLEIC BROTH BASE for cultivation of <i>Mycobacterium tuberculosis</i>	05.00	100 gm 500 gm	
TS 062	OLEIC ALBUMIN SUPPLEMENT *	#500 vl	5 vl 25 vl	
TM 721	DULCITOL SELENITE BROTH (SELENITE BROTH WITH DULCITOL) (DOUBLE PACK) for selective enrichment of <i>Salmonella</i> species	(Part I) 19.00 (Part II) 04.00	500 gm -	
TM 985	E.T. MEDIUM for production of <i>Clostridia</i> for enterotoxin production	39.00	500 gm	
TM 417	EC BROTH for selective enumeration of faecal and non faecal coliforms in water	37.00	100 gm 500 gm	
TMV 417	EC BROTH (VEG.) for selective enumeration of faecal and non faecal coliforms in water	37.00	100 gm 500 gm	
TM 2058	EC BLUE BROTH for detection and confirmation of <i>Escherichia coli</i> and total coliforms from water samples, using a combination of chromogenic and fluorogenic substrates	17.40	500 gm	
TM 2059	EC0157:H7 ENRICHMENT BROTH recommended as an enrichment broth for the rapid growth of <i>E. coli</i> O157:H7 from food samples	22.50	500 gm	
TM 2060	EC 0157:H7 SELECTIVE BROTH (TWIN PACK) recommended for the isolation of <i>Escherichia coli</i> O157:H7 from food samples	23.44	500 gm	
TM 988	ECD AGAR for selective isolation of coliforms, especially <i>E.coli</i> in water & food by membrane filter technique	53.00	500 gm	
TM 1368	ECD MUG AGAR (ISO 21528-2017) * for confirmatory presence of <i>Escherichia coli</i> by fluorescence in UV and positive indole test while inhibiting accompanying intestinal flora	53.07	500 gm	
TM 1804	EE BROTH, MOSSEL (ISO 21528-1:2004, ISO 7402:1993) for selective enrichment of <i>Enterobacteriaceae</i> in bacteriological examination of foods	43.47	500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TMH 107	EE BROTH MOSSEL (ENTEROBACTERIA ENRICHMENT BROTH, MOSSEL) (as per USP/BP/JP/EP) for selective enrichment of <i>Enterobacteriaceae</i>	45.01	100 gm 500 gm	
TM 989	EE BROTH, MODIFIED for selective enrichment of <i>Enterobacteriaceae</i> in the bacteriological examination of foods	45.00	500 gm	
TM 336	EMB AGAR differential for isolation of gram-negative enteric bacteria from clinical and non-clinical samples	36.00	100 gm 500 gm	
TMV 336	EMB AGAR (VEG.) differential for isolation of gram-negative enteric bacteria from clinical and non-clinical samples	36.00	100 gm 500 gm	
TM 723	EMB AGAR BASE for study of different enteric bacteria by adding different carbohydrates	27.50	100 gm 500 gm	
TM 371	EMB AGAR, LEVINE for isolation, enumeration and differentiation of members of <i>Enterobacteriaceae</i> from pharma, dairy & food products	37.50	100 gm 500 gm	
TMV 371	EMB AGAR, LEVINE (VEG.) for isolation, enumeration and differentiation of members of <i>Enterobacteriaceae</i> from pharma, dairy & food products	37.50 37.50	100 gm 500 gm	
TM 1171	EMB AGAR, LEVINE (IS : 5887 (Part I) 1976, reaffirmed 2005) for isolation, enumeration and differentiation of <i>Enterobacteriaceae</i>	37.50	100 gm 500 gm	
TM 2061	EMB AGAR, LEVINE (LEVIN EOSIN- METHYLENE BLUE AGAR) (as per IP) for the isolation, enumeration and differentiation of members of <i>Enterobacteriaceae</i> in accordance with Indian Pharmacopeia	37.46	100 gm 500 gm	
TM 1678	EMB AGAR, LEVINE (as per USP) for isolation, enumeration and differentiation of <i>Enterobacteriaceae</i>	37.45	100 gm 500 gm	
TM 314	EMB BROTH for isolation of gram-negative enteric bacteria from clinical and non-clinical specimens	22.50	100 gm 500 gm	
TMV 314	EMB BROTH (VEG.) for isolation of gram-negative enteric bacteria from clinical and non-clinical specimens	22.50	100 gm 500 gm	
TM 1838	ENTEROBACTERIA ENRICHMENT BROTH MOSSEL (as per USP/EP/BP/JP) for enrichment of <i>Enterobacteriaceae</i> of food products	45.01	100 gm 500 gm	
TM 955	EDWARD'S MEDIUM BASE, MODIFIED for isolation of <i>Streptococcus agalactiae</i> and other streptococci associated with bovine mastitis	41.33	100 gm	
TM 1173	EDWARDS AND BRUNER SEMISOLID MEDIUM for detection of motility and separation of H and O phases of enteric bacilli	102.00	500 gm	
TM 2062	EGG MEAT MEDIUM for the determination of proteolytic activity and maintaining stock cultures of anaerobic	150.00	500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 724	EGG YOLK AGAR BASE for isolation and identification of <i>Clostridia</i> and certain other anaerobes	75.10	500 gm	
TS 002	EGG YOLK EMULSION (100 ml/vl)*	#7 vl	5 vl	
TM 2063	EGG YOLK AGAR BASE, MODIFIED for identification of anaerobic bacteria by means of their egg yolk reaction	50.41	500 gm	
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#10 vl	5 vl	
TM 315	EIJKMAN LACTOSE BROTH for differentiating <i>E. coli</i> from other coliforms based on their ability to liberate gas from lactose	28.50	500 gm	
TM 316	ELLIKER BROTH (LACTOBACILLI BROTH) for cultivation of lactobacilli & streptococci which are important in dairy industry	48.50	500 gm	
TM 1174	ELLNERS BROTH for induction of spore formation in <i>Clostridium perfringens</i>	67.60	500 gm	
TM 1175	EMERSON AGAR for cultivation of <i>Actinomycetaceae</i> , <i>Streptomycetaceae</i> and Moulds	41.50	500 gm	
TM 1176	EMERSON YSS AGAR for isolation of <i>Actinomycetes</i> and other fungi	40.50	500 gm	
TM 372	ENDO AGAR for confirmation of members of coliform group from clinical and non-clinical specimens	41.50	100 gm 500 gm	
TM 373	ENDO AGAR BASE for standard test of lactose fermenting coliforms	38.00	100 gm 500 gm	
TS 211	BASIC FUCHSIN (6 gm /vl) *	#1 vl	1 vl	
TMV 373	ENDO AGAR BASE (VEG.) for standard test of lactose fermenting coliforms	38.00	100 gm 500 gm	
TS 211	BASIC FUCHSIN (6 gm /vl) *	#1 vl	1 vl	
TM 2064	ENDO AGAR W/ NACL for detection and isolation of pathogenic enteric bacilli	37.70	500 gm	
TM 2065	ENDO AGAR MODIFIED for the detection of coliform and other enteric organisms	38.60	500 gm	
TM 518	ENDO BROTH for cultivation and enumeration of coliform bacteria from water	23.00	500 gm	
TM 1533	ENDO DEV AGAR for isolation and differentiation of <i>Escherichia coli</i> in the bacteriological analysis of water	58.00	500 gm	
TM 2066	ENRICHMENT BROTH FOR EC0157:H7 used as an enrichment broth for the growth of <i>E. coli</i> O157:H7	26.50	500 gm	
TM 627	ENRICHMENT MEDIUM a highly nutritive medium which can be used for enrichment purpose	64.00	500 gm	
TM 2067	ENRICHED THIOGLYCOLLATE BROTH for isolation, cultivation and identification of a wide variety of obligate anaerobic bacteria	31.06	500 gm	
TM 726	ENTAMOEBA MEDIUM for cultivation of <i>Entamoeba histolytica</i>	33.00	500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 2068	ENTERIC FERMENTATION BASE used with added carbohydrate and indicator for differentiating microorganisms based on fermentation reactions	18.00	500 gm	
TM 2069	ENTEROCOCCUS AGAR BASE for selective isolation and differentiation of <i>Enterococcus faecalis</i> and <i>Enterococcus faecium</i>	54.77	500 gm	
TS 042	TTC SOLUTION 1% (10 ml/vl) *	#10 vl	5 vl 25 vl	
TM 727	ENTEROCOCCUS CONFIRMATORY AGAR for confirmation of the presence of enterococci in water	30.40	500 gm	
TM 728	ENTEROCOCCUS CONFIRMATORY BROTH for confirmation of the presence of enterococci in water	80.40	500 gm	
TM 2070	ENTEROCOCCUS DIFFERENTIAL AGAR BASE (TITG AGAR BASE) for selective isolation and differentiation of <i>Enterococcus faecalis</i> and <i>Enterococcus faecium</i>	43.00	500 gm	
TS 042	TTC SOLUTION 1% (10 ml/vl) *	#12 vl	5 vl 25 vl	
TM 729	ENTEROCOCCUS PRESUMPTIVE BROTH for detection of enterococci in water and other materials of sanitary importance	15.43	500 gm	
TM 022	ERYTHROMYCIN SEED AGAR (ANTIBIOTIC ASSAY MEDIUM NO. 11) (as per USP) for microbiological assay of antibiotics	30.50	100 gm 500 gm	
TM 730	ESCULIN AGAR for cultivation and differentiation of bacteria hydrolysing esculin and producing H ₂ S	41.50	500 gm	
TM 731	ESCULIN AZIDE BROTH for selective cultivation and identification of streptococci	37.80	500 gm	
TMV 731	ESCULIN AZIDE BROTH (VEG.) for selective cultivation and identification of streptococci	37.80	500 gm	
TM 732	ESCULIN FERMENTATION BROTH for cultivation and differentiation of bacteria based on their ability to hydrolyze esculin	34.50	500 gm	
TM 102	ESCULIN IRON AGAR for cultivation and identification of enterococci based on their ability to hydrolyze esculin	16.50	100 gm	
TM 2071	ESCULIN MANNITOL AGAR recommended as a selective and differential media for the isolation of staphylococci and enterococci based on mannitol fermentation and esculin hydrolysis	54.04	500 gm	
TM 103	ETHYL VIOLET AZIDE BROTH (E.V.A BROTH) for selective and confirmatory detection of enterococci as an indicator of faecal pollution in water	35.80	500 gm	
TM 1179	ETHYL VIOLET AZIDE BROTH (E.V.A. BROTH) (IS : 5887 (Part II) 1976, reaffirmed 2005) for selective and confirmatory detection of enterococci as an indicator of faecal pollution in water	35.80	100 gm 500 gm	
TM 991	ETHYL VIOLET AZIDE DEXTROSE AGAR for detecting & confirming streptococci and faecal pollution indication in water	51.10	500 gm	
TM 105	EUGONIC AGAR for cultivation of fastidious microorganisms like <i>Haemophilus</i> , <i>Neisseria</i> , <i>Pasteurella</i> , <i>Brucella</i> and <i>Lactobacillus</i> species	44.40	500 gm	
TM 104	EUGONIC BROTH for cultivation of fastidious microorganisms like <i>Haemophilus</i> , <i>Neisseria</i> , <i>Pasteurella</i> , <i>Brucella</i> and <i>Lactobacillus</i> species	29.40	500 gm	
TM 2072	EUGONIC LT 100 MEDIUM BASE W/O TWEEN 80 for the cultivation of fastidious microorganisms like <i>Haemophilus</i> , <i>Neisseria</i> , <i>Pasturella</i> , <i>Brucella</i> and <i>Lactobacillus</i> species	47.40	500 gm	

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 2073	EUGONIC LT 100 BROTH BASE W/O TWEEN 80 (ISO 21149:2017) for the enrichment and detection of mesophilic aerobic bacteria present in cosmetic products	32.40	500 gm	
TM 154	EXTRACT AGAR (FDA AGAR) general purpose medium for routine testing of disinfectants and antiseptics	35.00	500 gm	
TM 965	FAGI AGAR for detection of <i>Escherichia coli</i> in water	23.20	500 gm	
TM 966	FAGI BROTH for detection of <i>Escherichia coli</i> in water	03.20	100 gm 500 gm	
TM 154	FDA AGAR (EXTRACT AGAR) general purpose medium for routine testing of disinfectants and antiseptics	35.00	500 gm	
TM 935	FDA BROTH (ATCC BACTERIOSTASIS BROTH) for routine antimicrobial testing of antiseptics and disinfectants	20.00	500 gm	
TM 630	FNA MEDIUM (FLUORESCIN DENITRIFICATION AGAR) for differentiation of <i>Pseudomonas</i> from other bacilli based on their ability to reduce nitrates or nitrites to nitrogen gas denitrification and detection of fluorescein pigment	30.50	500 gm	
TM 2074	FEELEY GORMAN AGAR for the isolation and presumptive identification of <i>Legionella</i> species	39.65	500 gm	
TM 2075	FEELEY GORMAN BROTH (F.G. BROTH) for the cultivation of <i>Legionella</i> species	22.65	500 gm	
TM 2076	FERMENTATION MEDIUM BASE FOR C. PERFRINGENS for determination of fermentation reaction of <i>Clostridium perfringens</i> with added carbohydrate	22.25	500 gm	
TM 2077	FERMENTATION MEDIUM FOR NEISSERIA for studying fermentation reaction of fastidious microorganism such as <i>Neisseriae</i>	29.52	500 gm	
TM 2078	FERMENTATION MEDIUM FOR STAPHYLOCOCCUS AND MICROCOCCUS for studying fermentation by staphylococcus and <i>Micrococcus</i> species	23.24	500 gm	
TM 2079	FERMENTATION MEDIUM FOR STAPHYLOCOCCUS AND MICROCOCCUS, W/ 0.2% AGAR for studying fermentation by staphylococcus species in accordance with FDA BAM, 1998.	23.04	500 gm	
TM 2080	FLUCONAZOLE TESTING MEDIUM (TWIN PACK) * for fluconazole susceptibility testing using <i>Candida</i> species	(Part I)	02.00	100 gm
		(Part II)	29.31	500 gm
TM 733	FLUID CASEIN DIGEST SOYA LECITHIN MEDIUM (DOUBLE PACK) for sanitary testing of surfaces	(Part I)	25.00	100 gm
		(Part II)	40.00 ml	500 gm
TMV 733	FLUID CASEIN DIGEST SOYA LECITHIN MEDIUM (DOUBLE PACK) (VEG.) for sanitary testing of surfaces	(Part I)	25.00	100 gm
		(Part II)	40.00 ml	500 gm
TM 1536	FLUID CASEIN DIGEST SOYA-LECITHIN POLYSORBATE 20 MEDIUM (DOUBLE PACK) (as per USP/IP) for sanitary testing of surfaces	(Part I)	25.00	100 gm
		(Part II)	40.00 ml	500 gm
TM 2081	FLUID LACTOSE MEDIUM as a pre-enrichment medium for the detection of coliform bacteria in water, dairy products and food samples	13.00	100 gm 500 gm	
TMV 2081	FLUID LACTOSE MEDIUM (VEG.) as a pre-enrichment medium for the detection of coliform bacteria in water, dairy products and food samples	13.00	100 gm 500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME		F.Wt. Gm/Ltr	PACK SIZE	
TM 1537	FLUID LACTOSE MEDIUM (LACTOSE BROTH) (as per USP) for detection of coliform bacteria in water, foods and dairy products		13.00	100 gm 500 gm	
TM 1538	FLUID LACTOSE MEDIUM (LACTOSE BROTH) (as per IP) for detection of coliform bacteria in water, foods and dairy products		13.00	100 gm 500 gm	
TM 317	FLUID SABOURAUD MEDIUM (SABOURAUD MEDIUM, FLUID) sterility testing medium for Moulds and lower bacteria in pharmaceutical preparations		30.00	100 gm 500 gm	
TMV 317	FLUID SABOURAUD MEDIUM (SABOURAUD MEDIUM, FLUID) (VEG.) sterility testing medium for Moulds and lower bacteria in pharmaceutical preparations		30.00	100 gm 500 gm	
TM 2082	FLUID SELENITE CYSTINE MEDIUM (SELENITE CYSTINE MEDIUM) (DOUBLE PACK) an enrichment medium for isolation of <i>Salmonella</i> species from food, dairy & clinical samples	(Part I) (Part II)	19.01 04.00	100 gm 500 gm	
TM 294	FLUID SELENITE CYSTINE MEDIUM (SELENITE CYSTINE MEDIUM) (DOUBLE PACK) (ISO 6579:1993) an enrichment medium for isolation of <i>Salmonella</i> species from food, dairy & clinical samples	(Part I) (Part II)	19.01 04.00	100 gm 500 gm	
TMV 294	FLUID SELENITE CYSTINE MEDIUM (SELENITE CYSTINE MEDIUM) (VEG.) (DOUBLE PACK) an enrichment medium for isolation of <i>Salmonella</i> species from food, dairy & clinical samples	(Part I) (Part II)	19.00 04.00	100 gm 500 gm	
TM 1539	FLUID SELENITE CYSTINE MEDIUM (DOUBLE PACK) (as per USP) for isolation of <i>Salmonella</i> in foods, dairy products and materials of sanitary importance and clinical samples	(Part I) (Part II)	19.00 04.00	100 gm 500 gm	
TM 1540	FLUID SELENITE CYSTINE MEDIUM (DOUBLE PACK) (as per IP) for isolation of <i>Salmonella</i> in foods, dairy products and materials of sanitary importance and clinical samples	(Part I) (Part II)	19.00 04.00	100 gm 500 gm	
TM 423	FLUID TETRATHIONATE MEDIUM W/O IODINE AND BG (TETRATHIONATE BROTH BASE W/O IODINE & BG) for isolation of <i>Salmonella</i> from food, urine, faeces and other material of sanitary importance		46.00	100 gm 500 gm	
TMV 423	FLUID TETRATHIONATE MEDIUM W/O IODINE AND BG (TETRATHIONATE BROTH BASE W/O IODINE & BG) (VEG.) for isolation of <i>Salmonella</i> from food, urine, faeces and other material of sanitary importance		46.00	100 gm 500 gm	
TM 1684	FLUID TETRATHIONATE MEDIUM (as per USP) an enrichment medium for isolation of <i>Salmonella</i> from samples contaminated with <i>Salmonella</i>		46.00	100 gm 500 gm	
TM 2083	FLUID TETRATHIONATE MEDIUM W/O IODINE AND BG, MODIFIED for the selective enrichment method for isolating <i>Salmonella</i> from food and other materials of sanitary importance in accordance with FDA BAM, 1998		35.11	500 gm	
TM 2084	FLUID THIOGLYCOLLATE MEDIUM (THIOGLYCOLLATE MEDIUM FLUID) for sterility testing of biologicals and for cultivation of anaerobes, aerobes and microaerophiles		29.75	100 gm 500 gm	
TMV 2084	FLUID THIOGLYCOLLATE MEDIUM (THIOGLYCOLLATE MEDIUM FLUID) (VEG.) for sterility testing of biologicals and for cultivation of anaerobes, aerobes and microaerophiles		29.75	100 gm 500 gm	

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 318	FLUID THIOGLYCOLLATE MEDIUM (as per USP/EP/BP/JP) for sterility testing of biologicals and for cultivation of aerobes, anaerobes and microaerophiles	29.75	100 gm 500 gm	
TM 319	FLUID THIOGLYCOLLATE MEDIUM (as per IP) for sterility testing of biologicals and for cultivation of aerobic, anaerobic and microaerophilic organisms	29.75	100 gm 500 gm	
TM 320	FLUID THIOGLYCOLLATE MEDIUM W/ MEAT EXTRACT for sterility testing and for cultivation of aerobic, anaerobic and microaerophilic organisms	34.75	500 gm	
TM 2085	FLUID THIOGLYCOLLATE MEDIUM W/0.5% SOYALECITHIN & 4% POLYSORBATE 20 (DOUBLE PACK) this medium is used for sterility testing of biologicals and for cultivation of anaerobes, aerobes and microaerophilies	34.75	500 gm	
TM 1689	FLUOROGENIC LMX BROTH MODIFIED (as per MANAFI & OSSMER) selective medium for detection of total coliforms and <i>E.coli</i> from foods and water	17.03	100 gm	
TM 1200	FLUOROGENIC PSEUDOMONAS AGAR BASE (MUG PSEUDOMONAS AGAR) * for selective isolation of <i>Pseudomonas aeruginosa</i> by fluorogenic method	46.75	100 gm 500 gm	
TM 2086	FOLIC ACID ASSAY MEDIUM * for microbiological assay of Folic Acid using <i>Enterococcus hirae</i> ATCC 8043 as the test organism	74.93	100 gm	
TM 2087	FOLIC ACID CASEI MEDIUM, MODIFIED * for the microbiological assay of folic acid in blood serum using <i>Lactobacillus casei</i> ATCC 7469 as the test organism	93.72	100 gm	
TM 2088	FOLIC ACID CULTURE AGAR for the maintenance of <i>Enterococcus hirae</i> ATCC 8043	48.00	100 gm	
TM 2089	FOLIC ACID INOCULUM MEDIUM for the preparation of inoculum of <i>Enterococcus hirae</i> ATCC 8043	38.00	100 gm	
TM 2090	FOLIC ACID MEDIUM, AOAC for the microbiological assay of folic acid using <i>Enterococcus hirae</i> ATCC 8043	111.58	100 gm	
TM 2091	FORGET FREDETTE AGAR for selective isolation of anaerobic microorganisms from a mixture of aerobic and anaerobic flora	40.50	500 gm	
TM 2092	FRASER BROTH BASE recommended as a primary as well as secondary enrichment medium, for the isolation and enumeration of <i>Listeria monocytogenes</i> from food and animal feeds	54.92	100 gm 500 gm	
TS 034	FRASER SUPPLEMENT*	#18 vl	5 vl	
TS 035	FRASER SELECTIVE SUPPLEMENT*	#18 vl	5 vl	
TM 1472	FRASER BROTH BASE (ISO 11290-1: 2017) for isolation and enumeration of <i>Listeria monocytogenes</i> from food and animal feeds	57.35	100 gm 500 gm	
TS 034	FRASER SUPPLEMENT*	#19 vl	5 vl	
TS 035	FRASER SELECTIVE SUPPLEMENT*	#19 vl	5 vl	
TM 2093	FRASER BROTH BASE, MODIFIED (HALF FRASER BROTH) for the selective enrichment of <i>Listeria</i> species from foods	54.97	500 gm	
TS 034	FRASER SUPPLEMENT*	#18 vl	5 vl	
TM 2094	FRASER BROTH W/ SUPPLEMENTS for the selective enrichment of <i>Listeria</i> species from food samples	55.47	500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 113	FRASER SECONDARY ENRICHMENT BROTH BASE for isolation, cultivation & enrichment of <i>Listeria monocytogenes</i> from foods & environmental samples	57.85	100 gm 500 gm	
TS 033	FRASER ENRICHMENT SUPPLEMENT	#9 vl	5 vl	
TS 035	FRASER SELECTIVE SUPPLEMENT *	#9 vl	5 vl	
TM 1544	FREY MYCOPLASMA BROTH BASE for cultivation of avian <i>Mycoplasma</i>	22.30	500 gm	
TM 2095	FRIIS LIQUID MEDIUM BASE for the detection of non-avian <i>Mycoplasmas</i> in pharmaceutical products in accordance with European Pharmacopeia	18.01	500 gm	
TS 277	FRIIS SUPPLEMENT *	#28 vl	5 vl	
TS 014	HORSE SERUM *	2.25 ltr	100 ml	
TS 311	PIG SERUM *	108 ml	100 ml	
TM 2096	FRIS SOLID MEDIUM BASE for the detection of non-avian <i>Mycoplasmas</i> in pharmaceutical products in accordance with European Pharmacopeia	08.80	500 gm	
TM 967	FUCHSIN LACTOSE BROTH for detection of coliforms in water	13.01	500 gm	
TM 340	FUNGAL AGAR (MYCOLOGICAL AGAR) or cultivation and maintenance of fungi	35.00	500 gm	
TS 049	10% LACTIC ACID SOLUTION (10 ml/vl) *	#15 vl	5 vl 25 vl	
TM 114	FUNGAL AGAR W/ LOW pH (MYCOLOGICAL AGAR W/ LOW pH) for selective enumeration and cultivation of saprophytic fungi and aciduric bacteria	35.00	500 gm	
TM 326	FUNGAL BROTH (MYCOLOGICAL BROTH) for cultivation of fungi	50.00	500 gm	
TS 049	10% LACTIC ACID SOLUTION (10 ml/vl) *	#15 vl	5 vl 25 vl	
TM 115	FUNGAL BROTH W/ LOW pH (MYCOLOGICAL BROTH W/ LOW pH) for selective enumeration and cultivation of saprophytic fungi and aciduric bacteria	50.00	500 gm	
TM 1189	FUNGI KIMMIG AGAR BASE for cultivation, isolation, identification and preservation of fungal strains	50.00	500 gm	
TM 1542	FUNGOBIOTIC AGAR (MYCOBIO AGAR) for isolation of dermatophytes and other pathogenic fungi	35.55	100 gm	
TM 1347	GARROD ACTINOMYCES MEDIUM for cultivation of pathogenic anaerobic species, like <i>Actinomyces israeli</i> and <i>Actinomyces bovis</i>	39.00	500 gm	
TM 1545	GBS MEDIUM BASE for fast detection of group B streptococci in pathological samples	110.20	500 gm	
TS 184	GBS SUPPLEMENT *	#10 vl	5 vl	
TS 014	HORSE SERUM *	2.25 ltr	100 ml	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 116	GC AGAR BASE for selective isolation and cultivation of gonococci	72.00	100 gm 500 gm	
TS 036	GC SUPPLEMENT W/ANTIBIOTICS *	#14 vl	5 vl 25 vl	
TS 021	HAEMOGLOBIN POWDER *	20.00	100 gm	
TS 038	V.C.N. SUPPLEMENT *	#14 vl	5 vl 25 vl	
TS 039	V.C.N.T. SUPPLEMENT *	#14 vl	5 vl 25 vl	
TS 022	VITAMINS AMINO GROWTH SUPPLEMENT (VITAMINS & AMINO ACIDS MIXTURE) *	#14 vl	5 vl 25 vl	
TS 041	LINCO T SUPPLEMENT (LINCOMYCIN-COLISTIN-AMPHOTERICIN-B TRIMETHOPRIM) *	#14 vl	5 vl 25 vl	
TS 023	YEAST AUTOLYSATE SUPPLEMENT *	#14 vl	5 vl 25 vl	
TS 043	VANCLO T SUPPLEMENT (VANCOMYCIN-COLISTIN-AMPHOTERICIN-B TRIMETHOPRIM) *	#14 vl	5vl 25 vl	
TMV 116	GC AGAR BASE (VEG.) for selective isolation and cultivation of gonococci	72.00	100 gm 500 gm	
TS 036	GC SUPPLEMENT W/ANTIBIOTICS *	#14 vl	5 vl 25 vl	
TS 021	HAEMOGLOBIN POWDER *	20.00	100 gm	
TS 038	V.C.N. SUPPLEMENT *	#14 vl	5 vl 25 vl	
TS 039	V.C.N.T. SUPPLEMENT *	#14 vl	5 vl 25 vl	
TS 022	VITAMINS AMINO GROWTH SUPPLEMENT (VITAMINS & AMINO ACIDS MIXTURE) *	#14 vl	5 vl 25 vl	
TS 041	LINCO T SUPPLEMENT (LINCOMYCIN-COLISTIN-AMPHOTERICIN-B TRIMETHOPRIM) *	#14 vl	5 vl 25 vl	
TS 023	YEAST AUTOLYSATE SUPPLEMENT *	#14 vl	5 vl 25 vl	
TS 043	VANCLO T SUPPLEMENT (VANCOMYCIN-COLISTIN-AMPHOTERICIN-B TRIMETHOPRIM) *	#14 vl	5vl 25 vl	
TM 117	GN BROTH, HAJNA for selective enrichment of gram-negative organisms of the enteric group	39.00	100 gm 500 gm	
TMV 117	GN BROTH, HAJNA (VEG.) for selective enrichment of gram-negative organisms of the enteric group	39.00	100 gm 500 gm	
TM 1935	GN BROTH MEDIUM 11 (as per IP) for enrichment of <i>Shigella</i> from pharmaceutical products	34.00	100 gm 500 gm	
TM 1190	GTC AGAR BASE for cultivation of enterococci from food within 18 hours	48.75	500 gm	
TS 109	GTC SUPPLEMENT *	#21 vl	5 vl	
TS 108	SODIUM BICARBONATE SOLUTION (20 ml/vl) *	#11 vl	5 vl	
TM 1191	GASSNER LACTOSE AGAR for detection and isolation of pathogenic <i>Enterobacteriaceae</i> from foodstuffs	76.87	500 gm	
TM 735	GELATIN AGAR for cultivation and identification of <i>Vibrio</i> species	65.00	500 gm	
TM 1122	GELATIN IRON AGAR for detection of gelatin liquefaction and H ₂ S production	159.00	500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 2098	GELATIN PEPTONE AGAR for the cultivation of non fastidious bacteria	20.00	500 gm	
TM 300	GELATIN MANNITOL SALT AGAR (STAPHYLOCOCCUS AGAR NO. 110) for selective isolation and differentiation of staphylococci	149.50	100 gm 500 gm	
TM 1192	GELATIN PHOSPHATE BUFFER for detection of toxin in food products suspected with <i>Clostridium botulinum</i>	06.00	100 gm 500 gm	
TM 992	GELATIN PHOSPHATE SALT AGAR (GPS AGAR) for cultivation and characterization of <i>Vibrio cholerae</i> from foods	40.00	500 gm	
TM 993	GELATIN SALT AGAR for cultivation and differentiation of <i>Vibrio</i> species from foods	65.00	500 gm	
TM 631	GILLIES AGAR NO. 1 (DEXTROSE MANNITOL AGAR) for primary isolation of <i>Salmonella</i> and <i>Shigella</i> and for detection of urease production, dextrose and mannitol fermentation	42.50	500 gm	
TM 736	GILLIES AGAR NO. 2 (SUCROSE SALICIN AGAR) for detection of motility, hydrogen sulphide, indole production, fermentation of sucrose and salicin during identification of <i>Salmonella</i> and <i>Shigella</i> species	48.28	100 gm	
TM 118	GIOLITTI-CANTONI BROTH BASE for selective enrichment of <i>Staphylococcus aureus</i> from foods	54.20	500 gm	
TS 003	POTASSIUM TELLURITE 3.5% (10 ml/vl) *	#18 vl	5 vl	
TM 118A	GIOLITTI-CANTONI BROTH BASE (ISO 6888-3:2003) for selective enrichment of <i>Staphylococcus aureus</i> from foods	55.20	500 gm	
TS 003	POTASSIUM TELLURITE 3.5% (10 ml/vl) *	#18 vl	5 vl	
TM 994	GLUCONATE TEST MEDIUM for detection of gluconate oxidizing microorganisms	43.50	500 gm	
TM 2099	GLUCOSE AGAR for differentiation of <i>Enterobacteriaceae</i> in urine, water and food samples	20.88	500 gm	
TM 1547	GLUCOSE AGAR for determining the fermentation reaction of presumptive <i>Enterobacteriaceae</i>	41.52	500 gm	
TM 1548	GLUCOSE AGAR, MODIFIED maintenance medium for stock cultures of a variety of microorganisms	35.00	500 gm	
TM 1193	GLUCOSE AZIDE BROTH for enumeration of faecal streptococci from water by MPN technique	30.28	500 gm	
TM 308	GLUCOSE BROTH (DEXTROSE BROTH) for antibiotic sensitivity testing by tube dilution method for the isolation, cultivation and enumeration of different microorganisms	23.00	100 gm 500 gm	
TMV 308	GLUCOSE BROTH (DEXTROSE BROTH) (VEG.) for antibiotic sensitivity testing by tube dilution method for the isolation, cultivation and enumeration of different microorganisms	23.00	100 gm 500 gm	
TM 737	GLUCOSE BROTH (W/O pH indicator) for study of dextrose fermentation	20.00	100 gm 500 gm	
TM 738	GLUCOSE CITRATE BROTH BASE for cultivation of fastidious microorganisms	23.00	500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME		F.Wt. Gm/Ltr	PACK SIZE	
TM 739	GLUCOSE CYSTEINE AGAR BASE W/ THIAMINE for cultivation and enumeration of <i>Pasteurella tularensis</i> by adding blood or Hemin		58.00	100 gm 500 gm	
TM 2100	GLUCOSE OF MEDIUM (ISO 21528-2:2017) recommended for the determination of oxidative and fermentative metabolism of carbohydrates by gram-negative bacteria		20.38	500 gm	
TM 335	GLUCOSE PEPTONE AGAR (DEXTROSE PEPTONE AGAR) for general cultivation of microorganisms		50.00	500 gm	
TM 324	GLUCOSE PHOSPHATE BROTH (BUFFERED GLUCOSE BROTH) (MR-VP MEDIUM) used in differentiation of bacteria by MR-VP test		17.00	100 gm 500 gm	
TMV 324	GLUCOSE PHOSPHATE BROTH (BUFFERED GLUCOSE BROTH) (MR-VP MEDIUM) (VEG.) used in differentiation of bacteria by MR-VP test		17.00	100 gm 500 gm	
TM 1194	GLUCOSE SALT TEEPOL BROTH (DOUBLE PACK) for enrichment of <i>Vibrio parahaemolyticus</i> and marine isolates	(Part I) (Part II)	48.00 04.00	100 gm 500 gm	
TM 119	GLUCOSE SALT TEEPOL BROTH (DOUBLE PACK) (IS : 5887 (Part V) 1976, reaffirmed 2005) for enrichment of <i>Vibrio parahaemolyticus</i> in drinking water. It is recommended by BIS committee under specification	(Part I) (Part II)	48.00 04.00	100 gm 500 gm	
TM 931	GLUCOSE STARCH AGAR (as per AOAC) for sterility testing of canned foods		68.00	500 gm	
TM 1549	GLUCOSE YEAST EXTRACT ACETATE BROTH for cultivation of <i>Lactobacillus</i> species		40.60	500 gm	
TM 585	GLUCOSE YEAST EXTRACT AGAR for cultivation of lactobacilli in pharma products		28.40	100 gm 500 gm	
TM 2101	GLUCOSE YEAST EXTRACT BC AGAR MEDIUM recommended for cultivation and enumeration of <i>Bacillus coagulans</i>		31.30	100 gm 500 gm	
TM 586	GLUCOSE YEAST PEPTONE AGAR for isolation of yeasts from soil samples		50.00	500 gm	
TM 130	GLYCEROL ASPARAGINE AGAR BASE (ISP MEDIUM NO. 5) for cultivation of <i>Streptomyces</i> species as per International Streptomyces Project		23.00	100 gm 500 gm	
TM 2102	GLYCEROL MANNITOL ACETAMIDE CETRIMIDE AGAR (DOUBLE PACK) for the enumeration of <i>Pseudomonas aeruginosa</i> from contaminated materials	(Part I) (Part II)	31.16 10.01	500 gm -	
TM 2103	GUM LISTERIA MEDIUM for the isolation of <i>Listeria monocytogenes</i> from clinical and non-clinical specimens		18.44	500 gm	
TM 519	GREEN YEAST & MOLD BROTH for cultivation of fungi from beverages		73.20	500 gm	
TM 1348	H BROTH for preparation of 'H' antigen, used in the identification and differentiation of <i>Salmonella</i> species		21.50	500 gm	
TM 1349	HC AGAR BASE for enumeration of Moulds in cosmetic products supplemented with Polysorbate 80		54.50	500 gm	
TM 1350	HS MEDIUM for cultivation of aerobic as well as anaerobic bacteria and sterility testing		29.50	500 gm	
TM 298	H.S. VACCINE MEDIUM (STANDARD NUTRIENT BROTH) for large scale cultivation of bacteria for Vaccine production		25.00	500 gm	
TMV 298	H.S. VACCINE MEDIUM (STANDARD NUTRIENT BROTH) (VEG.) for large scale cultivation of bacteria for Vaccine production		25.00	500 gm	
TM 1352	HAEMOPHILUS TEST AGAR BASE for the susceptibility testing of <i>Haemophilus influenzae</i>		43.00	500 gm	
TS 144	HAEMOPHILUS GROWTH SUPPLEMENT *		#24 vl	5 vl	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 2447	HALF FRASER BROTH for collection and shipment of clinical specimens	55.47	500 gm	
TM 2093	HALF FRASER BROTH (FRASER BROTH BASE, MODIFIED) for the selective enrichment of <i>Listeria</i> species from foods	54.97	500 gm	
TS 034	FRASER SUPPLEMENT*	#19 vl	5 vl	
TM 1937	HALF FRASER BROTH BASE (ISO 11290-1:2017) for the selective enrichment of <i>Listeria</i> species from foods	55.00	500 gm	
TS 034	FRASER SUPPLEMENT *	#19 vl	5 vl	
TS 035	FRASER SELECTIVE SUPPLEMENT *	#10 vl	5 vl	
TM 1871	HALOPHILIC AGAR for isolation and cultivation of halophilic bacteria	325.00	500 gm	
TM 1872	HALOPHILIC BROTH for isolation and cultivation of halophilic bacteria	305.00	500 gm	
TM 1195	HANAHAN'S BROTH (SOB MEDIUM) for cultivation of recombinant strains of <i>Escherichia coli</i>	28.00	500 gm	
TM 374	HARTLEY'S DIGEST BROTH for cultivation of various bacteria from blood especially streptococci and <i>Corynebacterium diphtheriae</i>	29.00	100 gm 500 gm	
TMV 374	HARTLEY'S DIGEST BROTH (VEG.) for cultivation of various bacteria from blood especially streptococci and <i>Corynebacterium diphtheriae</i>	29.00	100 gm 500 gm	
TM 120	HEART INFUSION AGAR (BEEF HEART INFUSION AGAR) for isolation and cultivation of various fastidious microorganisms	40.00	100 gm 500 gm	
TM 2104	HEART INFUSION AGAR, MODIFIED for isolation and cultivation of fastidious pathogenic microorganisms like <i>Neisseria</i> , streptococci etc. and for confirmation of diarrheagenic <i>Escherichia coli</i> in accordance with FDA BAM, 1998	37.50	500 gm	
TM 2105	HEART INFUSION YEAST EXTRACT AGAR BASE for the isolation and cultivation of <i>Campylobacter</i> in accordance with FDA BAM 1998	42.00	500 gm	
TS 278	CAMPYLOBACTER SELECTIVE SUPPLEMENT, ABEYTA*	#24 vl	5 vl	
TS 010	CAMPYLOBACTER GROWTH SUPPLEMENT*	#24 vl	5 vl	
TM 520	HEART INFUSION BROTH (BEEF HEART INFUSION BROTH) for isolation and cultivation of various fastidious microorganisms	25.00	100 gm 500 gm	
TM 121	HEKTOEN ENTERIC AGAR (ISO 21567:2004) for differential and selective isolation of <i>Salmonella</i> and <i>Shigella</i> species from pathological specimens	76.67	100 gm 500 gm	
TMV 121	HEKTOEN ENTERIC AGAR (VEG.) for differential and selective isolation of <i>Salmonella</i> and <i>Shigella</i> species from pathological specimens	76.67	100 gm 500 gm	
TM 2107	HEKTOEN ENTERIC AGAR MEDIUM (as per USP) for differential and selective isolation of <i>Salmonella</i> and <i>Shigella</i> species from enteric pathological specimens	72.66	100 gm 500 gm	
TM 2108	HEKTOEN ENTERIC AGAR, W/ 1.4% AGAR for the differential isolation of <i>Shigella</i> and <i>Salmonella</i> from food specimens in accordance with FDA BAM, 1998	75.67	500 gm	
TM 1196	HEMMES MEDIUM for biochemical differentiation of <i>Salmonella</i> and <i>Shigella</i> on the basis of dextrose, lactose, sucrose fermentation, motility, H ₂ S, indole and urease production	43.00	500 gm	
TS 030	UREA 40 % (5ml/vl) *	#117 vl	5 vl 25 vl	
TM 1355	HEMORRHAGIC COLI (HC) AGAR for isolation and enumeration with an enzyme labeled monoclonal antibody of <i>Escherichia coli</i>	61.13	500 gm	

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 1356	HERELLEA AGAR for the selective isolation and differentiation of gram-negative, fermentative and non-fermentative organisms especially for differentiation of organisms of Mima and Herellea group	62.27	500 gm	
TM 2109	HETEROTROPHIC PLATE COUNT AGAR for heterotrophic plate count of bacteria in water	18.75	100 gm 500 gm	
TM 2133	HIGH PLATE COUNT AGAR for obtaining higher colony counts by spread plate or pour plate or membrane filter technique	18.75	500 gm	
TM 2134	HIGH SALT NUTRIENT AGAR for the isolation, cultivation and confirmation of salt tolerant <i>Vibrio</i> species	55.00	500 gm	
TM 123	HIGH SENSITIVITY TEST AGAR for determination of antibiotic susceptibility of fastidious microorganism	32.00	100 gm 500 gm	
TM 1805	HIGH SENSITIVITY TEST BROTH for antimicrobial susceptibility tests	23.38	100 gm 500 gm	
TM 969	HIPPURATE HYDROLYSIS BROTH for detection of hippurate hydrolysing microorganisms	35.00	100 gm	
TM 996	HOFER'S ALKALINE MEDIUM for selective isolation of <i>Agrobacteria</i> while inhibiting <i>Rhizobium</i> species from soil	26.80	100 gm	
TM 1552	HORIE ARABINOSE ETHYL VIOLET BROTH for cultivation and enrichment of <i>Vibrio</i> species	43.00	500 gm	
TM 997	HOTTINGER BROTH for cultivation of less fastidious microorganisms and determination of indole production	23.00	100 gm	
TM 522	HOYLE MEDIUM BASE for differentiation and isolation of <i>Corynebacterium diphtheriae</i>	40.00	100 gm 500 gm	
TS 003	POTASSIUM TELLURITE 3.5% (10ml/vl) *	#13 vl	5 vl	
TM 741	HUGH LEIFSON GLUCOSE MEDIUM for differentiation of staphylococci from micrococci by anaerobic fermentation of glucose	45.52	100 gm 500 gm	
TM 125	HUGH LEIFSON MEDIUM for detecting aerobic and anaerobic breakdown of glucose	19.35	100 gm 500 gm	
TMV 125	HUGH LEIFSON MEDIUM (VEG.) for detecting aerobic and anaerobic breakdown of glucose	19.40	100 gm 500 gm	
TM 742	HUGH LEIFSON MEDIUM (IS : 5887 (Part V) 1976, reaffirmed 2005) for detecting aerobic and anaerobic breakdown of glucose	20.33	100 gm	
TM 1351	HYA AGAR for differentiation of <i>Lactobacillus bulgaricus</i> and <i>Streptococcus thermophilus</i> on the basis of colony morphology from yogurt cultures	36.00	100 gm	
TM 126	ISP MEDIUM NO.1 (TRYPTONE YEAST EXTRACT BROTH) a general purpose enrichment medium for fastidious and non fastidious microorganisms	08.00	100 gm 500 gm	
TM 397	ISP MEDIUM NO. 2 (YEAST MALT AGAR) for cultivation of Yeasts, Moulds and aciduric microorganisms	41.00	100 gm 500 gm	
TS 049	10% LACTIC ACID SOLUTION (10 ml/vl) *	#25 vl	5 vl 25 vl	
TM 128	ISP MEDIUM NO. 3 for cultivation and characterization of <i>Streptomyces</i> as per International <i>Streptomyces</i> Project	38.00	100 gm 500 gm	
TM 129	ISP MEDIUM NO. 4 (INORGANIC SALT STARCH AGAR) for cultivation and characterization of <i>Streptomyces</i> as per International <i>Streptomyces</i> Project	37.00	100 gm 500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 130	ISP MEDIUM NO. 5 (GLYCEROL ASPARAGINE AGAR BASE) for cultivation of Streptomyces species as per International Streptomyces Project	23.00	100 gm 500 gm	
TM 131	ISP MEDIUM NO.6 (PEPTONE YEAST EXTRACT IRON AGAR) for cultivation and maintenance of Streptomyces as per International Streptomyces project	37.50	100 gm 500 gm	
TM 132	ISP MEDIUM NO. 7 (TYROSINE AGAR) for isolation and characterization of Streptomyces as per International Streptomyces Project	23.00	100 gm 500 gm	
TM 523	ISP MEDIUM NO. 9 (CARBON UTILIZATION AGAR) for characterization of Streptomyces based on carbon utilization	26.67	100 gm 500 gm	
TM 1358	ISOLATION MEDIUM FOR IRON BACTERIA for isolation of iron bacteria, especially those belonging to <i>Sphaerotilus-Leptothrix</i> group	10.90	100 gm 500 gm	
TM 1357	ITC BROTH BASE (TTC BROTH BASE) (IRGASAN TICARCILLIN AND POTASSIUM CHLORATE BROTH BASE) for selective enrichment and enumeration of <i>Yersinia enterocolitica</i>	76.00	500 gm	
TS 131	TICARCILLIN SUPPLEMENT *	#7 vl	5 vl	
TS 132	POTASSIUM CHLORATE SUPPLEMENT *	#7 vl	5 vl	
TM 2136	IUT MEDIUM BASE for cultivation of <i>Mycobacterium tuberculosis</i>	07.30	100 gm 500 gm	
TM 468	INDOLE NITRATE MEDIUM (TRYPTONE NITRATE MEDIUM) for identification of indole production and nitrate reduction by microorganisms	25.00	100 gm 500 gm	
TMV 468	INDOLE NITRATE MEDIUM (TRYPTONE NITRATE MEDIUM) (VEG.) for identification of indole production and nitrate reduction by microorganisms	25.00	100 gm 500 gm	
TM 1205	INHIBITORY MOLD AGAR, ULRICH * for selective isolation of pathogenic fungi	36.16	500 gm	
TM 743	INORGANIC SALT MEDIUM (MODIFIED RAGGIOS MEDIUM) for studying soil microorganisms such as <i>Rhizobium</i> species	04.73	100 gm 500 gm	
TM 129	INORGANIC SALT STARCH AGAR (ISP MEDIUM NO. 4) for cultivation and characterization of Streptomyces species as per International Streptomyces Project	37.00	100 gm 500 gm	
TM 745	INOSITOL GELATIN MEDIUM (as per APHA) for cultivation of <i>Plesiomonas shigelloides</i> from food samples in accordance with APHA	140.05	500 gm	
TM 2137	IRON MEDIUM BASE for presumptive confirmation of <i>Clostridium perfringens</i> from food in accordance with FDA BAM, 1998	01.00	500 gm	
TM 133	IRON OXIDIZING MEDIUM (DOUBLE PACK) for isolation, cultivation and enrichment of <i>Thiobacillus ferrooxidans</i>	(Part I) 04.11 (Part II) 44.22	100 gm 500 gm	
TM 109	IRON MILK MEDIUM for cultivation of <i>Clostridium perfringens</i> from foods	101.00	500 gm	
TM 296	IRON SULPHITE AGAR for detection of thermophillic anaerobic organisms causing sulphide spoilage in foods	26.00	100 gm 500 gm	
TMV 296	IRON SULPHITE AGAR (VEG.) for detection of thermophillic anaerobic organisms causing sulphide spoilage in foods	26.00	100 gm 500 gm	

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 2138	IRON SULPHITE AGAR MODIFIED (ISO 15213:2003) for the enumeration of sulphite – reducing bacteria growing under anaerobic conditions	42.00	500 gm	
TM 2139	ISLAM'S MEDIUM BASE FOR GROUP B STREPTOCOCCI for identification and cultivation of group B streptococci from clinical specimens	45.23	500 gm	
TM 1359	J. AGAR BASE for cultivation of <i>Bacillus</i> and <i>Sporolactobacillus</i> species	43.00	500 gm	
TM 1360	J. BROTH BASE for cultivation of <i>Bacillus</i> and <i>Sporolactobacillus</i> species	20.00	500 gm	
TM 134	JENSEN SEEDLING AGAR for germinating seeds of leguminous plants for studying nodulating ability of <i>Rhizobium</i> isolates	16.70	100 gm 500 gm	
TM 746	JENSEN'S BROTH for detection and cultivation of nitrogen fixing bacteria	24.10	100 gm 500 gm	
TM 135	JENSEN'S MEDIUM for detection and cultivation of nitrogen fixing bacteria	39.00	100 gm 500 gm	
TM 2140	K AGAR for isolation and cultivation of <i>Alicyclobacillus</i> in fruit juices in accordance with official method of IFU	24.50	100 gm	
TM 1206	K.R.A.N.E.P. AGAR BASE for selective enumeration of total staphylococci from foods	72.00	100 gm	
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#7 vl	5 vl	
TM 136	KF STREPTOCOCCAL AGAR BASE for selective isolation and enumeration of faecal streptococci in surface water by direct plating or by membrane filter technique	76.40	100 gm 500 gm	
TS 042	TTC SOLUTION 1% (10 ml/vl) *	#7 vl	5 vL 25 vl	
TS 045	BROMO CRESOL PURPLE (15 mg/vl)	#7 vl	5 vl	
TM 747	KF STREPTOCOCCAL BROTH BASE for detection and enumeration of faecal streptococci in water and examination of faeces	57.00	100 gm 500 gm	
TS 042	TTC SOLUTION 1% (10 ml/vl) *	#9 vl	5 vL 25 vl	
TM 138	KF STREPTOCOCCUS AGAR BASE W/ BCP for detection and enumeration of faecal streptococci	76.40	100 gm 500 gm	
TS 042	TTC SOLUTION 1% (10 ml/vl) *	#7 vl	5 vL 25 vl	
TM 139	KF STREPTOCOCCUS BROTH BASE W/ BCP for detection and enumeration of faecal streptococci	56.40	500 gm	
TS 042	TTC SOLUTION 1% (10 ml/vl) *	#7 vl	5 vL 25 vl	
TM 1207	KG AGAR BASE for differentiation of <i>Bacillus cereus</i> and <i>Bacillus thuringiensis</i> based on fast sporulation	19.53	500 gm	
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#26 vl	5 vl	
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT *	#52 vl	5 vl 25 vl	
TM 2141	KANAMYCIN ESCULIN AZIDE AGAR for selective isolation and identification of group D streptococci in foodstuffs	44.67	100 gm	
TM 748	KANAMYCIN ESCULIN AZIDE AGAR BASE for selective isolation and identification of group D streptococci in foodstuffs	44.67	100 gm	
TS 068	KANAMYCIN SULPHATE SELECTIVE SUPPLEMENT *	#23 vl	5 vl	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 2142	KANAMYCIN ESCULIN AZIDE BROTH for selective isolation and identification of group D streptococci in foodstuffs	32.67	100 gm	
TM 749	KANAMYCIN ESCULIN AZIDE BROTH BASE for selective isolation and identification of group D streptococci in foodstuffs	32.65	100 gm	
TS 068	KANAMYCIN SULPHATE SELECTIVE SUPPLEMENT *	#31 vl	5 vl	
TM 1208	KAPER'S MEDIUM (as per APHA) for enumeration and identification of <i>Aeromonas hydrophila</i> from foodstuffs	37.92	500 gm	
TM 1361	KARMALI CAMPYLOBACTER AGAR BASE for selective isolation and cultivation of thermotolerant <i>Campylobacter</i> species from food and animal feeds	45.00	500 gm	
TS 145	CAMPYLOBACTER SELECTIVE SUPPLEMENT (KARMALI)*	#23 vl	5 vl 25 vl	
TS 146	CAMPYLOBACTER SELECTIVE SUPPLEMENT W/HEMIN (KARMALI)*	#23 vl	5 vl 25 vl	
TM 2143	KAUFFMAN MUELLER'S TETRATHIONATE BROTH BASE (IS:5887(Part I)-1999) recommended as selective enrichment medium for isolation of <i>Shigella</i> species from food samples	132.50	500 gm	
TM 1209	KENKNIGHT & MUNAIER'S MEDIUM for isolation of <i>Actinomyces</i> species from soil	16.40	500 gm	
TM 2144	KETOGLUCONATE BROTH for identifying bacteria that can utilize α -ketogluconate to form 2-ketogluconate.	27.40	500 gm	
TM 1211	KIMMIG FUNGI AGAR BASE for isolation, identification and cultivation of fungi	50.40	500 gm	
TS 110	KIMMIG SELECTIVE SUPPLEMENT *	#20 vl	5 vl	
TS 111	GEORGE KIMMIG SELECTIVE SUPPLEMENT *	#20 vl	5 vl	
TM 562	KING'S OF MEDIUM BASE for studying oxidation fermentation of carbohydrates by <i>Campylobacter</i> species	00.50	100 gm 500 gm	
TM 1362	KING'S MEDIUM A BASE for non-selective isolation, cultivation and pigment production by <i>Pseudomonas</i> species	46.60	500 gm	
TM 1363	KING'S MEDIUM B BASE for non-selective isolation, cultivation and pigment production by <i>Pseudomonas</i> species	43.00	500 gm	
TM 2145	KING'S MEDIUM B BASE W/ 1.5% AGAR (FDA BAM, 1998) for non-selective isolation, cultivation and pigment production of <i>Pseudomonas</i> species	38.00	500 gm	
TM 1869	KING'S MEDIUM B BROTH for detection of pigment production by <i>Pseudomonas</i> species	23.00	500 gm	
TM 1366	KIRCHNER MEDIUM BASE, MODIFIED for cultivation of <i>Mycobacterium tuberculosis</i>	15.10	500 gm	
TS 014	HORSE SERUM *	3.3 ltr	100 ml	
TM 141	KLIGLER IRON AGAR for differential identification of gram negative enteric bacilli from clinical and non-clinical samples on the basis of fermentation of dextrose and lactose as well as H ₂ S production	57.50	100 gm 500 gm	
TMV 141	KLIGLER IRON AGAR (VEG.) for differential identification of gram negative enteric bacilli from clinical and non-clinical samples on the basis of fermentation of dextrose and lactose as well as H ₂ S production	57.50	100 gm 500 gm	

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 142	KLIGLER IRON AGAR, MODIFIED for identification of <i>Yersinia enterocolitica</i> and for differential identification of gram-negative enteric bacilli based on dextrose and lactose fermentation and H ₂ S production	57.30	500 gm	
TM 1553	KLIGLER IRON AGAR (ISO 13720-1995, ISO 10273:2003) for identification of <i>Pseudomonas</i> species and for differential identification of gram-negative enteric bacilli based on dextrose and lactose fermentation and H ₂ S production	58.02	500 gm	
TM 1554	KOHN TWO TUBE MEDIUM NO. 1 for identification of <i>Enterobacteriaceae</i> on the basis of dextrose and mannitol fermentation and urease production	46.00	100 gm 500 gm	
TS 030	UREA 40% (5 ml/vl) *	#55 vl	5 vl 25 vl	
TM 1364	KOHN TWO TUBE MEDIUM NO. 2 for identification of <i>Enterobacteriaceae</i> on the basis of sucrose and salicin fermentation, motility, hydrogen sulphide and indole production	48.13	100 gm	
TM 143	KOSER CITRATE MEDIUM for differentiation of <i>Escherichia coli</i> and <i>Enterobacter aerogenes</i> on the basis of citrate utilization	05.70	100 gm 500 gm	
TM 1365	KRACK BLOOD CULTURE MEDIUM for isolating organisms from blood in bacteremias and maintaining cultures isolated from blood	74.00	100 gm	
TM 1367	KUNDRAT AGAR for qualitative detection of residues from antibiotics and other chemotherapeutic agents	40.41	500 gm	
TM 2146	KUNDRAT AGAR, MODIFIED for the qualitative detection of residues of antibiotics and other chemotherapeutic agents in animal derived food	40.52	500 gm	
TM 1212	KUPFERBERG TRICHOMONAS BROTH BASE (TRICHOMONAS BROTH BASE, KUPFERBERG) for selective isolation and cultivation of <i>Trichomonas</i> species	23.50	500 gm	
TS 112	TRICHOMONAS SELECTIVE SUPPLEMENT I *	#44 vl	5 vl	
TM 750	L. D. AGAR for identification and cultivation of fastidious anaerobic bacteria	33.22	100 gm 500 gm	
TM 960	L.D. ESCULIN AGAR for identification of anaerobic bacteria like <i>Bacteroides</i> species on the basis of esculin hydrolysis	34.62	100 gm 500 gm	
TM 1125	L.D. EGG YOLK AGAR BASE for identification of lecithinase activity by anaerobic microorganisms	40.23	100 gm 500 gm	
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#13 vl	5 vl	
TM 2148	L.MONO BLOOD AGAR BASE for the specific isolation and cultivation of <i>Listeria</i> species from food and environmental samples	50.00	500 gm	
TS 227	L.MONO SELECTIVE SUPPLEMENT I *	#10 vl	5 vl	
TM 1806	L.MONO CONFIRMATORY AGAR BASE for selective and differential isolation of <i>Listeria monocytogenes</i> from clinical & food samples	77.00	100 gm 500 gm	
TS 227	L.MONO SELECTIVE SUPPLEMENT I *	#13 vl	5 vl	
TS 228	L.MONO SELECTIVE SUPPLEMENT II *	#13 vl	5 vl	
TS 229	L.MONO ENRICHMENT SUPPLEMENT II *	#13 vl	5 vl	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 2149	L.MONO SELECTIVE AGAR BASE for presumptive enumeration of <i>Listeria</i> species using membrane filtration technique	60.42	500 gm	
TS 289	LM SELECTIVE SUPPLEMENT *	#9 vl	5 vl	
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#9 vl	5 vl	
TM 1213	LPM AGAR BASE for isolation and cultivation of <i>Listeria monocytogenes</i> from food and dairy products	50.50	100 gm	
TS 113	MOXALACTAM SUPPLEMENT *	#10 vl	5 vl	
TM 751	L. S. DIFFERENTIAL MEDIUM BASE (LACTOBACILLUS STREPTOCOCCUS DIFFERENTIAL MEDIUM BASE) for differentiation of lactobacilli and streptococci on the basis of colony morphology, TTC reduction and casein reaction	65.30	500 gm	
TS 042	TTC SOLUTION 1% (10 ml/vl) *	#8 vl	5 vl 25 vl	
TMV 751	L. S. DIFFERENTIAL MEDIUM BASE (LACTOBACILLUS STREPTOCOCCUS DIFFERENTIAL MEDIUM BASE) (VEG.) for differentiation of lactobacilli and streptococci on the basis of colony morphology, TTC reduction and casein reaction	65.30	500 gm	
TS 042	TTC SOLUTION 1% (10 ml/vl) *	#8 vl	5 vl 25 vl	
TM 1474	L B AGAR (Lennox) for propagation and maintenance of <i>E. coli</i>	35.00	500 gm	
TM 1475	L B BROTH (Lennox) for propagation and maintenance of <i>E. coli</i>	20.00	500 gm	
TM 1369	LACHICA'S MEDIUM BASE for isolation and cultivation of <i>Aeromonas hydrophila</i> from foods stored under different temperature conditions	43.00	100 gm	
TS 161	LACHICA SUPPLEMENT *	#12 vl	1 vl	
TM 752	LACTIC ACID BACTERIA SELECTIVE AGAR BASE for selective isolation of Lactic Acid Bacteria from brewery	77.10	100 gm	
TS 069	LACTIC SUPPLEMENT (10 ml/vl) *	#14 vl	5 vl	
TM 753	LACTIC ACID BACTERIA SELECTIVE BROTH BASE (RAKA-RAY NO.3 BROTH BASE) for selective isolation of Lactic Acid Bacteria from brewery	58.90	100 gm	
TS 069	LACTIC SUPPLEMENT (10 ml/vl) *	#4 vl	5 vl	
TM 754	LACTIC AGAR for enumeration and identification of lactic streptococci and lactobacilli by pour plate method	63.50	100 gm	
TM 642	LACTIC BACTERIA DIFFERENTIAL AGAR for differentiation of homo-fermentative and hetero-fermentative Lactic Acid Bacteria	35.56	500 gm	
TM 643	LACTIC BACTERIA DIFFERENTIAL BROTH for differentiation of homo-fermentative and hetero-fermentative Lactic Acid Bacteria	20.56	500 gm	
TM 1001	LACTIC PHAGE AGAR for enumeration of bacteriophages active against starter cultures employed in cheese production	50.00	500 gm	
TM 1002	LACTIC PHAGE BROTH for enumeration of bacteriophages active against starter cultures employed in cheese production	35.00	500 gm	
TM 1555	LACTIC STREAK AGAR (REDDYS DIFFERENTIAL AGAR, MODIFIED) qualitative and quantitative differentiation of lactic streptococci	58.00	500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 144	LACTOBACILLI AGAR (AOAC) * for cultivation and maintenance of stock cultures used in microbiological assays of vitamin and amino acids	48.00	100 gm	
TM 145	LACTOBACILLI BROTH (AOAC) * for preparation of inocula of stock cultures used in microbiological assays of vitamins of group B	38.00	500 gm	
TM 316	LACTOBACILLI BROTH (ELLIKER BROTH) for cultivation of lactobacilli & streptococci which are important in dairy industry	48.50	500 gm	
TM 1370	LACTOBACILLI BULGARICUS AGAR BASE * for isolation and identification of <i>Lactobacillus bulgaricus</i>	70.00	500 gm	
TM 755	LACTOBACILLUS HETEROFERM SCREEN AGAR (MRS AGAR, MODIFIED) * for isolation and cultivation of <i>Lactobacillus</i> species from foods	62.20	500 gm	
TM 187	LACTOBACILLUS HETEROFERM SCREEN BROTH (MRS BROTH, MODIFIED) * for isolation and cultivation of <i>Lactobacillus</i> species from foods	47.20	500 gm	
TM 146	LACTOBACILLUS MRS AGAR (MRS AGAR) for isolation and cultivation of <i>Lactobacillus</i> species	67.15	100 gm 500 gm	
TMV 146	LACTOBACILLUS MRS AGAR (MRS AGAR) VEG.) * for isolation and cultivation of <i>Lactobacillus</i> species	67.15	100 gm 500 gm	
TM 1556	LACTOBACILLUS MRS AGAR * (ISO 1995, DRAFT ISO/DIS 13720:2010) * for the isolation and enumeration of Lactic Acid Bacteria from meat and meat products	65.30	500 gm	
TM 147	LACTOBACILLUS MRS BROTH (MRS BROTH) for cultivation of <i>Lactobacillus</i> species	55.15	100 gm 500 gm	
TMV 147	LACTOBACILLUS MRS BROTH (MRS BROTH) (VEG.) * for cultivation of <i>Lactobacillus</i> species	55.15	100 gm 500 gm	
TM 1003	LACTOBACILLUS SELECTION AGAR BASE for isolation and enumeration of <i>Lactobacillus</i> from foods	84.70	500 gm	
TMV 1003	LACTOBACILLUS SELECTION AGAR BASE (VEG.) * for isolation and enumeration of <i>Lactobacillus</i> from foods	84.70	500 gm	
TM 1004	LACTOBACILLUS SELECTION BROTH BASE * for selective isolation and enumeration of lactobacilli from foods	69.70	500 gm	
TMV 1004	LACTOBACILLUS SELECTION BROTH BASE (VEG.) * for selective isolation and enumeration of lactobacilli from foods	69.70	500 gm	
TM 1371	LACTOBACILLI SELECTION OXGALL AGAR BASE * for selective isolation, cultivation and enumeration of lactobacilli	86.20	500 gm	
TM 751	LACTOBACILLUS STREPTOCOCCUS DIFFERENTIAL MEDIUM BASE (L.S. DIFFERENTIAL MEDIUM BASE) for differentiation of lactobacilli and streptococci on the basis of colony morphology, TTC reduction and casein reaction	65.30	500 gm	
TS 042	TTC SOLUTION 1% (10 ml/vl) *	#8 vl	5 vl 25 vl	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 669	LACTOSE BLUE AGAR (BTB LACTOSE AGAR MODIFIED) for differentiation of lactose fermenting and non-fermenting bacteria of <i>Enterobacteriaceae</i>	40.54	500 gm	
TM 1537	LACTOSE BROTH (FLUID LACTOSE MEDIUM) (as per USP) for detection of coliform bacteria in water, dairy and food products	13.00	100 gm 500 gm	
TM 1538	LACTOSE BROTH (FLUID LACTOSE MEDIUM) (as per IP) for detection of coliform bacteria in water, foods and dairy products as per Standard Methods	13.00	100 gm 500 gm	
TM 757	LACTOSE BROTH (FLUID LACTOSE MEDIUM) for detection of coliform bacteria in water and food products	13.00	100 gm 500 gm	
TMV 757	LACTOSE BROTH (FLUID LACTOSE MEDIUM) (VEG.) for detection of coliform bacteria in water and food products	13.00	100 gm 500 gm	
TM 2152	LACTOSE MONOHYDRATE BROTH (BROTH MEDIUM D) for the detection of coliform bacteria in water, foods, dairy products	13.00	100 gm 500 gm	
TM 148	LACTOSE GELATIN MEDIUM for detection of <i>Clostridium</i> species from food samples	135.00	500 gm	
TM 149	LACTOSE GELATIN MEDIUM, MODIFIED (AOAC) for detection and presumptive identification of <i>Clostridium perfringens</i> from foods in accordance with AOAC	160.05	500 gm	
TM 1215	LACTOSE LECITHIN AGAR * for isolation and differentiation of histotoxic <i>Clostridia</i> from clinical specimens	58.48	500 gm	
TM 758	LACTOSE PEPTONE BROTH for detection of coliform organisms in water	35.00	500 gm	
TM 1372	LACTOSE PEPTONE WATER for detection of coliforms in fermentation studies	25.04	500 gm	
TM 1216	LACTOSE SULPHITE BROTH BASE (as per EP) for detection and enumeration of <i>Clostridium perfringens</i> in pharmaceutical products	20.30	500 gm	
TM 2153	LACTOSE MONOHYDRATE SULPHITE MEDIUM (MEDIUM R) (as per EP/BP) for detection and enumeration of <i>Clostridium perfringens</i> in pharmaceutical products	19.80	500 gm	
TM 1251	LACTOSE TTC AGAR (WITH SODIUM HEPTADECYL SULPHATE) (ISO 9308-1:2000) for detection and enumeration of <i>E.coli</i> and other coliforms in water by membrane filtration technique	57.15	100 gm 500 gm	
TS 042	TTC SOLUTION 1% (10 ml/vl) *	#3 vl	5 VL 25 vl	
TM 2445	LAKED BLOOD WITH KANAMYCIN AND VANCOMYCIN AGAR (LKV) for the isolation and partial identification of obligately anaerobic gram-negative bacilli. LKV agar is useful for the rapid isolation of <i>Prevotella</i> species	46.61	500 gm	
TS 314	KANAMYCIN AND VANCOMYCIN SUPPLEMENT *	#11 vl	5 vl	

Approximate number of vials required for 500 gm of dehydrated medium. | * Store Between 2-8°C



Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 150	LAURYL SULPHATE BROTH (LAURYL TRYPTOSE BROTH) (ISO 11866-2, ISO 4831:2006) for detection and enumeration of coliform bacteria in water, waste water, dairy products and other food sample	35.60	100 gm 500 gm	
TMV 150	LAURYL SULPHATE BROTH (LAURYL TRYPTOSE BROTH) (VEG.) for detection and enumeration of coliform bacteria in water, dairy products and other foods	35.60	100 gm 500 gm	
TM 1829	LAURYL SULPHATE TRYPTOSE BROTH, MODIFIED (ISO 22964:2006) for the selective pre-enrichment medium for <i>Cronobacter sakazakii</i> from milk and milk products	64.60	500 gm	
TS 280	VANCOMYCIN SUPPLEMENT *	#8 vl	5 vl	
TM 151	LAURYL TRYPTOSE MANNITOL BROTH W/TRYPHTOPHAN for detection of <i>Escherichia coli</i> in water	35.80	500 gm	
TMV 151	LAURYL TRYPTOSE MANNITOL BROTH W/TRYPHTOPHAN (VEG.) for detection of <i>Escherichia coli</i> in water	35.80	500 gm	
TM 1217	LEAD ACETATE AGAR for detection of H ₂ S producing enteric bacteria	36.28	500 gm	
TM 1373	LECITHIN AGAR * for detection of bacterial contamination of surfaces in unprotected and protected areas	53.20	500 gm	
TMV 1373	LECITHIN AGAR (VEG.) * for detection of bacterial contamination of surfaces in unprotected and protected areas	53.20	500 gm	
TM 1374	LECITHIN DILUENT BROTH * a diluent for cosmetic samples	28.00	500 gm	
TM 2154	LEE'S AGAR for differential enumeration of yogurt starter bacteria (<i>Lactobacillus bulgaricus</i> , <i>Streptococcus thermophilus</i>)	51.52	500 gm	
TM 2155	LEE'S MULTIDIFFERENTIAL AGAR used in the brewing industry for the cultivation and identification of brewing bacteria including fastidious type	84.63	500 gm	
TM 759	LEGIONELLA AGAR BASE for cultivation of <i>Legionella</i> species	37.00	100 gm	
TS 044	LEGIONELLA GROWTH SUPPLEMENT (Twin Pack) (Part A & B) *	#6 vl	5 vl	
TS 015	LEGIONELLA SELECTIVE SUPPLEMENT *	#6 vl	5 vl 25 vl	
TS 019	LEGIONELLA SUPPLEMENT *	#6 vl	5 vl	
TM 1218	LEGIONELLA AGAR BASE for cultivation of <i>Legionella</i> species	25.00	500 gm	
TS 114	LEGIONELLA GROWTH SUPPLEMENT (BCYE) *	#40 vl	5 vl	
TS 114A	LEGIONELLA SELECTIVE SUPPLEMENT (GVPN) *	#40 vl	5 vl	
TS 115	LEGIONELLA (GVPC)SELECTIVE SUPPLEMENT *	#40 vl	5 vl 25 vl	
TS 116	LEGIONELLA BMPA SELECTIVE SUPPLEMENT *	#40 vl	5 vl 25vl	
TS 195	LEGIONELLA GROWTH SUPPLEMENT W/O L-CYSTEINE *	#40 vl	5 vl 25 vl	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 2156	LEGIONELLA AGAR BASE W/O CHARCOAL with the addition of charcoal supplement is used for the cultivation of <i>Legionella</i> species	25.00	500 gm	
TS 114	LEGIONELLA GROWTH SUPPLEMENT (BCYE) *	#40 vl	5 vl	
TS 114A	LEGIONELLA SELECTIVE SUPPLEMENT (GVPN) *	#40 vl	5 vl	
TS 115	LEGIONELLA (GVPC)SELECTIVE SUPPLEMENT *	#40 vl	5 vl 25 vl	
TS 116	LEGIONELLA BMPA SELECTIVE SUPPLEMENT *	#40 vl	5 vl 25vl	
TS 195	LEGIONELLA GROWTH SUPPLEMENT W/O L-CYSTEINE *	#40 vl	5 vl 25 vl	
TS 291	STERILE CHARCOAL SUPPLEMENT FOR LEGIONELLA AGAR *	#40 vl	5 vl 25 vl	
TM 760	LEGIONELLA ENRICHMENT BROTH BASE for enrichment of <i>Legionella</i> species	27.50	100 gm	
TS 044	LEGIONELLA GROWTH SUPPLEMENT (Twin Pack) (Part A & B) *	#8 vl	5 vl	
TM 1007	LEIFSON AGAR for isolation of <i>Salmonella</i> and <i>Shigella</i> species from clinical and non-clinical samples	47.42	500 gm	
TMV 1007	LEIFSON AGAR (VEG.) for isolation of <i>Salmonella</i> and <i>Shigella</i> species from clinical and non-clinical samples	47.42	500 gm	
TM 1008	LEIFSON DEOXYCHOLATE AGAR, MODIFIED for selective isolation and differentiation of <i>Salmonella</i> and <i>Shigella</i> species	48.50	500 gm	
TM 156	LETHEEN AGAR * determination of phenol coefficient of quaternary ammonium compounds using <i>E.coli</i> or <i>Staphylococcus aureus</i>	32.00	500 gm	
TMV 156	LETHEEN AGAR (VEG.) * determination of phenol coefficient of quaternary ammonium compounds using <i>E.coli</i> or <i>Staphylococcus aureus</i>	32.00	500 gm	
TM 1557	LETHEEN AGAR W/ TRITON X-100 * for screening cosmetic products for microbial contamination by adding Triton X-100	41.70	500 gm	
TM 157	LETHEEN AGAR, MODIFIED * for screening cosmetic products for microbial contamination	54.00	500 gm	
TMV 157	LETHEEN AGAR, MODIFIED (VEG.) * for screening cosmetic products for microbial contamination	54.00	500 gm	
TM 2157	LETHEEN AGAR I MODIFIED recommended to determine the phenol coefficient of quaternary ammonium compounds using <i>Escherichia coli</i> or <i>Staphylococcus aureus</i>	59.10	500 gm	
TM 1558	LETHEEN BROTH (as per USP) for determination of bactericidal activity of quaternary ammonium compounds using <i>Escherichia coli</i> or <i>Staphylococcus aureus</i>	25.70	500 gm	
TM 158	LETHEEN BROTH, AOAC * for determination of bactericidal activity of quaternary ammonium compounds using <i>Escherichia coli</i> or <i>Staphylococcus aureus</i>	25.70	500 gm	
TMV 158	LETHEEN BROTH, AOAC (VEG.) * for determination of bactericidal activity of quaternary ammonium compounds using <i>Escherichia coli</i> or <i>Staphylococcus aureus</i>	25.70	500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 159	LETHEEN BROTH, MODIFIED (as per FDA) for screening cosmetic products to check microbial contamination	42.80	500 gm	
TMV 159	LETHEEN BROTH, MODIFIED (as per FDA) (VEG.) for screening cosmetic products to check microbial contamination	42.80	500 gm	
TM 2158	LETHEEN BROTH I MODIFIED recommended for screening cosmetic products for microbial contamination	42.80	500 gm	
TM 1219	LETHEEN BROTH W/ TRITON X-100 for testing microbial contamination in cosmetic products	26.70	500 gm	
TM 2159	LEVINE EOSIN-METHYLENE BLUE AGAR MEDIUM (as per USP) for the isolation, enumeration and differentiation of members of <i>Enterobacteriaceae</i>	37.46	100 gm 500 gm	
TM 2160	LEVINTHALS MEDIUM BASE for cultivation of <i>Haemophilus</i> species	45.00	500 gm	
TM 1220	LIMABEAN AGAR for cultivation of phytopathological and other fungi	23.00	500 gm	
TM 2456	LINDEN GRAIN MEDIUM for Media Fill process simulation for beverage bottling, to test for low acid beverage spoiling bacteria	29.50	500 gm	
TM 2161	LIN'S CUPRIC SULFATE MEDIUM differential medium for the detection of wild yeasts	40.15	100 gm 500 gm	
TM 1221	LIPOVITELLIN SALT MANNITOL AGAR BASE for selective isolation and identification of staphylococci on the basis of lipase production and mannitol fermentation from clinical and non-clinical specimens	111.00	500 gm	
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#5 vl	5 vl	
TM 1222	LIQUOID BROTH for testing blood samples from bacteremic cases	37.50	500 gm	
TMV 1222	LIQUOID BROTH (VEG.) for testing blood samples from bacteremic cases	37.50	500 gm	
TM 1375	LISTERIA CONFIRMATORY AGAR BASE for cultivation of <i>Listeria</i> species	77.00	500 gm	
TS 227	L.MONO SELECTIVE SUPPLEMENT I	#13 vl	5 vl	
TS 228	L.MONO SELECTIVE SUPPLEMENT II	#13 vl	5 vl	
TS 229	L.MONO ENRICHMENT SUPPLEMENT II *	#13 vl	5 vl	
TM 1223	LISTERIA ENRICHMENT BROTH (DOUBLE PACK) for selective enrichment of <i>Listeria monocytogenes</i> from clinical specimens	(Part I) 26.00 (Part II) 37.00	500 gm -	
TM 2128	LISTERIA ENRICHMENT BROTH BASE recommended for the rapid and selective enrichment of <i>Listeria</i> species from food samples in 24 hours	44.00	500 gm	
TS 288	RAPID LISTERIA SELECTIVE SUPPLEMENT *	#12 vl	5 vl	
TM 1224	LISTERIA ENRICHMENT BROTH, MODIFIED * for selective enrichment of <i>Listeria</i> species	52.00	100 gm 500 gm	
TM 1225	LISTERIA ENRICHMENT MEDIUM BASE (UVM) for selective isolation and cultivation of <i>Listeria monocytogenes</i> from clinical specimens	54.35	100 gm 500 gm	
TS 117	LISTERIA UVM SUPPLEMENT I *	#19 vl	5 vl	
TS 118	LISTERIA UVM SUPPLEMENT II *	#19 vl	5 vl	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 2444	LISTERIA ENRICHMENT MEDIUM BASE (UVM I) for selective isolation and cultivation of <i>Listeria monocytogenes</i> from clinical specimens	54.36	500 gm	
TM 1226	LISTERIA IDENTIFICATION AGAR BASE (PALCAM) (ISO 11290-2:1998) for detection and enumeration of <i>Listeria monocytogenes</i> from food and animal feeds	69.00	100 gm 500 gm	
TS 119	LISTERIA SELECTIVE SUPPLEMENT (PALCAM) *	#15 vl	5 vl 25 vl	
TM 1227	LISTERIA IDENTIFICATION BROTH BASE (PALCAM) for selective enrichment of <i>Listeria</i> species	47.70	100 gm 500 gm	
TS 119	LISTERIA SELECTIVE SUPPLEMENT (PALCAM) *	#22 vl	5 vl 25 vl	
TM 1377	LISTERIA MOTILITY MEDIUM for testing motility of <i>Listeria monocytogenes</i>	29.60	500 gm	
TM 2162	LISTERIA OXFORD AGAR BASE W/ 1.2% AGAR for isolation of specimen <i>Listeria</i> species from food samples in accordance with FDA BAM, 1998	57.50	500 gm	
TS 292	LISTERIA MOXALACTAM SUPPLEMENT MODIFIED *	#18 vl	5 vl	
TM 2163	LISTERIA OXFORD MEDIUM BASE, MODIFIED for isolation and differentiation of <i>Listeria</i> species from clinical specimens	57.50	500 gm	
TS 120	OXFORD LISTERIA SUPPLEMENT *	#18 vl	5 vl	
TS 292	LISTERIA MOXALACTAM SUPPLEMENT MODIFIED *	#18 vl	5 vl	
TM 1229	LISTERIA OXFORD MEDIUM BASE (ISO 11290-1) for isolation of <i>Listeria</i> species from pathological samples	55.50	100 gm 500 gm	
TS 120	OXFORD LISTERIA SUPPLEMENT *	#19 vl	5 vl	
TS 121	LISTERIA MOXALACTAM SUPPLEMENT *	#19 vl	5 vl	
TM 612	LISTERIA SELECTIVE AGAR (DOUBLE PACK) for selective isolation & cultivation of <i>Listeria</i> species from clinical samples	(Part I) 39.00 (Part II) 37.50	500 gm -	
TM 1444	LISTERIA SELECTIVE AGAR BASE for selective isolation and cultivation of <i>Listeria monocytogenes</i>	51.00	500 gm	
TS 092	LISTERIA SELECTIVE SUPPLEMENT II *	#20 vl	5 vl 25 vl	
TM 761	LISTERIA SELECTIVE BROTH BASE for selective isolation and cultivation of <i>Listeria monocytogenes</i> from clinical specimens	36.00	500 gm	
TS 092	LISTERIA SELECTIVE SUPPLEMENT II *	#28 vl	5 vl 25 vl	
TMV 761	LISTERIA SELECTIVE BROTH BASE (VEG.) for selective isolation and cultivation of <i>Listeria monocytogenes</i> from clinical specimens	36.00	500 gm	
TS 092	LISTERIA SELECTIVE SUPPLEMENT II *	#28 vl	5 vl 25 vl	
TM 2164	LISTERIA SELECTIVE ENRICHMENT BROTH * for selective enrichment of <i>Listeria</i> species in accordance with FDA/IDF-FIL	36.10	500 gm	
TM 2165	LISTERIA SELECTIVE PRIMARY BROTH BASE for selective enrichment of <i>Listeria</i> species from foods	53.18	500 gm	
TS 293	NAMC LISTERIA SELECTIVE SUPPLEMENT *	#10 vl	5 vl	
TM 164	LITMUS LACTOSE AGAR for differentiation of Lactose fermenting and Lactose nonfermenting microorganisms	29.00	500 gm	
TM 762	LITMUS LACTOSE BILE SALT AGAR (LLBSA) for selective isolation of enteric bacteria on the basis of lactose fermentation	70.50	500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 165	LITMUS MILK (LITMUS SM BROTH) for determination and maintenance of lactobacilli	101.00	100 gm 500 gm	
TM 763	LITMUS MILK (as per BIS) for determination and maintenance of lactobacilli	105.00	100 gm 500 gm	
TM 524	LITTMAN OXGALL AGAR BASE for primary isolation of pathogenic fungi	55.01	500 gm	
TM 525	LITTMAN OXGALL BROTH BASE for selective enrichment and cultivation of pathogenic fungi	35.00	500 gm	
TM 764	LIVER BROTH for examination of food for saccharolytic, putrefactive, mesophilic and thermophilic anaerobes	64.00	500 gm	
TM 1230	LIVER BROTH, MODIFIED for presumptive and enrichment test of <i>Clostridia</i> & other anaerobes from food & other products	62.00	500 gm	
TM 166	LIVER INFUSION AGAR for cultivation of <i>Brucella</i> and other pathogenic anaerobic bacteria	55.01	100 gm 500 gm	
TM 167	LIVER INFUSION BROTH for cultivation of <i>Brucella</i> and other anaerobic bacteria	35.00	100 gm 500 gm	
TM 765	LIVER MEAT AGAR for cultivation of fastidious anaerobes	34.00	500 gm	
TM 2147	LIVER MEAT AGAR, MODIFIED for cultivation of fastidious anaerobic microorganisms	32.50	500 gm	
TM 766	LIVER MEAT GLUCOSE CYSTEINE BROTH for cultivation of fastidious anaerobes	32.00	500 gm	
TM 767	LIVER MEAT INFUSION AGAR for enumeration of sulphite reducing <i>Clostridia</i> and <i>Clostridium perfringens</i> in water and milk	34.87	500 gm	
TM 2150	LIVER VEAL AGAR for the cultivation of fastidious anaerobic organisms	97.00	500 gm	
TM 2151	LIVER VEAL AGAR BASE, MODIFIED* for isolation of <i>Clostridium botulinum</i> in accordance with FDA BAM, 1998	97.00	500 gm	
TS 290	EGG YOLK EMULSION 50%	#5 vl	5 vl	
TM 768	LOEFFLER MEDIUM BASE for cultivation of <i>Corynebacterium diphtheriae</i> from clinical samples and confirmation of chromogenesis, proteolysis and the production of ascospores	08.75	100 gm 500 gm	
TS 014	HORSE SERUM*	42.6 ltr	100 ml	
TM 2166	LOEFFLER SERUM MEDIUM BASE for the cultivation of <i>Corynebacterium diphtheriae</i>	10.00	100 gm 500 gm	
TM 375	LOWENSTEIN JENSEN MEDIUM BASE (L. J. MEDIUM) for isolation and cultivation of <i>Mycobacterium</i> species	37.24	100 gm 500 gm	
TS 047	GRUFT MYCOBACTERIAL SUPPLEMENT *	#54 vl	5 vl	
TM 2167	LOWENSTEIN JENSEN MEDIUM BASE (L. J. MEDIUM) (as per IP) (DOUBLE PACK) for isolation and cultivation of <i>Mycobacterium</i> species	(Part I) 11.04 (Part II) 0.667	100 gm 500 gm	
TS 047	GRUFT MYCOBACTERIAL SUPPLEMENT *	#54 vl	5 vl	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 526	L.J. MEDIUM W/O STARCH (as per International Standard) for propagation of <i>Mycobacteria</i>	07.24	100 gm 500 gm	
TS 047	GRUFT MYCOBACTERIAL SUPPLEMENT *	#27 vI	5 vI	
TM 2168	L.J. MEDIUM MODIFIED used for the isolation of <i>Mycobacterium</i> species from mixed flora	37.24	500 gm	
TS 294	LCN SUPPLEMENT *	#14 vI	5 vI 25 vI	
TMS 01	L.J. MEDIUM SLANT (10 Slants) for cultivation of <i>Mycobacterium tuberculosis</i>	-	1 Kit	
TMS 01L	L.J. MEDIUM SLANT (10 Long Slants) for cultivation of <i>Mycobacterium tuberculosis</i>	-	1 Kit	
TM 407	LURIA AGAR for general cultivation of fastidious and non fastidious microorganisms	35.00	500 gm	
TMV 407	LURIA AGAR (VEG.) for general cultivation of fastidious and non fastidious microorganisms	35.00	500 gm	
TM 2169	LURIA AGAR BASE, MILLERS MODIFICATION for the cultivation and maintenance of recombinant strains of <i>Escherichia coli</i> with or without addition of glucose	30.50	500 gm	
TM 376	LURIA BERTANI AGAR, MILLER (MILLER LURIA BERTANI AGAR) for cultivation and maintenance of recombinant strains of <i>Escherichia coli</i>	40.00	500 gm	
TMV 376	LURIA BERTANI AGAR, MILLER (MILLER LURIA BERTANI AGAR) (VEG.) for cultivation and maintenance of recombinant strains of <i>Escherichia coli</i>	40.00	500 gm	
TM 2170	LURIA BERTANI AGAR, MODIFIED for the cultivation and maintenance of recombinant strains of <i>Escherichia coli</i> and may be used for routine cultivation of not particularly fastidious microorganisms	30.00	500 gm	
TM 406	LURIA BERTANI BROTH, MILLER (MILLER LURIA BERTANI BROTH) for cultivation and maintenance of recombinant strains of <i>Escherichia coli</i> for genetic and molecular studies and may be used for routine cultivation of not particularly fastidious microorganisms	25.00	500 gm	
TMV 406	LURIA BERTANI BROTH, MILLER (MILLER LURIA BERTANI BROTH) (VEG.) for cultivation and maintenance of recombinant strains of <i>Escherichia coli</i> for genetic and molecular studies and may be used for routine cultivation of not particularly fastidious microorganisms	25.00	500 gm	
TM 377	LURIA BROTH for the cultivation and maintenance of recombinant strains of <i>Escherichia coli</i>	20.00	500 gm	
TMV 377	LURIA BROTH (VEG.) for the cultivation and maintenance of recombinant strains of <i>Escherichia coli</i>	20.00	500 gm	
TM 2171	LURIA BROTH BASE, MILLER'S MODIFICATION for the cultivation and maintenance of recombinant strains of <i>Escherichia coli</i> with or without addition of glucose	15.50	500 gm	
TM 769	LYSINE ARGININE IRON AGAR (LAI AGAR) for isolation and presumptive identification of <i>Yersinia</i> species from milk and milk products	44.56	100 gm	

Approximate number of vials required for 500 gm of dehydrated medium. | * Store Between 2-8°C

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 2172	LYSINE ASSAY MEDIUM * for determining lysine concentration by microbiological assay method	105.00	100 gm	
TM 169	LYSINE DECARBOXYLASE BROTH for differentiating <i>Salmonella</i> serotype arizonae from the <i>Bethesda Ballerup</i> group of <i>Enterobacteriaceae</i>	14.00	100 gm 500 gm	
TM 1830	LYSINE DECARBOXYLASE BROTH W/O PEPTONE (ISO 6579:2002, ISO 22964:2006) for differentiating <i>Salmonella</i> serotype arizonae from the <i>Bethesda Ballerup</i> group of <i>Enterobacteriaceae</i>	09.00	100 gm 500 gm	
TM 2173	L-LYSINE DECARBOXYLASE SALINE BROTH (ISO 21872-1-2017) recommended for biochemical confirmation of <i>Vibrio parahaemolyticus</i> and <i>Vibrio cholerae</i> from food and animal feeding stuffs on the basis of lysine decarboxylation	19.01	500 gm	
TM 2174	LYSINE INDOLE MOTILITY MEDIUM, MODIFIED is used as an aid for the identification of members of <i>Enterobacteriaceae</i> on the basis of lysine decarboxylase, indole production and motility	30.02	500 gm	
TM 171	LYSINE IRON AGAR for differentiation of enteric organisms especially <i>Salmonella</i> species based on their ability to decarboxylate or deaminate lysine and production of H ₂ S	34.56	100 gm 500 gm	
TMV 171	LYSINE IRON AGAR (VEG.) for differentiation of enteric organisms especially <i>Salmonella</i> species based on their ability to decarboxylate or deaminate lysine and production of H ₂ S	34.56	100 gm 500 gm	
TM 770	LYSINE IRON BROTH BASE (LYSINE IRON CYSTINE BROTH BASE) for rapid presumptive detection of <i>Salmonella</i> in food products and feed materials	25.72	100 gm 500 gm	
TS 070	NOVOBIOCIN SELECTIVE SUPPLEMENT *	#20 vl	5 vl	
TM 1010	LYSINE LACTOSE BROTH for determination of lysine decarboxylase activity of lactose nonfermenting members of <i>Enterobacteriaceae</i> especially <i>Salmonella</i>	24.00	500 gm	
TM 172	LYSINE MEDIUM BASE for isolation and enumeration of wild yeasts in pitching yeasts	66.00	100 gm 500 gm	
TS 232	POTASSIUM LACTATE 50% (10ml/vl) *	#8 vl	5 vl	
TM 2175	M9 MINIMAL MEDIUM SALTS (5X) for growing <i>Escherichia coli</i> for molecular biology purpose	56.40	500 gm	
TM 2177	M-AZIDE BROTH BASE for cultivation and enumeration of enterococci from water samples using membrane filter technique	156.40	500 gm	
TS 042	TTC SOLUTION 1% (10 ml/vl) *	#4 vl	5 vl 25 vl	
TM 1380	M-BCG YEAST AND MOLD AGAR for the detection of Fungi in routine analysis of beverages using membrane filter technique	88.20	500 gm	
TM 1231	M-BCG YEAST AND MOLD BROTH for the detection of Fungi in routine analysis of beverages using membrane filter technique	73.20	500 gm	
TM 2178	M-BCG YEAST AND MOULD BROTH, MODIFIED for the detection of Fungi in the routine analysis of beverages	74.13	500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 2176	M-BROTH for detecting <i>Salmonella</i> in foods and feeds by the accelerated enrichment serology procedures	36.23	100 gm	
TM 2179	M-BISMUTH SULPHITE BROTH for the detection of <i>Salmonella</i> by the membrane filter technique	64.65	500 gm	
TM 2180	M-BRILLIANT GREEN BROTH for the detection of <i>Salmonella</i> by the membrane filter technique	76.19	500 gm	
TM 2130	M-CP AGAR BASE for isolation and enumeration of <i>Clostridium perfringens</i> from water samples using membrane filtration technique	71.20	100 gm 500 gm	
TS 318	M-CP SELECTIVE SUPPLEMENT I *	#14 vl	5 vl	
TS 320	M-CP SELECTIVE SUPPLEMENT II *	#14 vl	5 vl	
TS 317	M-CP SELECTIVE SUPPLEMENT, MODIFIED *	#14 vl	5 vl	
TM 2181	M-DEXTROSE TRYPTONE BROTH for detection and cultivation of thermophilic flat sour microorganisms from food preparations using membrane filter technique	30.04	500 gm	
TM 2131	M-E.COLI BROTH * for the detection, differentiation and enumeration of <i>Escherichia coli</i> and coliforms in water samples using membrane filter technique	21.67	100 gm 500 gm	
TM 2182	M-EC TEST AGAR for testing <i>Escherichia coli</i> in water samples using membrane filter technique	45.26	500 gm	
TM 2183	M-EMB BROTH for the detection of members of the coliforms group by the membrane filter technique	84.33	500 gm	
TM 174	M-ENDO AGAR, LES for enumeration of coliforms in water using a two step membrane filter technique	51.00	100 gm 500 gm	
TMV 174	M-ENDO AGAR, LES(VEG.) for enumeration of coliforms in water using a two step membrane filter technique	51.00	100 gm 500 gm	
TM 175	M-ENDO BROTH for estimation of coliforms in water samples using membrane filter technique	61.50	100 gm 500 gm	
TM 773	M-ENDO BROTH MF (MF ENDO MEDIUM) (M-COLIFORM BROTH) for enumeration of coliform bacteria in water samples using one step membrane filter technique	48.00	500 gm	
TM 2184	M-ENRICHMENT BROTH for enumeration of bacteria by membrane filter technique and for preliminary enrichment of organisms on membrane filter prior to using selective media	54.00	500 gm	
TM 176	M-ENTEROCOCCUS AGAR BASE for isolation and enumeration of enterococci in sewage, water and foods by membrane filter technique	41.50	500 gm	
TM 2185	M-ENTEROCOCCUS AGAR BASE, MODIFIED for cultivation and enumeration of enterococci from water samples using membrane filter technique	71.45	100 gm	
TS 042	TTC SOLUTION 1% (10 ml/vl) *	#3 vl	5 vl 25 vl	
TM 178	M-FC AGAR BASE for detection and enumeration of faecal coliforms by membrane filter technique at higher temp. (44.5°C)	52.10	500 gm	
TS 048	ROSOLIC ACID (0.1 gm/vl) *	#10 vl	5 vl	

Approximate number of vials required for 500 gm of dehydrated medium. | * Store Between 2-8°C



CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TMV 178	M-FC AGAR BASE (VEG.) for detection and enumeration of faecal coliforms by membrane filter technique at higher temp. (44.5°C)	52.10	500 gm	
TS 048	ROSOLIC ACID (0.1 gm/vl) *	#10 vl	5 vl	
TM 179	M-FC AGAR BASE MODIFIED for detection & enumeration of <i>Klebsiella</i> in water by membrane filter technique	49.60	500 gm	
TS 048	ROSOLIC ACID (0.1 gm/vl) *	#11 vl	5 vl	
TM 180	M-FC BROTH BASE for detection and enumeration of faecal coliforms by membrane filter technique at higher temp. (44.5°C)	37.10	500 gm	
TS 048	ROSOLIC ACID (0.1 gm/vl) *	#14 vl	5 vl	
TM 2186	M-FC BASAL MEDIUM for enumeration of faecal coliform by membrane filtration technique with the addition of fluorogenic and chromogenic supplement	39.50	500 gm	
TS 295	CHROMOGENIC SUPPLEMENT *	#14 vl	5 vl	
TS 296	MUG SUPPLEMENT (50 MG PER VIAL) *	#13 vl	5 vl	
TM 2187	M-FILTER RINSE BROTH used as a rinsing fluid in the membrane filtration procedure	09.00	500 gm	
TM 2188	M-(HPC) HETEROTROPHIC PLATE COUNT AGAR BASE for enumeration of heterotrophic microorganisms from water samples using membrane filter technique	60.00	500 gm	
TM 2189	M-(HPC) HETEROTROPHIC PLATE COUNT BROTH BASE for enumeration of heterotrophic microorganisms from water samples using membrane filter technique	45.00	500 gm	
TM 2190	M-HD ENDO BROTH for detection of coliforms in water samples by membrane filter technique	57.14	500 gm	
TM 2191	M-HD ENDO BROTH W/ BG for the detection of coliform in highly polluted waters using membrane filter technique	56.44	500 gm	
TM 2192	M-KLEB AGAR BASE recommended for selective isolation and differentiation of <i>Klebsiella</i> from water and other sources	36.22	100 gm 500 gm	
TS 257	KLEBSIELLA SELECTIVE SUPPLEMENT *	#28 vl	5 vl	
TM 1914	M-7 HR FC AGAR for examination of water and waste water	46.45	100 gm 500 gm	
TM 1233	M-(HPC) HETEROTROPHIC PLATE COUNT BROTH BASE for enumeration of heterotrophic microorganisms from water by membrane filter technique	45.00	500 gm	
TM 2193	M-LAURYL SULPHATE AGAR for enumeration of <i>Escherichia coli</i> and coliforms in water, using membrane filter technique	91.20	500 gm	
TM 2194	M-LAURYL SULPHATE BROTH for enumeration of <i>Escherichia coli</i> in water using membrane filtration technique	76.20	500 gm	
TM 775	M-LAURYL SULPHATE BROTH (ISO 9308-1:2000) for enumeration of <i>Escherichia coli</i> in water by membrane filter technique	77.20	500 gm	
TM 2195	M-MACCONKEY BROTH for detection of lactose fermenting and nonfermenting enteric bacteria using membrane filter technique	49.12	500 gm	
TM 2196	M-NUTRIENT BROTH for enumeration of bacteria using membrane filter technique	46.00	500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 2197	M-PA AGAR BASE for the detection and isolation of <i>Pseudomonas aeruginosa</i> by membrane filter technique	39.68	500 gm	
TS 297	M-PA SELECTIVE SUPPLEMENT *	#13 vI	5 vI	
TM 2198	M-PA AGAR for selective detection and isolation of <i>Pseudomonas aeruginosa</i> by membrane filter technique	35.17	500 gm	
TM 2199	M-PC BROTH for enumerating microorganisms by membrane filtration	17.00	500 gm	
TM 2200	M-STANDARD METHODS BROTH for enumeration of bacteria in milk and other samples of sanitary importance in dairy industries by membrane filter technique	17.00	500 gm	
TM 2201	M-STAPHYLOCOCCUS BROTH for detection and isolation of staphylococci by membrane filter technique	104.55	500 gm	
TM 2202	M-TEC AGAR for isolation, differentiation and rapid enumeration of thermotolerant <i>Escherichia coli</i> from water by membrane filtration	45.26	500 gm	
TM 2203	M-TERGITOL 7 AGAR BASE for selective isolation and identification of injured coliforms from chlorinated water using membrane filter technique	48.03	500 gm	
TM 2204	M-TERGITOL-7 AGAR W/ MEAT EXTRACT as a selective and differential medium for the recovery of injured coliform organisms from chlorinated water by membrane filter technique	53.85	500 gm	
TS 042	TTC SOLUTION 1% (10 ml/vI) *	#3 vI	5 vI 25 vI	
TM 2205	M-TETRATHIONATE BROTH BASE for selective enrichment of <i>Salmonella</i> using membrane filter technique	36.00	500 gm	
TM 2206	M-TRYPTONE GLUCOSE EXTRACT BROTH for enumeration of bacteria in milk and other samples of sanitary importance in dairy industries by membrane filter technique	18.00	500 gm	
TM 2207	M-YEAST AND MOULD BROTH for counting Yeasts and Moulds in samples by membrane filter technique	73.20	500 gm	
TM 2208	M-7 HR FC AGAR for examination of water and waste water	46.45	100 gm 500 gm	
TM 2209	6 MFA MEDIUM for cultivation of <i>Aspergillus ochraceous</i>	70.00	500 gm	
TM 2210	M16 AGAR (MODIFIED ROGOSA AGAR) * for cultivation and enumeration of lactic streptococci used in manufacture of cheddar cheese	36.00	500 gm	
TM 182	M17 AGAR BASE for cultivation of lactic streptococci and plaque assay of lactic bacteriophages	33.25	500 gm	
TMV 182	M17 AGAR BASE (VEG.) for cultivation of lactic streptococci and plaque assay of lactic bacteriophages	33.25	500 gm	
TM 183	M17 AGAR W/O LACTOSE for isolation and cultivation of lactic streptococci from dairy products like yogurt, cheese, etc.	48.25	500 gm	
TM 184	M17 AGAR W/ SODIUM GLYCEROPHOSPHATE (DOUBLE PACK) for cultivation of lactic streptococci and plaque assay of lactic bacteriophages	(Part I) 33.25 (Part II) 19.00	100 gm -	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 185	M17 BROTH for cultivation and isolation of lactic streptococci and their bacteriophages	42.25	100 gm 500 gm	
TM 2211	M17 AGAR WITH GLYCEROPHOSPHATE for cultivation of lactic streptococci and plaque assay of lactic bacteriophages	52.25	100 gm	
TM 2212	MP-5 MEDIUM for detection of pectinolytic microorganisms especially those producing polygalacturonase	33.20	500 gm	
TM 2213	MP-7 MEDIUM for cultivation of pectinolytic microorganisms especially those producing pectate lyase	33.20	500 gm	
TM 1561	MeReSA AGAR BASE for selective isolation and identification of methicillin resistant <i>staphylococcus aureus</i> from clinical specimens	80.12	500 gm	
TS 231	MeReSa SELECTIVE SUPPLEMENT *	#13 vI	5 vI	
TS 219	CEFOXITIN SUPPLEMENT*	#13 vI	5 vI	
TM 186	MIO MEDIUM (MOTILITY INDOLE ORNITHINE MEDIUM) for identification of <i>Enterobacteriaceae</i> on the basis of motility, indole production and ornithine decarboxylase activity	31.00	500 gm	
TMV 186	MIO MEDIUM (MOTILITY INDOLE ORNITHINE MEDIUM) (VEG.) for identification of <i>Enterobacteriaceae</i> on the basis of motility, indole production and ornithine decarboxylase activity	31.00	500 gm	
TM 781	MIU MEDIUM BASE for detection of motility, urease and indole production	18.00	500 gm	
TS 030	UREA 40% (5 ml/vI)*	#28 vI	5 vI 25 vI	
TM 782	MOF MEDIUM (MARINE OXIDATION FERMENTATION MEDIUM) for differentiation of marine bacteria by fermentative and oxidative metabolism of carbohydrates	22.14	500 gm	
TM 1024	MOX AGAR for cultivation of <i>Yersinia enterocolitica</i> from foodstuffs	46.74	500 gm	
TM 324	MR-VP MEDIUM (BUFFERED GLUCOSE BROTH) useful in differentiation of bacteria by MR-VP test	17.00	100 gm 500 gm	
TMV 324	MR-VP MEDIUM (BUFFERED GLUCOSE BROTH) (VEG.) useful in differentiation of bacteria by MR-VP test	17.00	100 gm 500 gm	
TM 685	MR-VP MEDIUM (BUFFERED GLUCOSE BROTH) (IS : 5887 (Part I, III and IV) 1976, reaffirmed 2005) for differentiation of coli-aerogenes group by MR-VP test	15.00	100 gm 500 gm	
TM 146	MRS AGAR (LACTOBACILLUS MRS AGAR) for isolation and cultivation of <i>Lactobacillus</i> species	67.15	100 gm 500 gm	
TMV 146	MRS AGAR (LACTOBACILLUS MRS AGAR) (VEG.) * for isolation and cultivation of <i>Lactobacillus</i> species	67.15	100 gm 500 gm	
TM 2214	MRS AGAR W/ pH 5.5 * for enrichment, isolation and cultivation of all <i>Lactobacillus</i> species	68.24	100 gm 500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 755	MRS AGAR, MODIFIED (LACTOBACILLUS HETEROFERM SCREEN AGAR) * for isolation and cultivation of <i>Lactobacillus</i> species from foods	62.20	500 gm	
TM 2215	MRS AGAR, MODIFIED (ISO 15214:1998) * for isolation and enumeration of mesophilic lactic acid bacteria from food	69.21	500 gm	
TM 2443	MRS AGAR, W/LOW pH * for cultivation of all <i>Lactobacillus</i> species from all types of material	64.15	500 gm	
TM 147	MRS BROTH (LACTOBACILLUS MRS BROTH) for isolation and cultivation of <i>Lactobacillus</i> species	55.15	100 gm 500 gm	
TMV 147	MRS BROTH (LACTOBACILLUS MRS BROTH) (VEG.) * for isolation and cultivation of <i>Lactobacillus</i> species	55.15	100 gm 500 gm	
TM 2216	MRS BROTH W/LOW pH (Store between 10-25°C) for cultivation of all <i>Lactobacillus</i> species from all types of material	52.15	500 gm	
TM 187	MRS BROTH, MODIFIED (LACTOBACILLUS HETEROFERM SCREEN BROTH) * for isolation and cultivation of <i>Lactobacillus</i> species from foodstuffs	47.20	500 gm	
TM 2217	MRS SELECTIVE AGAR BASE (ISO 20128:2006) recommended for the selective cultivation of Lactic Acid Bacteria from food	65.15	100 gm 500 gm	
TS 298	CIPROFLOXACIN CLINDAMYCIN SELECTIVE SUPPLEMENT*	#8 vl	5 vl	
TM 2218	MSM BROTH BASE recommended as an enrichment medium for <i>Salmonella</i> species	12.63	500 gm	
TS 299	GROWTH SUPPLEMENT I FOR MSM *	#40 vl	5 vl	
TS 300	GROWTH SUPPLEMENT II FOR MSM *	#40 vl	5 vl	
TM 2219	M-T 7 Agar recommended for growth and recovery of injured <i>E. coli</i> and total coliforms from water samples by membrane filtration	48.60	500 gm	
TM 2220	MUD SF BROTH BASE for detection and enumeration of intestinal enterococci on surface and waste water by MPN method	53.65	500 gm	
TS 042	TTC SOLUTION 1% (10 ml/vl) *	#10 vl	5 vl 25 vl	
TS 157	ENTEROCOCCUS SELECTIVE SUPPLEMENT *	#94 vl	5 vl	
TM 1388	MUG SF BROTH BASE for detection and enumeration of intestinal enterococci on surface and waste water by MPN method	53.65	500 gm	
TS 042	TTC SOLUTION 1% (10 ml/vl) *	#10 vl	5 vl 25 vl	
TS 157	ENTEROCOCCUS SELECTIVE SUPPLEMENT *	#94 vl	5 vl	
TM 1026	MUG BRILLIANT GREEN BILE BROTH * for detection of <i>Escherichia coli</i> in water and food by a fluorogenic method	40.10	500 gm	
TM 1389	MUG BROMOCRESOL PURPLE BROTH W/ LACTOSE * for identification of <i>Escherichia coli</i> and coliform bacteria from water by fluorogenic assay method	36.03	500 gm	
TM 1027	MUG EC BROTH * for detection of <i>Escherichia coli</i> in water and food by fluorogenic method	37.00	500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 1571	MUG EC BROTH, MODIFIED * recommended for detection and enumeration of <i>Escherichia coli</i> on surface and waste water by miniaturized method (MPN)	42.10	500 gm	
TM 1028	MUG LAURYL SULPHATE BROTH * for detection of <i>Escherichia coli</i> in water and food by a fluorogenic method	35.65	500 gm	
TM 1572	MUG LAURYL SULPHATE BROTH, MODIFIED (ISO 11866-2-1997) * for selective enrichment of presumptive <i>Escherichia coli</i> and other coliforms from milk & milk products. Also, recommended for enumeration purpose using of Most Probable Number (MPN) method	36.70	500 gm	
TM 1029	MUG MacCONKEY AGAR * for selective isolation and detection of lactose fermenting coliform organisms by fluorogenic method	51.63	500 gm	
TM 1391	MUG MFC AGAR * for cultivation and enumeration of faecal coliforms by the membrane filter technique	39.60	500 gm	
TM 1030	MUG NUTRIENT AGAR * for detection of <i>Escherichia coli</i> in water and food samples by a fluorogenic method	28.10	500 gm	
TM 1031	MUG PLATE COUNT AGAR * for determination of plate count of microorganisms in milk and other dairy products by fluorogenic method	23.60	500 gm	
TM 1200	MUG PSEUDOMONAS AGAR BASE (FLUOROGENIC PSEUDOMONAS AGAR BASE) * for selective isolation of <i>Pseudomonas aeruginosa</i> by fluorogenic method	46.75	100 gm 500 gm	
TM 1392	MUG SORBITOL AGAR * for isolation and identification of enteropathogenic <i>Escherichia coli</i> associated with infant diarrhoea by fluorogenic method	50.13	500 gm	
TM 1235	MUG TRYPTONE SOYA AGAR (MUG CASO AGAR) * for cultivation of fastidious and nonfastidious microorganisms using fluorogenic method	40.10	500 gm	
TM 1236	MUG TRYPTONE WATER * for detection of indole production by microorganisms using fluorogenic method	15.05	500 gm	
TM 1032	MUG VIOLET RED BILE AGAR * for detection and enumeration of coliform organisms by a fluorogenic method	41.63	500 gm	
TM 1033	MY 40 AGAR (OSMOPHILIC AGAR) for isolation and detection of osmophilic microorganisms from food samples	445.00	500 gm	
TM 1034	MY 40G AGAR (OSMOPHILIC GLUCOSE AGAR) for isolation and cultivation of osmotolerant microorganisms from food	427.00	500 gm	
TM 197	MYP AGAR BASE (PHENOL RED EGG YOLK POLYMYXIN AGAR BASE) (IS : 5887 (Part VI) 1976, reaffirmed 2005) for detection and isolation of osmophilic microorganisms from food samples	46.00	100 gm 500 gm	
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT *	#22 vl	5 vl 25 vl	
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#11 vl	5 vl	
TMV 197	MYP AGAR BASE (PHENOL RED EGG YOLK POLYMYXIN AGAR BASE) (VEG.) for isolation and identification of pathogenic staphylococci and <i>Bacillus</i> species	46.00	100 gm 500 gm	
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT *	#22 vl	5 vl 25 vl	
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#11 vl	5 vl	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 2221	MYP AGAR BASE for isolation and identification of <i>Bacillus cereus</i> in accordance with FDA BAM, 1998	46.03	500 gm	
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT *	#22 vI	5 vI 25 vI	
TS 002	EGG YOLK EMULSION (100 ml/vI) *	#6 vI	5 vI	
TM 1898	MacCONKEY AGAR for cultivation and differentiation of enteric bacteria and gram-positive microorganisms from clinical samples especially <i>Enterococcus faecalis</i> within 18 hours	55.00	100 gm 500 gm	
TMH 118	MacCONKEY AGAR (as per USP/EP/BP/JP) for selective isolation and differentiation of <i>E. coli</i> and other enteric bacteria from pharmaceutical products in accordance with the microbial limit testing by harmonized method	50.03	100 gm 500 gm	
TM 337	MacCONKEY AGAR (W/ CV, NaCl, 0.15% BILE SALTS & 1% LACTOSE) for isolation of coliform and lactose fermenting enteric bacteria	51.55	100 gm 500 gm	
TMV 337	MacCONKEY AGAR (W/ CV, NaCl, 0.15% BILE SALTS & 1% LACTOSE) (VEG.) for isolation of coliform and lactose fermenting enteric bacteria	51.55	100 gm 500 gm	
TM 379	MacCONKEY AGAR (W/ 0.15% BILE SALTS, CV & NaCl) for selective isolation and differentiation of coliform organisms and other enteric bacteria from clinical and non-clinical samples	51.50	100 gm 500 gm	
TMV 379	MacCONKEY AGAR (W/ 0.15% BILE SALTS, CV & NaCl)(VEG.) for selective isolation and differentiation of coliform organisms and other enteric bacteria from clinical and non-clinical samples	51.50	100 gm 500 gm	
TM 378	MacCONKEY AGAR (W/ SODIUM TAUROCHOLATE W/O CV & NaCl.) for cultivation and differentiation of enteric bacteria and gram positive organisms	55.00	100 gm 500 gm	
TMV 378	MacCONKEY AGAR (W/ SODIUM TAUROCHOLATE W/O CV & NaCl.) (VEG.) for cultivation and differentiation of enteric bacteria and gram positive organisms	55.00	100 gm 500 gm	
TMH 378	MacCONKEY AGAR (W/O CV, NaCl, W/ 0.5% SODIUM TAUROCHOLATE) for the selection and recovery of the <i>Enterobacteriaceae</i> and related enteric gram-negative bacilli from clinical, food and water samples	55.04	100 gm 500 gm	
TM 232	MacCONKEY AGAR (W/ 0.075 NR, 0.5% BILE SALTS & 1.2% AGAR W/O CV & NaCl) for isolation and differentiation of lactose fermenting and nonlactose fermenting enteric bacteria	47.00	500 gm	
TMV 232	MacCONKEY AGAR (W/ 0.075 NR, 0.5% BILE SALTS & 1.2% AGAR W/O CV & NaCl) (VEG.) for isolation and differentiation of lactose fermenting and nonlactose fermenting enteric bacteria	47.00	500 gm	
TM 349	MacCONKEY AGAR (W/O CV, W/ 0.15% BILE SALTS & NaCl) for isolation and differentiation of lactose fermenting and lactose nonfermenting enteric bacteria	51.53	100 gm 500 gm	
TMV 349	MacCONKEY AGAR (W/O CV, W/ 0.15% BILE SALTS & NaCl) (VEG.) for isolation and differentiation of lactose fermenting and lactose nonfermenting enteric bacteria	51.53	100 gm 500 gm	
TM 528	MacCONKEY AGAR (W/O CV, W/ 1.2% AGAR) for selective isolation and differentiation of lactose fermenting and lactose nonfermenting enteric bacteria	48.53	500 gm	
TM 527	MacCONKEY AGAR (W/O CV, W/ 0.075 NR & BILE SALTS, NaCl) (MacCONKEY AGAR NO.1) for selective isolation and differentiation of lactose fermenting and lactose nonfermenting enteric bacteria	52.00	500 gm	
TM 2222	MacCONKEY AGAR (W/ CV W/O NaCl) recommended for the selection and recovery of the <i>Enterobacteriaceae</i> and related enteric gram - negative bacilli	46.53	100 gm 500 gm	

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE
TM 2223	MacCONKEY AGAR (W/O CV, W/0.5% SODIUM TAUROCHOLATE) for isolation and differentiation of lactose fermenting and lactose non-fermenting enteric bacteria	55.07	500 gm
TM 2224	MacCONKEY AGAR MEDIUM for isolation and differentiation of lactose fermenting and lactose non-fermenting enteric bacteria and also for isolation of faecal streptococci	55.37	500 gm
TM 1697	MacCONKEY AGAR MEDIUM (as per USP 31) for selective isolation and differentiation of lactose fermenting and non lactose fermenting enteric bacteria	50.00	500 gm
TM 1698	MacCONKEY AGAR MEDIUM (as per IP) for selective isolation and differentiation of lactose fermenting and non lactose fermenting enteric bacteria	50.03	500 gm
TM 1036	MacCONKEY AGAR (IS : 5887 (Part I and II) 1976, reaffirmed 2005) for isolation and differentiation of lactose fermenting and non-fermenting lactose enteric bacteria	55.07	100 gm 500 gm
TM 198	MacCONKEY AGAR (W/ BROMO THYMOL BLUE) for detection of lactose fermenting enteric bacteria	51.53	100 gm 500 gm
TM 2225	MacCONKEY AGAR II (W/O CV) for selective isolation and differentiation of lactose fermenting and lactose non-fermenting enteric bacteria	50.03	500 gm
TM 2226	MacCONKEY AGAR (W/ MAGNESIUM SULPHATE) for selective isolation and differentiation of lactose fermenting and lactose non-fermenting enteric bacteria	47.27	100 gm 500 gm
TM 199	MacCONKEY AGAR BASE (W/O CARBOHYDRATE) for detection of carbohydrate fermentation by adding single or multiple carbohydrates	40.03	500 gm
TM 582	MacCONKEY AGAR, MODIFIED for isolation of <i>Klebsiella</i> species from water samples	50.03	100 gm
TS 257	KLEBSIELLA SELECTIVE SUPPLEMENT *	#4 vI	5 vI
TM 2227	MacCONKEY AGAR, RS for isolating and differentiating Gram negative enteric <i>bacilli</i> from specimens containing swarming strains of <i>Proteus</i> species	53.53	100 gm 500 gm
TMH 110	MacCONKEY AGAR (as per USP/EP/BP/JP) for isolation, enumeration and enrichment of <i>Enterobacteriaceae</i>	50.03	100 gm 500 gm
TM 1875	MacCONKEY BROTH PURPLE (W/ BCP) (ISO 9308-2:1990) for presumptive identification of coliforms from water	40.01	100 gm 500 gm
TM 529	MacCONKEY BROTH (W/ BCP & NaCl) (ISO 9308-2:1990) for presumptive identification of coliforms from water, milk and foods etc	40.00	100 gm 500 gm
TMV 529	MacCONKEY BROTH (W/ BCP & NaCl) (VEG.) for presumptive identification of coliforms from water, milk and foods etc	40.00	100 gm 500 gm
TM 381	MacCONKEY BROTH (W/ BCP) (DOUBLE STRENGTH) for presumptive identification of coliforms from large samples	80.02	100 gm 500 gm
TM 323	MacCONKEY BROTH (W/ BCP W/O NaCl) for presumptive identification of coliforms from water, milk and foods	35.00	100 gm 500 gm

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 1240	MacCONKEY BROTH W/ BCP (as per BIS) for presumptive identification of coliforms from water, milk and foods	40.02	100 gm 500 gm	
TM 322	MacCONKEY BROTH (W/NEUTRAL RED) for selective enrichment and enumeration of coliforms from water	40.07	100 gm 500 gm	
TMV 322	MacCONKEY BROTH (W/NEUTRAL RED) (VEG.) for selective enrichment and enumeration of coliforms from water	40.00	100 gm 500 gm	
TM 1238	MacCONKEY BROTH (W/NEUTRAL RED) (IS : 5887 (Part I and II) 1976, reaffirmed 2005) for selective enrichment and enumeration of coliforms	40.07	100 gm 500 gm	
TM 380	MacCONKEY BROTH (W/NEUTRAL RED) (DOUBLE STRENGTH) for primary isolation of coliforms from large samples such as water or waste water	80.00	100 gm 500 gm	
TMV 380	MacCONKEY BROTH (W/NEUTRAL RED) (DOUBLE STRENGTH) (VEG.) for primary isolation of coliforms from large samples such as water or waste water	80.00	100 gm 500 gm	
TM 1239	MacCONKEY BROTH (W/ NEUTRAL RED) (DOUBLE STRENGTH) (IS : 5887 (Part I) 1976, reaffirmed 2005) for primary isolation of coliforms from large samples like water	80.14	100 gm 500 gm	
TMH 109	MacCONKEY BROTH (as per USP/EP/JP/BP) for detection enumeration of coliform bacteria	35.01	100 gm 500 gm	
TM 2229	MacCONKEY BROTH MEDIUM 7 for the selective identification of <i>E. coli</i> from pharmaceutical products in accordance with Indian Pharmacopeia 2014	35.01	100 gm 500 gm	
TM 2230	MacCONKEY BROTH PURPLE (IS: 5401-1:2012) for presumptive identification of coliforms from variety of specimens such as water, milk and food etc	40.02	100 gm 500 gm	
TM 1393	MacCONKEY SORBITOL AGAR BASE a selective medium for isolation and detection of <i>Escherichia coli</i> O157:H7 from food and animal feedstuff	50.03	100 gm 500 gm	
TS 087	TELLURITE-CEFIXIME SUPPLEMENT *	#20 vl	5 vl	
TM 1915	MacCONKEY SORBITOL AGAR BASE (ISO 16654-2001) a selective medium for isolation and detection of <i>Escherichia coli</i> O157:H7	50.03	500 gm	
TS 087	TELLURITE-CEFIXIME SUPPLEMENT *	#20 vl	5 vl	
TM 2231	MacCONKEY SORBITOL AGAR BASE W/ RHAMNOSE for improved differentiation of <i>Escherichia coli</i> O157:H7 from background flora	56.53	500 gm	
TS 301	CEFIXIME SUPPLEMENT *	#18 vl	5 vl	
TM 1241	MAINTENANCE (SCY) MEDIUM for maintenance of iron bacteria	12.26	500 gm	
TM 1242	MAINTENANCE MEDIUM FOR B.SUBTILIS ATCC 6633 for maintenance of <i>Bacillus subtilis</i> ATCC 6633 as the test organism for assay of antibiotics	30.50	100 gm	
TM 633	MALACHITE GREEN BROTH for selective enrichment of <i>Pseudomonas aeruginosa</i>	25.13	500 gm	
TM 202	MALONATE BROTH for differentiation of <i>Enterobacter</i> and <i>Escherichia</i> species on the basis of malonate utilization	08.00	100 gm	

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 203	MALONATE BROTH EWING MODIFIED for differentiation of members of <i>Enterobacteriaceae</i> on the basis of malonate utilization	09.30	100 gm	
TM 382	MALT AGAR for cultivation and isolation of Yeasts and Moulds	45.00	100 gm 500 gm	
TM 2232	MALT AGAR W/ 2% AGAR for the detection and isolation of Yeasts and Moulds from dairy products, foods and other materials. Also used for carrying stock cultures of Yeasts and Moulds in accordance with FDA BAM, 1998	50.00	500 gm	
TS 302	CHLORTETRACYCLINE SELECTIVE SUPPLEMENT, MODIFIED *	#10 vl	5 vl	
TM 2234	MALT AGAR, MODIFIED for isolation and enumeration of Yeasts and Moulds from food products in accordance with FDA BAM, 1998	40.00	500 gm	
TM 2233	2% MALT EXTRACT AGAR for the detection, isolation and enumeration of Yeasts and Moulds	35.00	500 gm	
TM 2235	MALT EXTRACT AGAR BASE for detection and cultivation of Yeasts	61.00	500 gm	
TM 204	MALT EXTRACT AGAR BASE W/ MYCOLOGICAL PEPTONE for detection, isolation and enumeration of Yeasts and Moulds	50.00	500 gm	
TS 049	10% LACTIC ACID SOLUTION (10 ml/vl) *	#20 vl	5 vl 25 vl	
TMV 204	MALT EXTRACT AGAR BASE W/ MYCOLOGICAL PEPTONE (VEG.) for detection, isolation and enumeration of Yeasts and Moulds	50.00	500 gm	
TS 049	10% LACTIC ACID SOLUTION (10 ml/vl) *	#20 vl	5 vl 25 vl	
TM 2236	MALT EXTRACT AGAR BASE, MODIFIED AS PER THOM AND CHURCH for isolation, detection and enumeration of Yeasts and Moulds	31.28	500 gm	
TM 205	MALT EXTRACT BROTH BASE for detection and enumeration of Yeasts, Moulds and aciduric microorganisms	20.00	500 gm	
TS 049	10% LACTIC ACID SOLUTION (10 ml/vl) *	#50 vl	5 vl 25 vl	
TMV 205	MALT EXTRACT BROTH BASE (VEG.) for detection and enumeration of Yeasts, Moulds and aciduric microorganisms	20.00	500 gm	
TS 049	10% LACTIC ACID SOLUTION (10 ml/vl) *	#50 vl	5 vl 25 vl	
TM 1244	MALT EXTRACT BROTH, MODIFIED (as per Thom and Church) for isolation, detection and enumeration of Yeasts and Moulds	15.00	500 gm	
TM 2237	MALT EXTRACT GLUCOSE PEPTONE AGAR for isolation and enumeration of Yeasts and Moulds from food products in accordance with FDA BAM, 1998	61.00	500 gm	
TM 2238	MALT YEAST AGAR for the cultivation and maintenance of Yeasts and Moulds	41.00	500 gm	
TM 2239	MANNITOL AGAR W/ PRILION selective agar medium for isolation and differentiation of <i>Salmonella</i> from <i>Proteus</i> species	54.50	100 gm 500 gm	
TM 1843	MANNITOL EGG YOLK POLYMYXIN AGAR (ISO 7932:2004, ISO 21871:2006) for the enumeration of <i>B. cereus</i> in foodstuffs and other samples	46.03	500 gm	
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT *	#22 vl	5 vl 25 vl	
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#11 vl	5 vl	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 784	MANNITOL LYSINE AGAR for selective isolation of <i>Salmonella</i> other than <i>Salmonella typhi</i> and <i>Salmonella paratyphi</i> A	49.00	500 gm	
TM 531	MANNITOL MOTILITY NITRATE MEDIUM for studying mannitol fermentation, nitrate reduction and motility of bacteria	22.04	500 gm	
TM 530	MANNITOL MOTILITY TEST MEDIUM for studying mannitol fermentation and motility of bacteria	26.00	100 gm 500 gm	
TMV 530	MANNITOL MOTILITY TEST MEDIUM (VEG.) for studying mannitol fermentation and motility of bacteria	26.00	100 gm 500 gm	
TM 206	MANNITOL SALT AGAR BASE for selective isolation of pathogenic staphylococci from clinical and non-clinical samples	111.00	100 gm 500 gm	
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#3 vl	5 vl	
TMV 206	MANNITOL SALT AGAR BASE (VEG.) for selective isolation of pathogenic staphylococci	111.00	100 gm 500 gm	
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#3 vl	5 vl	
TMH 114	MANNITOL SALT AGAR BASE (as per USP/BP/EP/JP) for selective isolation and enumeration of staphylococci species	111.02	100 gm 500 gm	
TS 002	EGG YOLK EMULSION (100ml/vl) *	#3 vl	5 vl	
TMHV 114	MANNITOL SALT AGAR BASE (as per USP/BP/EP/JP) (VEG.) for selective isolation and enumeration of staphylococci species	111.02	100 gm	
TS 002	EGG YOLK EMULSION (100ml/vl) *	#3 vl	5 vl	
TM 403	MANNITOL SALT BROTH for selective isolation of presumptive pathogenic staphylococci	96.00	100 gm 500 gm	
TMV 403	MANNITOL SALT BROTH (VEG.) for selective isolation of presumptive pathogenic staphylococci	96.00	100 gm 500 gm	
TM 1454	MANNITOL SELENITE BROTH (DOUBLE PACK) for selective enrichment of <i>Salmonella</i> from clinical samples	(Part I) 19.00 (Part II) 04.00	500 gm -	
TM 2240	MANNITOL SELENITE BROTH W/ BRILLIANT GREEN (DOUBLE PACK) for enrichment of <i>Salmonella</i> from faeces, foodstuffs and other materials	(Part I) 23.75 (Part II) 04.00	500 gm -	
TM 207	MARINE AGAR 2216 (ZOBELL MARINE AGAR) for cultivation, isolation and enumeration of heterotrophic marine bacteria	55.25	100 gm 500 gm	
TM 208	MARINE BROTH 2216 (ZOBELL MARINE BROTH) for cultivation, isolation and enumeration of heterotrophic marine bacteria	40.25	100 gm 500 gm	
TM 782	MARINE OXIDATION FERMENTATION MEDIUM (MOF MEDIUM) for differentiation of marine bacteria on the basis of fermentation and oxidation of carbohydrates	22.14	500 gm	
TMV 782	MARINE OXIDATION FERMENTATION MEDIUM (MOF MEDIUM) (VEG.) for differentiation of marine bacteria on the basis of fermentation and oxidation of carbohydrates	22.14	500 gm	
TM 209	MAXIMUM RECOVERY DILUENT a protective and isotonic diluent used for maximal recovery of microorganisms	09.50	500 gm	
TM 905	MCBRIDE LISTERIA AGAR BASE for selective isolation and cultivation of <i>Listeria</i> species from clinical samples and foodstuff	46.00	500 gm	
TS 096	MCBRIDE LISTERIA SUPPLEMENT *	#11 vl	5 vl	
TM 210	MCCLUNG TOABE AGAR BASE for detection and isolation of <i>Clostridium perfringens</i> in foods	75.00	500 gm	
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#7 vl	5 vl	
TM 2241	MEAT EXTRACT BROTH for routine cultivation of non fastidious bacteria	18.00	500 gm	

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 1040	MEAT EXTRACT W/ PEPTONE (PEPTED MEAT BROTH) for cultivation and maintenance of <i>Alcaligenes species</i>	28.00	500 gm	
TM 864	MEAT INFUSION AGAR (STANDARD INFUSION AGAR) for mass cultivation of microorganisms for vaccine or toxin production	50.00	500 gm	
TM 2242	MEDIUM 8. RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENT BROTH for selective enrichment of <i>Salmonella</i> species from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of IP	27.11	500 gm	
TM 1041	MEHLMAN'S MAINTENANCE MEDIUM for maintenance of <i>Campylobacter species</i>	38.02	500 gm	
TM 1864	MGYP AGAR for isolation and cultivation of wild Yeasts in the brewing industry	41.00	500 gm	
TM 1863	MGYP AGAR WITH COPPER for isolation and cultivation of wild Yeasts in the brewing industry	41.40	500 gm	
TM 614	MICROBIAL CONTENT TEST AGAR (TRYPTONE SOYA AGAR W/ TWEEN 80 AND LECITHIN) for detection & enumeration of microorganisms present on the surfaces of sanitary importance	45.70	100 gm 500 gm	
TMV 614	MICROBIAL CONTENT TEST AGAR (VEG.)(TRYPTONE SOYA AGAR W/ TWEEN 80 AND LECITHIN) (VEG.) for presumptive identification of coliforms from water, milk and foods etc	45.70	100 gm 500 gm	
TM 2243	MICRO VITAMIN TEST CULTURE AGAR for cultivation and maintenance of stock cultures of used in microbiological assays of vitamins	52.10	100 gm	
TM 2244	MICRO VITAMIN TEST INOCULUM BROTH for cultivation and maintenance of stock cultures of used in microbiological assays of vitamins	37.10	100 gm	
TM 590	MIDDLEBROOK 7H9 AGAR BASE for isolation, cultivation and sensitivity testing of <i>Mycobacterium tuberculosis</i>	19.60	500 gm	
TS 060	MIDDLEBROOK OADC GROWTH SUPPLEMENT *	#51 vl	5 vl	
TM 213	MIDDLEBROOK 7H9 BROTH BASE for cultivation and sensitivity testing of <i>Mycobacterium tuberculosis</i>	04.70	500 gm	
TM 214	MIDDLEBROOK 7H10 AGAR BASE for isolation, cultivation and sensitivity testing of <i>Mycobacterium tuberculosis</i>	19.47	500 gm	
TS 060	MIDDLEBROOK OADC GROWTH SUPPLEMENT *	#52 vl	5 vl	
TM 618	MIDDLEBROOK 7H10 AGAR BASE, 'TBL' for isolation, cultivation and sensitivity testing of <i>Mycobacterium tuberculosis</i>	19.49	500 gm	
TS 060	MIDDLEBROOK OADC GROWTH SUPPLEMENT *	#52 vl	5 vl	
TM 218	MILK AGAR W/CETRIMIDE (DOUBLE PACK) for cultivation and enumeration of <i>Pseudomonas aeruginosa</i> in water	(Part I) 133.00 (Part II) 26.40	500 gm -	
TM 786	MIDDLEBROOK 7H11 AGAR BASE for isolation, cultivation and sensitivity testing of <i>Mycobacteria</i>	20.50	500 gm	
TS 060	MIDDLEBROOK OADC GROWTH SUPPLEMENT *	#49 vl	5 vl	
TM 215	MIDDLEBROOK 7H11 AGAR BASE W/O MALACHITE GREEN for isolation, cultivation and determination of antimicrobial susceptibility of <i>Mycobacteria</i>	20.50	500 gm	
TS 060	MIDDLEBROOK OADC GROWTH SUPPLEMENT *	#49 vl	5 vl	
TM 445	MILK AGAR for enumeration of bacteria in milk and milk products, rinse waters and ice creams etc	24.00	100 gm 500 gm	
TM 217	MILK AGAR (BROWN AND SCOTT, MODIFIED) (DOUBLE PACK) for enumeration of <i>Pseudomonas aeruginosa</i> in swimming pool waters	(Part I) 100.00 (Part II) 28.00	500 gm -	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME		F.Wt. Gm/Ltr	PACK SIZE	
TM 787	MILK AGAR W/CETRIMIDE (DOUBLE PACK) (IS: 13428:1998, reaffirmed 2005) for detection and enumeration of <i>Pseudomonas aeruginosa</i> in water	(Part I) (Part II)	100.00 19.80	120 gm 500 gm	
TM 788	MILK MEDIUM WITH A REDUCING AGENT for determination of litmus reaction of <i>Clostridium</i> species		115.50	500 gm	
TM 1042	MILK SALT AGAR BASE for selective isolation and cultivation of <i>Staphylococcus</i> species		88.00	500 gm	
TM 376	MILLER LURIA BERTANI AGAR (LURIA BERTANI AGAR, MILLER) for cultivation and maintenance of recombinant strains of <i>Escherichia coli</i>		40.00	500 gm	
TMV 376	MILLER LURIA BERTANI AGAR (LURIA BERTANI AGAR, MILLER) (VEG.) for cultivation and maintenance of recombinant strains of <i>Escherichia coli</i>		40.00	500 gm	
TM 406	MILLER LURIA BERTANI BROTH (LURIA BERTANI BROTH, MILLER) for cultivation and maintenance of recombinant strains of <i>Escherichia coli</i> for genetic and molecular studies and may be used for routine cultivation of not particularly fastidious microorganisms		25.00	500 gm	
TMV 406	MILLER LURIA BERTANI BROTH (LURIA BERTANI BROTH, MILLER) (VEG.) for cultivation and maintenance of recombinant strains of <i>Escherichia coli</i> for genetic and molecular studies and may be used for routine cultivation of not particularly fastidious microorganisms		25.00	500 gm	
TM 1857	MINERAL MODIFIED GLUTAMATE BROTH BASE (ISO 16649-3:2005) for enumeration of coliform bacteria in water and waste water samples		17.70	500 gm	
TM 1245	MINERAL MODIFIED GLUTAMATE MEDIUM BASE (DOUBLE STRENGTH) (DOUBLE PACK) for the enumeration of coliform bacteria in water and waste water	(Part I) (Part II)	22.70 12.70	500 gm	
TM 1043	MINERAL MODIFIED GLUTAMATE MEDIUM BASE (DOUBLE STRENGTH) for enumeration of coliform bacteria in water		22.70	500 gm	
TM 2245	MINERAL MODIFIED GLUTAMATE AGAR BASE (DOUBLE PACK) (ISO 6391:1997) for enumeration of <i>Escherichia coli</i> from meat and meat products	(Part I) (Part II)	26.29 06.35	500 gm -	
TM 591	MINIMAL AGAR for isolation and characterization of nutritional mutants of <i>Escherichia coli</i>		26.60	500 gm	
TM 219	MINIMAL BROTH, DAVIS for isolation and characterization of nutritional mutants of <i>Escherichia coli</i>		11.60	500 gm	
TM 220	MINIMAL BROTH, DAVIS W/O DEXTROSE for isolation and characterization of nutritional mutants of <i>Escherichia coli</i>		10.60	500 gm	
TM 1044	5X MINIMUM SALTS for cultivation of recombinant strains of <i>Escherichia coli</i>		56.40	500 gm	
TM 1045	MINIMUM SALTS W/ CASEIN ACID HYDROLYSATE for cultivation of <i>Escherichia coli</i> strains used for genetic and molecular studies		19.54	500 gm	
TM 221	MITIS SALIVARIUS AGAR BASE for isolation of streptococci from mixed cultures, especially <i>Streptococcus mitis</i> , <i>Streptococcus salivarius</i> and <i>Streptococcus faecalis</i> from grossly contaminated specimens		90.00	500 gm	
TS 005	POTASSIUM TELLURITE 1% (1ml /vl) *		#1 vl	5 vl 25 vl	
TMV 221	MITIS SALIVARIUS AGAR BASE (VEG.) for isolation of streptococci from mixed cultures, especially <i>Streptococcus mitis</i> , <i>Streptococcus salivarius</i> and <i>Streptococcus faecalis</i> from grossly contaminated specimens		90.00	500 gm	
TS 005	POTASSIUM TELLURITE 1% (1 ml/vl) *		#1 vl	5 vl 25 vl	

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 1623	MN AGAR for detection of <i>Leptothrix</i> by its ability to oxidize manganese ions	15.40	500 gm	
TM 085	MOELLER DECARBOXYLASE BROTH BASE (DECARBOXYLASE BROTH BASE, MOELLER) for differentiation of bacteria on the basis of their ability to decarboxylate the amino acid	10.52	100 gm 500 gm	
TM 789	MOELLER DECARBOXYLASE BROTH W/ ARGININE HCL for differentiation of bacteria on the basis of their ability to decarboxylate L-Arginine hydrochloride	20.52	100 gm	
TMV 789	MOELLER DECARBOXYLASE BROTH W/ ARGININE HCL (VEG.) for differentiation of bacteria on the basis of their ability to decarboxylate L-Arginine hydrochloride	20.52	100 gm	
TM 790	MOELLER DECARBOXYLASE BROTH W/ LYSINE HCL for differentiation of bacteria on the basis of their ability to decarboxylate L-Lysine hydrochloride	20.52	100 gm	
TMV 790	MOELLER DECARBOXYLASE BROTH W/ LYSINE HCL (VEG.) for differentiation of bacteria on the basis of their ability to decarboxylate L-Lysine hydrochloride	20.52	100 gm	
TM 791	MOELLER DECARBOXYLASE BROTH W/ ORNITHINE HCL for differentiation of bacteria on the basis of their ability to decarboxylate L-Ornithine hydrochloride	20.52	100 gm	
TMV 791	MOELLER DECARBOXYLASE BROTH W/ ORNITHINE HCL (VEG.) for differentiation of bacteria on the basis of their ability to decarboxylate L-Ornithine hydrochloride	20.52	100 gm	
TM 1398	MOLD INHIBITORY AGAR, ULRICH for isolation of pathogenic fungi	36.17	500 gm	
TM 1048	MONSUR MEDIUM BASE for selective isolation and differentiation of <i>Vibrio cholerae</i> and other <i>Vibrio</i> from pathological samples	71.00	100 gm 500 gm	
TS 005	POTASSIUM TELLURITE 1% (1 ml/vl) *	#4 vl	5 vl 25 vl	
TM 225	MOTILITY-INDOLE-LYSINE MEDIUM (MIL MEDIUM) for identification of members of <i>Enterobacteriaceae</i> on the basis of motility, lysine decarboxylase, lysine deaminase and indole production	36.52	100 gm 500 gm	
TMV 225	MOTILITY-INDOLE-LYSINE MEDIUM (MIL MEDIUM) (VEG.) for identification of members of <i>Enterobacteriaceae</i> on the basis of motility, lysine decarboxylase, lysine deaminase and indole production	36.52	100 gm 500 gm	
TM 226	MOTILITY MEDIUM S BASE for detection of bacterial motility on the basis of TTC reduction	60.00	500 gm	
TS 042	TTC SOLUTION 1% (10 ml/vl) *	#9 vl	5 vl 25 vl	
TM 792	MOTILITY NITRATE MEDIUM, BUFFERED for isolation and detection of <i>Clostridium perfringens</i> on the basis of motility and nitrate test	23.50	500 gm	
TM 2246	MOTILITY NITRATE MEDIUM, BUFFERED (ISO 7937:2004) for isolation and detection of <i>Clostridium perfringens</i> on the basis of motility and nitrate test	19.50	500 gm	
TM 793	MOTILITY SULPHIDE MEDIUM for detection of motility and hydrogen sulphide production by pure cultures	104.44	500 gm	
TM 227	MOTILITY TEST MEDIUM for detection of bacterial motility	20.00	500 gm	
TM 2247	MOTILITY TEST MEDIUM (EDWARDS AND EWING) for testing motility of enteric bacteria	22.00	500 gm	
TM 228	MOTILITY TEST MEDIUM (EDWARDS AND EWING) (IS: 5887 (Part I and V) 1976, reaffirmed 2005) for testing motility of enteric bacteria	22.00	500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 2248	MUCATE BROTH for identification of enteropathogenic <i>Escherichia coli</i> and <i>Salmonella</i> species from milk and milk products	20.02	500 gm	
TM 2249	MUCATE CONTROL BROTH for identification of enteropathogenic <i>Escherichia coli</i> and <i>Salmonella</i> species from milk and milk products	10.02	500 gm	
TM 339	MUELLER HINTON AGAR for cultivation of <i>Neisseria</i> spp. & for determination of susceptibility of microorganisms to antimicrobial agents isolated from clinical samples	38.00	100 gm 500 gm	
TMV 339	MUELLER HINTON AGAR (VEG.) for cultivation of <i>Neisseria</i> spp. & for determination of susceptibility of microorganisms to antimicrobial agents isolated from clinical samples	38.00	100 gm 500 gm	
TM 2450	MUELLER HINTON AGAR, TBL for cultivation of <i>Neisseria</i> spp. & for determination of susceptibility of microorganisms to antimicrobial agents isolated from clinical samples	38.00	500 gm	
TM 2250	MUELLER HINTON AGAR 2% GLUCOSE W/ METHYLENE BLUE Mueller Hinton Agar, Modified (as per CLSI for antifungal) is recommended for testing performing Antifungal Disk Diffusion Susceptibility of Yeasts	58.00	500 gm	
TM 236	MUELLER HINTON AGAR NO.2 for testing susceptibility of common and rapidly growing bacteria using antimicrobial discs by using Kirby Bauer technique	38.00	100 gm 500 gm	
TM 325	MUELLER HINTON BROTH for testing the susceptibility of microorganisms to sulphonamides by tube dilution method	21.00	100 gm 500 gm	
TMV 325	MUELLER HINTON BROTH (VEG.) for testing the susceptibility of microorganisms to sulphonamides by tube dilution method	21.00	100 gm 500 gm	
TM 1577	MUELLER HINTON BROTH NO.2 for quantitative susceptibility testing of rapidly growing aerobic and facultative anaerobic bacteria isolated from clinical specimen	22.00	100 gm 500 gm	
TM 1400	MUELLER KAUFFMAN TETRATHIONATE BROTH BASE for enrichment and isolation of <i>Salmonella</i> by surpassing <i>Proteus</i> species	82.00	100 gm 500 gm	
TM 1399	MUELLER KAUFFMAN TETRATHIONATE NOVOBIOCIN BROTH BASE (ISO 6579-1:2017) for enrichment and isolation of <i>Salmonella</i> by suppressing <i>Proteus</i> species	89.50	500 gm	
TS 152	MKTT NOVOBIOCIN SUPPLEMENT *	#6 vl	5 vl	
TM 1050	MUELLER TELLURITE AGAR BASE for isolation, cultivation and differentiation of <i>Corynebacterium diphtheriae</i>	45.45	500 gm	
TS 123	MUELLER TELLURITE SERUM (25 ml/vl) *	#11 vl	5 vl	
TM 2251	MUTANS-SANGUIS AGAR for differentiation of <i>Streptococcus mutans</i> & <i>Streptococcus sanguis</i> associated with oral microflora	98.10	500 gm	
TM 340	MYCOLOGICAL AGAR (FUNGAL AGAR) for cultivation and maintenance of fungi	35.00	500 gm	
TS 049	10% LACTIC ACID SOLUTION (10 ml/vl) *	#15 vl	5 vl 25 vl	
TM 114	MYCOLOGICAL AGAR W/ LOW pH (FUNGAL AGAR W/ LOW pH) for selective enumeration and cultivation of saprophytic fungi and aciduric bacteria	35.00	500 gm	
TS 049	10% LACTIC ACID SOLUTION (10 ml/vl) *	#15 vl	5 vl 25 vl	
TM 326	MYCOLOGICAL BROTH (FUNGAL BROTH) for cultivation of fungi	50.00	500 gm	
TS 049	10% LACTIC ACID SOLUTION (10 ml/vl) *	#15 vl	5 vl 25 vl	
TM 115	MYCOLOGICAL BROTH W/ LOW pH (FUNGAL BROTH W/ LOW pH)) for selective enumeration and cultivation of saprophytic fungi and aciduric bacteria	50.00	500 gm	
TS 049	10% LACTIC ACID SOLUTION (10 ml/vl) *	#15 vl	5 vl 25 vl	

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 1933	MYCOBIOTIC AGAR * for the selective isolation and cultivation of pathogenic fungi	35.45	100 gm	
TM 233	MYCOPLASMA AGAR BASE (PPLO AGAR BASE) for isolation and cultivation of <i>Mycoplasma</i> species (PPLO)	36.00	100 gm 500 gm	
TS 014	HORSE SERUM *	4.2 ltr	100 ml	
TS 052	MYCOPLASMA ENRICHMENT SUPPLEMENT *	139 vl	5 vl 25 vl	
TM 235	MYCOPLASMA BROTH BASE W/ CV (PPLO BROTH BASE W/ CV) or enrichment of <i>Mycoplasma</i> species (PPLO) from clinical samples and mixed cultures	21.00	500 gm	
TS 005	POTASSIUM TELLURITE 1% (1 ml/vl) *	#24 vl	5 vl 25 vl	
TS 014	HORSE SERUM *	7.2 ltr	100 ml	
TS 052	MYCOPLASMA ENRICHMENT SUPPLEMENT *	239 vl	5 vl 25 vl	
TM 794	MYCOPLASMA BROTH BASE W/O CV (PPLO BROTH BASE W/O CV) for enrichment of <i>Mycoplasma</i> species (PPLO) from clinical samples and mixed cultures	21.00	500 gm	
TS 014	HORSE SERUM*	#7.2 ltr	100 ml	
TS 052	MYCOPLASMA ENRICHMENT SUPPLEMENT*	#239 vl	5 vl 25 vl	
TM 1265	MYCOPLASMA CULTIVATION BROTH BASE for isolation and cultivation of <i>Mycoplasma</i> (PPLO)	25.50	500 gm	
TS 052	MYCOPLASMA CULTIVATION SUPPLEMENT *	#196 vl	5 vl 25 vl	
TS 014	HORSE SERUM *	-	100 ml	
TM 1266	MYCOPLASMA SYNOVIAE MEDIUM BASE for cultivation of avian strains of <i>Mycoplasma</i>	42.30	500 gm	
TS 014	HORSE SERUM *	1.2 ltr	100 ml	
TM 1267	MYCOPLASMA UROGENITAL MEDIUM BASE for selective isolation of <i>Mycoplasma hominis</i> and <i>Ureaplasma urealyticum</i>	28.65	500 gm	
TS 014	HORSE SERUM *	1.8 ltr	100 ml	
TS 022	VITAMINS AMINO GROWTH SUPPLEMENT (VITAMINS & AMINO ACIDS MIXTURE) *	#35 vl	5 vl 25 vl	
TS 126	UREA SOLUTION 5% (5 ml/vl) *	#35 vl	5 vl 25 vl	
TS 249	MYCOPLASMA UROGENITAL SELECTIVE SUPPLEMENT *	#35 vl	5 vl 25 vl	
TM 1481	NBB AGAR BASE MODIFIED * for detection of contaminating spoilage microorganisms in brewery industry	66.27	500 gm	
TM 022	NEOMYCIN, ERYTHROMYCIN ASSAY AGAR (ANTIBIOTIC ASSAY MEDIUM NO. 11) (as per USP) for microbiological assay of antibiotics	30.50	100 gm 500 gm	
TMV 022	NEOMYCIN, ERYTHROMYCIN ASSAY AGAR (ANTIBIOTIC ASSAY MEDIUM NO. 11) (as per USP) (VEG.) for microbiological assay of antibiotics	30.50	100 gm 500 gm	
TM 2253	NEO ENRICHMENT BROTH BASE is a selective enrichment broth for <i>Listeria</i> species from food samples	44.00	500 gm	
TS 303	NEO ENRICHMENT SELECTIVE SUPPLEMENT *	#23 vl	5 vl	
TM 1051	NEUTRAL RED CHALK LACTOSE AGAR for detection of lactic streptococci in milk and milk products	49.00	500 gm	
TM 1052	NEUTRALISING BUFFER for detection of microorganisms on dairy and food equipments disinfected with chlorine or quarternary ammonium compounds	05.20	100 gm	
TM 1269	NEUTRALISING FLUID (as per BP/EP) for neutralising the activity of antimicrobial agents	20.10	500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 2254	NIACIN ASSAY MEDIUM * for the microbiological assay of Niacin (Nicotinic Acid) or Niacinamide using <i>Lactobacillus plantarum</i> ATCC 8014 as the test organism	75.12	100 gm	
TM 238	NICKERSON MEDIUM (Bi.G.G.Y. AGAR) for selective isolation, differentiation & presumptive identification of <i>Candida albicans</i> & <i>Candida tropicalis</i>	45.00	500 gm	
TM 795	NIH AGAR for cultivation & maintenance of isolates from sterility testing of biological products	43.00	100 gm 500 gm	
TM 301	NIH THIOGLYCOLLATE MEDIUM (ALTERNATIVE THIOGLYCOLLATE MEDIUM) (as per USP) for sterility testing of turbid or viscous biological products	29.00	100 gm 500 gm	
TM 302	NIH THIOGLYCOLLATE MEDIUM (ALTERNATIVE THIOGLYCOLLATE MEDIUM) (as per IP) for sterility testing of turbid or viscous biological products	29.00	100 gm 500 gm	
TM 796	NITRATE AGAR for detection of nitrate reducing bacteria	21.00	500 gm	
TMV 796	NITRATE AGAR (VEG.) for detection of nitrate reducing bacteria	21.00	500 gm	
TM 239	NITRATE BROTH for detection of nitrate reduction and enumeration of <i>Bacillus cereus</i>	09.00	100 gm 500 gm	
TMV 239	NITRATE BROTH (VEG.) for detection of nitrate reduction and enumeration of <i>Bacillus cereus</i>	09.00	100 gm 500 gm	
TM 797	NITRATE BROTH (IS : 5887(Part IV)-1999) for detection of nitrate reduction and enumeration of <i>Bacillus cereus</i>	39.00	100 gm 500 gm	
TM 1053	NITROFURANTOIN BROTH BASE for isolation and enrichment of <i>Pseudomonas</i> species	20.00	500 gm	
TM 2252	NNN MODIFIED MEDIUM (DOUBLE PACK) for cultivation of <i>Leishmania</i> and <i>Trypanosomes</i>	(Part I) 31.00 (Part II) 11.20	100 gm -	
TM 2255	NORRIS GLUCOSE NITROGEN FREE MEDIUM for the cultivation of chemoheterotrophic bacteria that can fix atmospheric nitrogen	12.50	100 gm	
TM 341	NUTRIENT AGAR for cultivation of less fastidious microorganisms, can be enriched with blood or other biological fluids	28.00	100 gm 500 gm	
TMV 341	NUTRIENT AGAR (VEG.) for cultivation of less fastidious microorganisms, can be enriched with blood or other biological fluids	28.00	100 gm 500 gm	
TM 1054	NUTRIENT AGAR for cultivation of less fastidious microorganisms, can be enriched with blood or other biological fluids	28.00	100 gm 500 gm	
TMV 1054	NUTRIENT AGAR (VEG.) for cultivation of less fastidious microorganisms, can be enriched with blood or other biological fluids	28.00	100 gm 500 gm	
TM 342	NUTRIENT AGAR W/O NaCl (as per USP) general purpose medium	23.00	100 gm 500 gm	
TM 343	NUTRIENT AGAR (as per IP) for general purpose medium which may be used as enriched medium by incorporating blood or other biological fluids	37.00	100 gm 500 gm	
TM 1055	NUTRIENT AGAR 1.5% for cultivation of bacteria requiring less nutrition, can be enriched with blood	31.00	100 gm 500 gm	
TMV 1055	NUTRIENT AGAR 1.5% (VEG.) for cultivation of bacteria requiring less nutrition, can be enriched with blood	31.00	100 gm 500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 2256	NUTRIENT AGAR 1.5% (ISO 1995, ISO/DIS 13720:2010) recommended general purpose nutrient medium which can be used for cultivation of fastidious microorganisms after appropriate enrichment	28.00	500 gm	
TM 1038	NUTRIENT AGAR (pH 6.8) a general purpose nutrient medium for testing of water, sewage, faeces & other materials	23.00	100 gm 500 gm	
TM 1038A	NUTRIENT AGAR (pH 6.8) (ISO 10273:2003, ISO 21528: 2004, ISO 19250:2010, ISO 6579:2015) a general purpose nutrient medium for testing of water, sewage, faeces & other materials	23.00	100 gm 500 gm	
TM 383	NUTRIENT AGAR NO.2 general purpose medium	40.00	100 gm 500 gm	
TM 798	NUTRIENT AGAR NO. 2 (IS : 5887 (Part I, II and V) 1976, reaffirmed 2005) general purpose culture medium	40.00	100 gm 500 gm	
TM 2257	NUTRIENT AGAR NO. 2, MODIFIED used as a general purpose culture media	45.00	500 gm	
TM 1057	NUTRIENT AGAR (pH 7.0) for cultivation of <i>Salmonella</i> species	23.00	100 gm 500 gm	
TM 740	NUTRIENT AGAR (WITH 3% SALT) for cultivation of salt tolerance <i>Vibrio</i> species	55.00	500 gm	
TM 1058	NUTRIENT AGAR (W/ MANGANESE) for promoting sporulation in <i>Bacillus</i> species	23.00	500 gm	
TM 1056	NUTRIENT AGAR (W/ 1% PEPTONE) general culture medium, can be used as enriched medium with blood or other biological fluids	35.00	100 gm 500 gm	
TMV 1056	NUTRIENT AGAR (W/ 1% PEPTONE) (VEG.) general culture medium, can be used as enriched medium with blood or other biological fluids	35.00	100 gm 500 gm	
TM 578	NUTRIENT AGAR pH 6.0 (W/ 0.8% NaCl) for cultivation of bacteria requiring slightly acidic pH	31.00	100 gm 500 gm	
TM 2258	NUTRIENT MEDIUM a general purpose medium as per EP	26.05 26.05	100 gm 500 gm	
TM 932	NUTRIENT AGAR (OXIDASE) for confirmation of oxidase production by microorganisms	22.00	500 gm	
TMV 932	NUTRIENT AGAR (OXIDASE) (VEG.) for confirmation of oxidase production by microorganisms	22.00	500 gm	
TM 2259	NUTRIENT AGAR W/TRYPAN BLUE recommended for detection and enumeration of aerobic endospore formers from water samples by membrane filtration	23.02	100 gm 500 gm	
TM 2260	NUTRIENT AGAR W/ TYROSINE for cultivation and enumeration of <i>Bacillus cereus</i> in water and food in accordance with FDA BAM, 1998	28.00	500 gm	
TM 350	NUTRIENT BROTH for general cultivation of less fastidious microorganisms, can be enriched with blood	13.00	100 gm 500 gm	
TMV 350	NUTRIENT BROTH (VEG.) for general cultivation of less fastidious microorganisms, can be enriched with blood	13.00	100 gm 500 gm	
TM 329	NUTRIENT BROTH (W/ 1% PEPTONE) (IP 6579) sterility testing medium for aerobes and for microbial limit test	25.00	100 gm 500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 1270	NUTRIENT BROTH W/ 1% PEPTONE (IS : 5887 (Part I and II) 1976, reaffirmed 2005, IS : 5887 (Part IV) 1999) general purpose culture medium	25.00	100 gm 500 gm	
TM 327	NUTRIENT BROTH W/O NaCl pH 6.9 general purpose medium for cultivation of microorganisms	08.00	100 gm 500 gm	
TMV 327	NUTRIENT BROTH W/O NaCl pH 6.9 (VEG.) general purpose medium for cultivation of microorganisms	08.00	100 gm 500 gm	
TM 1823	NUTRIENT BROTH (AOAC) for testing disinfectants in accordance with AOAC, 2000 (under Disinfectants Subchapter 1, Phenol coefficient methods)	20.00	500 gm	
TM 1916	NUTRIENT BROTH, NO. 2 for cultivation and enrichment of less fastidious bacteria and as a base in the preparation of special media	15.00	500 gm	
TM 1917	NUTRIENT BROTH, NO. 3 for the culture and growth of microorganisms	13.00	500 gm	
TM 2261	NUTRIENT BROTH WITH 1% PEPTONE a sterility testing medium for aerobes	25.00	100 gm 500 gm	
TMV 2261	NUTRIENT BROTH WITH 1% PEPTONE (VEG.) a sterility testing medium for aerobes	25.00	100 gm 500 gm	
TM 241	NUTRIENT GELATIN for detection of gelatine liquefaction by proteolytic microorganisms	128.00	500 gm	
TM 1059	NUTRIENT GELATIN (IS : 5887 (Part VII) 1999, reaffirmed 2005) for detection of gelatin liquefaction by proteolytic microorganisms	158.00	500 gm	
TM 534	NUTRITIVE CASEINATE AGAR for enumeration of salt tolerant cocci in brined vegetables	23.04	500 gm	
TM 023	NYSTATIN ASSAY AGAR (ANTIBIOTIC ASSAY MEDIUM NO. 12) for microbiological assay of Amphotericin B & Nystatin using <i>Saccharomyces cerevisiae</i>	62.50	500 gm	
TM 024	NYSTATIN ASSAY BROTH (ANTIBIOTIC ASSAY MEDIUM NO. 13) for microbiological assay of Candicidin using <i>Saccharomyces cerevisiae</i>	30.00	500 gm	
TM 242	OF BASAL MEDIUM for differentiation of gram negative bacteria on the basis of fermentative and oxidative metabolism of carbohydrates	09.40	100 gm 500 gm	
TM 2262	OFBBL AGAR BASE (OXIDATION FERMENTATION POLYMYXIN BACITRACIN LACTOSE AGAR BASE) with Polymyxin and Bacitracin is recommended for the selective isolation of <i>Burkholderia cepacia</i> from clinical specimens as well as non-clinical samples	32.33	500 gm	
TS 304	OFBBL SELECTIVE SUPPLEMENT *	#16 vl	5 vl	
TM 243	OAT MEAL AGAR for cultivation of fungi particularly for macrospore formation	72.50	500 gm	
TM 2263	OAK WILT FUNGUS AGAR for cultivation of Oak Wilt fungus	50.00	100 gm	
TM 1918	ONPG BROTH for the differentiation of microorganisms on the basis of beta-galactosidase activity	13.01	100 gm 500 gm	
TM 1060	ORCHID AGAR (PLANT TISSUE CULTURE MEDIA) for germination of orchid seeds	37.00	500 gm	
TM 1919	ORANGE SERUM AGAR for cultivation and enumeration of microorganisms associated with the spoilage of citrus products, cultivation of lactobacilli, other aciduric organisms and pathogenic fungi	45.50	500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 1920	ORANGE SERUM BROTH for cultivation and enumeration of microorganisms associated with the spoilage of citrus products, cultivation of lactobacilli, other aciduric organisms and pathogenic fungi	28.50	500 gm	
TM 245	ORNITHINE DECARBOXYLASE BROTH for detection of the ability of microorganisms to decarboxylate ornithine	09.00	100 gm	
TM 2265	L-ORNITHINE DECARBOXYLASE BROTH (ISO / TS 22964: 2017) for detection of the ability of microorganisms to decarboxylate ornithine	14.01	100 gm	
TM 1033	OSMOPHILIC AGAR (MY 40 AGAR) for detection and isolation of osmophilic microorganisms from food samples	445.00	500 gm	
TM 1034	OSMOPHILIC GLUCOSE AGAR (MY 40 G AGAR) for detection and isolation of osmophilic microorganisms from food samples	427.00	500 gm	
TM 1402	OXACILLIN RESISTANCE SCREENING AGAR BASE for screening oxacillin resistant microorganisms	103.50	500 gm	
TS 153	OXACILLIN RESISTANCE SELECTIVE SUPPLEMENT *	#10 vl	5 vl	
TM 2266	OXGALL CHRYSOIDIN AGAR WITH MUG (CHRYSOIDIN AGAR WITH MUG) for the isolation and differentiation of <i>Enterobacteriaceae</i> and several other Gram negative rods. It can also be used for the identification of <i>E. coli</i> from clinical and non-clinical specimens	48.23	500 gm	
TM 799	OXYTETRA GLUCOSE YEAST AGAR BASE (OGYE AGAR BASE) for selective isolation and enumeration of Yeasts and Moulds in food products	37.00	100 gm 500 gm	
TS 071	OXYTETRA SELECTIVE SUPPLEMENT*	# 27vl	5 vl 25 vl	
TM 1061	OXYTETRA GLUCOSE YEAST AGAR BASE (OGYE AGAR BASE) ISO 6611:2004 for isolation and enumeration of Yeasts and Moulds from milk and milk products	37.00	500 gm	
TS 071	OXYTETRA SELECTIVE SUPPLEMENT*	#27vl	5 vl 25 vl	
TS 128	GENTA-OXY SELECTIVE SUPPLEMENT*	#27vl	5 vl 25 vl	
TM 800	OXYTETRA GLUCOSE YEAST AGAR BASE W/ BIOTIN for selective isolation and enumeration of Yeasts and Moulds in food products	37.00	500 gm	
TS 071	OXYTETRA SELECTIVE SUPPLEMENT*	#27vl	5 vl 25 vl	
TM 571	PA BROTH for detection of presence and absence of coliform bacteria in water	30.50	500 gm	
TM 2267	PKU TEST AGAR BASE for estimation of phenylalanine in blood for detection of Phenylketonuria (PKU)	50.06	500 gm	
TM 2268	PKU TEST AGAR W/ THIENYLALANINE for estimation of phenylalanine in blood for detection of Phenylketonuria (PKU)	50.06	500 gm	
TM 1434	PL AGAR for isolation and cultivation of <i>Plesiomonas shigelloides</i> from food	43.58	500 gm	
TM 1271	PLET AGAR BASE for selective isolation and cultivation of <i>Bacillus anthracis</i>	40.34	500 gm	
TS 129	ANTHRACIS SELECTIVE SUPPLEMENT *	#13vl	5 vl	
TM 2269	PLET AGAR BASE, MODIFIED for the selective isolation and cultivation of <i>Bacillus anthracis</i>	40.40	500 gm	
TS 129	ANTHRACIS SELECTIVE SUPPLEMENT *	#13vl	5 vl	
TM 248	PM INDICATOR AGAR (PENICILLIN IN MILK INDICATOR AGAR) (as per AOAC)* for rapid detection of trace amounts of Penicillin in milk	32.00	500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 1272	PNY MEDIUM for cultivation and isolation of <i>Lactobacillus</i> species	31.28	100 gm 500 gm	
TM 233	PPLO AGAR BASE (MYCOPLASMA AGAR BASE) for isolation and cultivation of <i>Mycoplasma</i> species (PPLO)	36.00	100 gm 500 gm	
TS 014	HORSE SERUM *	#7.2 ltr	100 ml	
TS 052	MYCOPLASMA ENRICHMENT SUPPLEMENT *	#139 vl	5 vl 25 vl	
TM 235	PPLO BROTH BASE W/ CV (MYCOPLASMA BROTH BASE W/ CV) for enrichment of <i>Mycoplasma</i> species (PPLO) from clinical samples and mixed cultures	21.00	500 gm	
TS 005	POTASSIUM TELLURITE 1% (1ml /vl *)	#24vl	5 vl 25 vl	
TS 014	HORSE SERUM *	#7.2 ltr	100 ml	
TS 052	MYCOPLASMA ENRICHMENT SUPPLEMENT *	#239 vl	5 vl 25 vl	
TM 794	PPLO BROTH BASE W/O CV (MYCOPLASMA BROTH BASE W/O CV)) for enrichment of <i>Mycoplasma</i> species (PPLO) from clinical specimens and mixed cultures	21.00	500 gm	
TS 014	HORSE SERUM *	#7.2 ltr	100 ml	
TS 052	MYCOPLASMA ENRICHMENT SUPPLEMENT *	#239 vl	5 vl 25 vl	
TM 1064	PSB BROTH BASE for primary enrichment and enumeration of <i>Yersinia enterocolitica</i> from food	51.00	500 gm	
TM 2270	PSB BROTH MODIFIED (ISO 1994, ISO/DIS 10273) for primary enrichment and enumeration of <i>Yersinia enterocolitica</i> from food	30.77	500 gm	
TM 1273	PSTA ENRICHMENT BROTH BASE (PSB BROTH MODIFIED) for secondary enrichment of <i>Yersinia enterocolitica</i> from food	05.20	100 gm 500 gm	
TM 1274	PAGANO LEVIN BASE for isolation and differentiation of <i>Candida</i> species	66.00	500 gm	
TS 042	TTC SOLUTION 1% (10 ml/vl)	#8 vl	5 vl 25 vl	
TS 095	NEOMYCIN SUPPLEMENT *	#16 vl	5 vl	
TM 2273	PAGE'S SALINE used as a rinsing solution of membranes in water filtration for <i>Legionella</i> detection	0.403	100 gm	
TM 1403	PARK & SANDER ENRICHMENT BROTH BASE for selective enumeration of thermo-tolerant <i>Campylobacter</i> species from food	28.35	500 gm	
TS 073	PARK & SANDER SELECTIVE SUPPLEMENT A *	#15 vl	5 vl	
TS 074	PARK & SANDER SELECTIVE SUPPLEMENT B *	#15 vl	5 vl	
TM 2274	PARK & SANDER ENRICHMENT BROTH BASE (ISO/DIS 10272:1995) for selective enumeration of thermo-tolerant <i>Campylobacter</i> species from food	29.35	500 gm	
TS 073	PARK & SANDER SELECTIVE SUPPLEMENT A *	#15 vl	5 vl	
TS 074	PARK & SANDER SELECTIVE SUPPLEMENT B *	#15 vl	5 vl	
TM 2275	PEIZER TB MEDIUM BASE for cultivation of <i>Mycobacterium tuberculosis</i>	49.72	500 gm	
TM 1584	PENTACHLORO ROSE BENGAL YEAST EXTRACT AGAR BASE (PRYES AGAR) (as per APHA) for the cultivation and differentiation of nephrotoxin producing strains of <i>Penicillium viridicatum</i> and related species isolated from foods in accordance with APHA	190.17	500 gm	
TS 138	CHLOROTETRACYCLINE SELECTIVE SUPPLEMENT*	#6 vl	5 vl 25 vl	
TM 1040	PEPTED MEAT BROTH (MEAT EXTRACT W/ PEPTONE) for cultivation and maintenance of <i>Alcaligenes</i> species	28.00	500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 803	PEPTONE IRON AGAR for detection of hydrogen sulphide production by microorganisms	36.58	100 gm	
TM 2276	PEPTONE SORBITOL BILE BROTH for identification of <i>Yersinia enterocolitica</i> from dairy products	30.93	500 gm	
TM 1844	PEPTONE SORBITOL BROTH (W/Bile Salt) (ISO 10273:2017) for selective enrichment of <i>Yersinia enterocolitica</i> from dairy products	(Part I) 21.00 (Part II) 10.00	500 gm	
TM 330	PEPTONE WATER general purpose growth medium and used as the base of carbohydrate fermentation media	15.00	100 gm 500 gm	
TMV 330	PEPTONE WATER (VEG.) general purpose growth medium and as the base of carbohydrate fermentation media	15.00	100 gm 500 gm	
TM 805	PEPTONE WATER (IS : 5887 (Part I) 1976, reaffirmed 2005) general purpose growth medium & as the base of carbohydrate fermentation media	25.00	100 gm 500 gm	
TM 806	PEPTONE WATER W/ PHENOL RED (as per ISO) for studying fermentation ability of <i>Yersinia enterocolitica</i>	15.00	500 gm	
TM 1276	PEPTONE YEAST DEXTROSE AGAR (CANTINO) for cultivation of aquatic fungi like <i>Blastocladiella</i> species	25.50	100 gm	
TM 1277	PEPTONE YEAST DEXTROSE BROTH (CANTINO) for cultivation of aquatic fungi like <i>Blastocladiella</i> species	05.50	100 gm	
TM 131	PEPTONE YEAST EXTRACT IRON AGAR (ISP MEDIUM NO.6) for cultivation and maintenance of <i>Streptomyces</i> as per International Streptomyces project	37.50	100 gm 500 gm	
TM 807	PEPTONIZED MILK AGAR for cultivation of Lactic Acid Bacteria and testing of dairy products	27.00	500 gm	
TM 808	PERFRINGENS AGAR BASE (O.P.S.P) for selective isolation and enumeration of <i>Clostridium perfringens</i> from foods	50.50	500 gm	
TS 158	PERFRINGENS SUPPLEMENT A *	#20 vl	5 vl 25 vl	
TS 159	PERFRINGENS SUPPLEMENT B *	#20 vl	5 vl 25 vl	
TM 615	PERFRINGENS AGAR BASE (T.S.C./S.F.P. AGAR BASE) for presumptive identification and enumeration of <i>Clostridium perfringens</i> from food	47.00	500 gm	
TS 054	PERFRINGENS S. F. P. SUPPLEMENT (S.F. P. SUPPLEMENT) *	#22 vl	5 vl 25 vl	
TS 076	PERFRINGENS T. S.C SUPPLEMENT *	#22 vl	5 vl 25 vl	
TS 002	EGG YOLK EMULSION (100 ml/vl)*	#6 vl	5 vl	
TMV 615	PERFRINGENS AGAR BASE (T.S.C./S.F.P. AGAR BASE) (VEG.) for presumptive identification and enumeration of <i>Clostridium perfringens</i> from food	47.00	500 gm	
TS 054	PERFRINGENS S. F. P. SUPPLEMENT (S.F. P. SUPPLEMENT) *	#22 vl	5 vl 25 vl	
TS 076	PERFRINGENS T. S.C SUPPLEMENT *	#22 vl	5 vl 25 vl	
TS 002	EGG YOLK EMULSION (100 ml/vl)*	#6 vl	5 vl	
TM 1826	PERFRINGENS AGAR BASE (TRYPTOSE SULPHITE CYCLOSERINE AGAR BASE) (ISO 7937: 2004, ISO 14189:2013) for enumeration of <i>Clostridium perfringens</i> from food	42.00	500 gm	
TS 076	PERFRINGENS T. S.C SUPPLEMENT *	#24 vl	5 vl 25 vl	
TS 250	CLOSTRIDIUM PERFRINGENS SUPPLEMENT *	#24 vl	5 vl	
TM 810	PFIZER SELECTIVE ENTEROCOCCUS AGAR for selective isolation and cultivation of enterococci	58.00	500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 252	PHENOL RED AGAR BASE a basal medium by adding carbohydrates for use in fermentation studies of microorganisms	31.00	100 gm 500 gm	
TM 256	PHENOL RED DEXTROSE AGAR for determining of the ability of microorganisms to ferment dextrose	41.00	100 gm 500 gm	
TM 2277	PHENOL RED INULIN BROTH recommended for inulin fermentation studies of microorganisms	21.02	100 gm	
TM 253	PHENOL RED LACTOSE AGAR for determining of the ability of microorganisms to ferment lactose	41.00	100 gm 500 gm	
TM 811	PHENOL RED MALTOSSE AGAR for determining of the ability of microorganisms to ferment maltose	41.00	100 gm 500 gm	
TM 254	PHENOL RED MANNITOL AGAR for determining of the ability of microorganisms to ferment mannitol	41.00	100 gm 500 gm	
TM 812	PHENOL RED SUCROSE AGAR for determining of the ability of microorganisms to ferment sucrose	41.00	100 gm 500 gm	
TM 813	PHENOL RED TARTRATE AGAR for identification and differentiation of <i>Salmonella</i> on the basis of tartrate utilization	40.02	100 gm	
TM 255	PHENOL RED BROTH BASE for determination of fermentation reactions of pure cultures of microorganisms	16.00	100 gm 500 gm	
TM 814	PHENOL RED BROTH BASE W/ MEAT EXTRACT for determination of carbohydrates fermentation	16.00	100 gm 500 gm	
TM 815	PHENOL RED ADONITOL BROTH for determining of the ability of microorganisms to ferment adonitol	21.00	100 gm	
TM 816	PHENOL RED ARABINOSE BROTH for determining the ability of microorganisms to ferment arabinose	21.00	100 gm	
TM 537	PHENOL RED DEXTROSE BROTH for determining the ability of microorganisms to ferment dextrose	21.00	100 gm 500 gm	
TM 817	PHENOL RED DULCITOL BROTH for determining the ability of microorganisms to ferment dulcitol	21.00	100 gm	
TM 818	PHENOL RED GALACTOSE BROTH for determining microorganisms to ferment galactose	21.00	100 gm	
TM 538	PHENOL RED INOSITOL BROTH for determining microorganisms to ferment inositol	21.00	100 gm	
TM 257	PHENOL RED LACTOSE BROTH for determining the ability of microorganisms to ferment lactose	21.00	100 gm 500 gm	
TM 1921	PHENOL LACTOSE BROTH (ISO 9308-1-2014) for lactose fermentation studies of coliforms	25.018	100 gm 500 gm	
TM 539	PHENOL RED MALTOSSE BROTH for determining the ability of microorganisms to ferment maltose	21.00	100 gm 500 gm	
TM 258	PHENOL RED MANNITOL BROTH for determining the ability of microorganisms to ferment mannitol	21.00	100 gm 500 gm	
TM 819	PHENOL RED RAFFINOSE BROTH for determining the ability of microorganisms to ferment raffinose	21.00	100 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 820	PHENOL RED RHAMNOSE BROTH for determining the ability of microorganisms to ferment rhamnose	21.00	100 gm	
TM 821	PHENOL RED SALICIN BROTH for determining the ability of microorganisms to ferment salicin	21.00	100 gm	
TM 540	PHENOL RED SORBITOL BROTH for determining the ability of microorganisms to ferment sorbitol	21.00	100 gm	
TM 822	PHENOL RED STARCH BROTH for determining the ability of microorganisms to ferment starch	21.00	100 gm	
TM 259	PHENOL RED SUCROSE BROTH for determining the ability of microorganisms to ferment sucrose	21.00	100 gm 500 gm	
TM 823	PHENOL RED TREHALOSE BROTH for determining the ability of microorganisms to ferment trehalose	21.00	100 gm	
TM 541	PHENOL RED XYLOSE BROTH for determining the ability of microorganisms to ferment D-xylose	21.00	100 gm	
TM 197	PHENOL RED EGG YOLK POLYMYXIN AGAR BASE (MYP AGAR BASE) (BIS) for isolation and identification of pathogenic staphylococci and <i>Bacillus</i> species	46.00	100 gm 500 gm	
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT *	#22 vl	5 vl 25 vl	
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#11 vl	5 vl	
TM 824	PHENOLPHTHALEIN PHOSPHATE AGAR for identification of phosphatase positive <i>Staphylococcus aureus</i>	28.00	100 gm 500 gm	
TMV 824	PHENOLPHTHALEIN PHOSPHATE AGAR (VEG.) for identification of phosphatase positive <i>Staphylococcus aureus</i>	28.00	100 gm 500 gm	
TM 260	PHENYLALANINE AGAR for differentiation of <i>Proteus</i> & <i>Providencia</i> from other members of <i>Enterobacteriaceae</i> on the basis of their ability to form phenyl pyruvic acid from phenylalanine	26.00	100 gm 500 gm	
TM 1067	PHENYLALANINE MALONATE BROTH (SHAW & CLARKE MEDIUM) for differentiation of members of <i>Enterobacteriaceae</i> on the basis of their ability to utilize malonate and produce pyruvic acid from phenylalanine	11.23	100 gm	
TM 2278	PHENYLETHYL ALCOHOL AGAR for the isolation of gram-positive organisms like staphylococci and streptococci	42.50	100 gm	
TM 2279	PHENYLETHANOL AGAR BASE * for the isolation of gram-positive organisms like staphylococci and streptococci	35.50	100 gm	
TM 2280	PHENYLETHYL BLOOD AGAR BASE (ANAEROBIC) * for cultivation of fastidious anaerobic bacteria	52.92	100 gm	
TM 826	PHOSPHATE BUFFER, APHA, pH 7.2 for preparation of dilution and blanks for testing of water, foods and dairy products	34.00	100 gm 500 gm	
TM 2281	PHOSPHATE BUFFERED SALINE (FOR LISTERIA) (ISO 11290-2-2017) recommended for the preparation of dilutions for <i>Listeria</i> species for further testing form food sample	18.37	500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 1068	PHOSPHATE BUFFERED SALINE, pH 7.2 for preparation of dilution and controls	10.79	100 gm 500 gm	
TM 2282	PHOSPHATE BUFFERED SALINE (PBS) pH 7.4 for preparation of dilution, blanks for the examination of samples from food, water and other specimens	08.58	100 gm 500 gm	
TM 2283	PHOSPHATE BUFFER, pH 8.0 for preparation of dilutions and blanks in accordance with USP	17.25	500 gm	
TM 542	PIKE STREPTOCOCCAL BROTH BASE for selective enrichment & cultivation of streptococci from throat swabs and other clinical samples	30.26	100 gm 500 gm	
TM 543	PIKOVSKAYA'S AGAR for detection of phosphate solubilizing soil microorganisms	31.30	100 gm 500 gm	
TM 545	PIKOVSKAYA'S BROTH (MEDIUM) for cultivation phosphate solubilizing microorganisms	16.30	500 gm	
TM 544	PLATE COUNT AGAR (STANDARD PLATE AGAR) (ISO 4833-1 & 2:2013) for determination of plate counts of microorganisms in foods, water, waste water and from clinical samples	23.50	100 gm 500 gm	
TMV 544	PLATE COUNT AGAR (STANDARD PLATE AGAR) (VEG.) for determination of plate counts of microorganisms in foods, water, waste water and from clinical samples	23.50	100 gm 500 gm	
TM 363	PLATE COUNT AGAR (STANDARD METHODS AGAR) for determination of plate counts of microorganisms in milk & dairy products by pour plate method	17.50	100 gm 500 gm	
TMV 363	PLATE COUNT AGAR (STANDARD METHODS AGAR) (VEG.) for determination of plate counts of microorganisms in milk & dairy products by pour plate method	17.52	100 gm 500 gm	
TM 2284	PLATE COUNT AGAR W/ TWEEN 80 AND LECITHIN (STANDARD METHODS AGAR W/ TWEEN 80 AND LECITHIN) for sanitary examination of surfaces that is for counts before and after application of disinfectants	29.20	100 gm 500 gm	
TM 828	PLATE COUNT AGAR (as per BIS) for determination of microbial counts in milk and other dairy products by pour plate method	30.00	100 gm 500 gm	
TM 408	PLATE COUNT AGAR (SPECIAL) for estimation of microbial counts in raw milk and other dairy products	40.52	500 gm	
TM 829	PLATE COUNT AGAR W/ BCP for enumeration of lactobacilli in milk products	24.64	500 gm	
TM 2285	PLATE COUNT AGAR W/O DEXTROSE recommended for the determination of plate counts of microorganisms in water samples	22.50	500 gm	
TM 744	PLESIOMONAS DIFFERENTIAL AGAR (INOSITOL BRILLIANT GREEN BILE AGAR) for selective isolation of <i>Plesiomonas shigelloides</i> and <i>Aeromonas</i> species from foods	52.05	500 gm	
TM 020	POLYMYXIN BASE AGAR (ANTIBIOTIC ASSAY MEDIUM NO.9) (ANTIBIOTIC ASSAY MEDIUM-H) (as per USP/IP) for assay the products containing Polymyxin-B	50.00	500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME		F.Wt. Gm/Ltr	PACK SIZE	
TM 021	POLYMYXIN SEED AGAR (ANTIBIOTIC ASSAY MEDIUM NO.10) (DOUBLE PACK) for assay of Polymyxin-B, Carbenicillin, Colistin and Colistimethate Sodium	(Part I) (Part II)	42.00 10 ml	500 gm	
TM 1587	POLYMYXIN PYRUVATE EGG YOLK MANNITOL BROMOTHYMOL BLUE AGAR BASE (PEMBA) for cultivation of <i>Bacillus cereus</i>		44.00	500 gm	
TS 002	EGG YOLK EMULSION (100 ml/vl) *		#6 vl	5 vl	
TS 203	PEMBA SUPPLEMENT *		#114 vl	5 vl 25 vl	
TM 830	POLYSORBATE 80 AGAR (DOUBLE PACK) * for cultivation of variety of microorganisms	(Part I) (Part II)	25.00 10.00	500 gm -	
TMV 830	POLYSORBATE 80 AGAR (DOUBLE PACK) (VEG.) * for cultivation of variety of microorganisms	(Part I) (Part II)	25.00 10.00	500 gm -	
TM 1867	POTASSIUM CYANIDE BROTH BASE W/O KCN for differentiation of the members of <i>Enterobacteriaceae</i> on the basis of potassium cyanide tolerance		13.86	500 gm	
TM 2286	POTATO CARROT AGAR for the reproduction of <i>Pyronema domesticum</i>		24.00	500 gm	
TM 344	POTATO DEXTROSE AGAR for isolation and enumeration of Yeasts and Moulds from dairy and other food products		39.00	100 gm 500 gm	
TMV 344	POTATO DEXTROSE AGAR (VEG.) for isolation and enumeration of Yeasts and Moulds from dairy and other food products		39.00	100 gm 500 gm	
TMH 105	POTATO DEXTROSE AGAR (as per USP/EP/JP/BP) for the cultivation of Yeasts and Moulds		39.00	100 gm 500 gm	
TM 1922	POTATO DEXTROSE W / 2% AGAR for isolation and enumeration of Yeasts and Moulds from dairy and other food products in accordance with FDA BAM, 1998		44.00	100 gm 500 gm	
TS 259	CHLORTETRACYCLINE SELECTIVE SUPPLEMENT, MODIFIED		#12 vl	5 vl	
TM 1923	POTATO DEXTROSE W/ 3% AGAR for cultivation of Yeasts and Moulds from dairy and other food products		54.00	500 gm	
TM 1924	POTATO DEXTROSE AGAR W/ CHLORAMPHENICOL for the selective isolation and enumeration of Yeasts and Moulds from dairy and other food products		39.05	500 gm	
TM 384	POTATO DEXTROSE AGAR W/ ROSE BENGAL for propagation of Ascospores		39.00	500 gm	
TM 331	POTATO DEXTROSE BROTH for cultivation and enumeration of Yeasts and Moulds		24.00	500 gm	
TM 2287	POTATO DEXTROSE SUCROSE AGAR for the isolation and cultivation of <i>Zygosaccharomyces rouxii</i> from chocolate syrup		659.00	500 gm	
TM 2288	POTATO INFUSION AGAR for the isolation of <i>Brucella</i> species		49.00	500 gm	
TM 2289	POTATO INFUSION BROTH for the isolation of <i>Brucella</i> species		34.00	500 gm	
TM 2290	POTATO MALT AGAR for cultivation and maintenance of smut fungi and other phytopathogenic fungi		105.00	500 gm	
TM 834	PRE ENRICHMENT BROTH BASE for isolation and enrichment of <i>Yersinia enterocolitica</i> from foods		39.10	500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 2291	PRESERVATIVE RESISTANT YEAST AGAR BASE (PRY) for cultivation of Yeasts	35.00	100 gm 500 gm	
TM 2292	PRESPORULATION GROWTH MEDIUM for the growth and sporulation of <i>Saccharomyces cerevisiae</i>	31.00	500 gm	
TM 1590	PRESTON AGAR BASE for selective isolation of thermotolerant <i>Campylobacter</i> species	37.00	500 gm	
TS 067	CAMPYLOBACTER SELECTIVE SUPPLEMENT IV (PRESTON)*	#27 vI	5vI	
TMV 1590	PRESTON AGAR BASE (VEG.) for selective isolation of thermotolerant <i>Campylobacter</i> species	37.00	500 gm	
TS 067	CAMPYLOBACTER SELECTIVE SUPPLEMENT IV (PRESTON)*	#27 vI	5vI	
TM 835	PRINGSHEIM'S MEDIUM for cultivation of Blue Green Bacteria	00.24	100 gm	
TM 2293	PROSKAUER BECK MEDIUM for the growth and sporulation of <i>Saccharomyces cerevisiae</i>	12.79 12.79	100 gm 500 gm	
TM 2294	PROTEOSE AGAR for the cultivation of <i>Vibrio</i> species from foods in accordance with APHA	50.00	500 gm	
TM 266	PSEUDOMONAS AGAR F (FOR FLUORESCIN) for detection of fluorescein production by <i>Pseudomonas</i> species	38.00	100 gm 500 gm	
TMV 266	PSEUDOMONAS AGAR F (FOR FLUORESCIN) (VEG.) for detection of fluorescein production by <i>Pseudomonas</i> species	38.00	100 gm 500 gm	
TM 1279	PSEUDOMONAS AGAR F (FOR FLUORESCIN) (as per USP) for detection of fluorescein production by <i>Pseudomonas</i> species	38.00	100 gm 500 gm	
TM 1811	PSEUDOMONAS AGAR FOR DETECTION OF FLUORESCIN (as per IP) for detection of fluorescein production by <i>Pseudomonas</i> species	37.23	100 gm 500 gm	
TM 2295	PSEUDOMONAS AGAR, MODIFIED (FOR FLUORESCIN) for detection of fluorescein production by <i>Pseudomonas</i> species in accordance with FDA BAM, 1998	47.23	500 gm	
TM 267	PSEUDOMONAS AGAR P (FOR PYOCYANIN) for detection of Pyocyanin production by <i>Pseudomonas</i> species	46.40	100 gm 500 gm	
TMV 267	PSEUDOMONAS AGAR P (FOR PYOCYANIN) (VEG.) for detection of Pyocyanin production by <i>Pseudomonas</i> species	46.40	100 gm 500 gm	
TM 1280	PSEUDOMONAS AGAR P (FOR PYOCYANIN) (as per USP) for detection of pyocyanin production by <i>Pseudomonas</i> species	46.40	100 gm 500 gm	
TM 1812	PSEUDOMONAS AGAR FOR DETECTION OF PYOCYANIN (as per IP) for detection of pyocyanin production by <i>Pseudomonas</i> species	46.40	100 gm 500 gm	
TM 626	PSEUDOMONAS AGAR BASE for selective isolation of <i>Pseudomonas</i> species from environmental samples, food and water	48.40	100 gm 500 gm	
TS 075	CETRINIX SUPPLEMENT *	#21 vI	5 vI 25 vI	
TS 077	CFC SUPPLEMENT *	#21 vI	5 vI 25 vI	
TM 641	PSEUDOMONAS ASPARAGINE BROTH (as per APHA) for presumptive determination of <i>Pseudomonas aeruginosa</i> from water	04.50	100 gm 500 gm	
TM 1712	PSEUDOMONAS BROTH F (FOR FLUORESCIN) for detection of fluorescein production by <i>Pseudomonas</i> species	23.00	500 gm	

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 1714	PSEUDOMONAS BROTH P (FOR PYOCYANIN) for detection of pyocyanin production by <i>Pseudomonas</i> species	31.40	500 gm	
TM 268	PSEUDOMONAS ISOLATION AGAR for selective isolation and identification of <i>Pseudomonas aeruginosa</i> from clinical and non clinical samples	45.03	100 gm 500 gm	
TMV 268	PSEUDOMONAS ISOLATION AGAR (VEG.) for selective isolation and identification of <i>Pseudomonas aeruginosa</i> from clinical and non clinical samples	45.03	100 gm 500 gm	
TM 2296	PSEUDOMONAS SOLANACEARUM MEDIUM for the cultivation of <i>Pseudomonas solanacearum</i>	33.00	500 gm	
TM 836	PURPLE AGAR BASE for identification of pure cultures of enteric and other microorganisms	31.00	500 gm	
TM 837	PURPLE BROTH BASE for identification of pure cultures of enteric and other microorganisms	15.00	500 gm	
TM 2297	PURPLE BROTH BASE recommended for the fermentation studies of <i>Listeria monocytogenes</i>	16.02	500 gm	
TM 2298	PYRAZINAMIDASE AGAR for identification of <i>Yersinia</i> species in accordance with FDA BAM, 1998	34.00	500 gm	
TM 269	R2A AGAR for heterotrophic plate count of treated potable water using longer incubation time	18.12	100 gm 500 gm	
TMV 269	R2A AGAR (VEG.) for heterotrophic plate count of treated potable water using longer incubation time	18.12	100 gm 500 gm	
TM 1956	R2A AGAR (AGAR MEDIUM S) (as per EP/BP) for heterotrophic plate count of treated potable water using longer incubation periods	18.12	500 gm	
TM 2299	R2A AGAR, MODIFIED for the enumeration and cultivation of bacteria from potable water	18.12	500 gm	
TM 1592	R2A BROTH for cultivation and maintenance of heterotrophic bacteria from potable waters	03.12	500 gm	
TM 838	R3A AGAR for subculturing of microorganisms recovered on less nutritive R2A Agar from potable water	21.25	500 gm	
TM 1593	R3A BROTH for cultivation and maintenance of heterotrophic bacteria from potable water	06.25	500 gm	
TM 366	COOKED MEAT MEDIUM (R.C. MEDIUM) (COMPLETE SOLUBLE) for cultivation and maintenance of aerobes, anaerobes of stock cultures	125.00	500 gm	
TM 2300	RPF AGAR BASE (ISO 6888-2:1999) recommended for the enumeration of coagulase positive staphylococci from food and animal feeding stuff	58.00	500 gm	
TS 176	RPF SUPPLEMENT (FIBRINOGEN PLASMA TRYPSIN INHIBITOR SUPPLEMENT) *	#87 vI	5 vI 25 vI	
TM 2301	RS MEDIUM BASE for selective isolation, cultivation and presumptive identification of <i>Aeromonas hydrophila</i>	45.43	500 gm	
TS 051	NOVOBIOCIN SUPPLEMENT *	#11 vI	5 vI 25 vI	
TM 753	RAKA RAY NO. 3 BROTH BASE (LACTIC ACID BACTERIA SELECTIVE BROTH BASE) for selective isolation of Lactic Acid Bacteria from brewery	58.90	100 gm	
TS 069	LACTIC SUPPLEMENT (10 ml/vI) *	#4 vI	5 vI	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 1876	RPMI AGAR W/MOPS 2% DEXTROSE (DOUBLE PACK) for determining susceptibility of microorganisms to antifungal agents	42.91 35.00	100 gm 500 gm	
TM 516	CULTURE MEDIUM FOR RWC (DISINFECTANT TEST BROTH) (RWC MEDIUM) (as per BIS) for determination of phenol coefficients of disinfectants using <i>Salmonella typhi</i> as a test organism	50.00	100 gm 500 gm	
TM 1201	RAPID COLIFORM AGAR * for detection and confirmation of <i>E. coli</i> and other coliforms on the basis enzyme substrate reaction chromogenic and fluorogenic substrates	31.03	100 gm 500 gm	
TM 1202	RAPID COLIFORM BROTH * for detection and confirmation of <i>E. coli</i> and other coliforms on the basis enzyme substrate reaction from water by using chromogenic and fluorogenic substrates	16.03	100 gm 500 gm	
TM 839	RAPID ENTEROCOCCI AGAR * for rapid and easy identification and differentiation of enterococci from water	33.61	100 gm 500 gm	
TM 124	RAPID-SENSITIVITY TEST AGAR for antimicrobial susceptibility test	31.40	100 gm 500 gm	
TM 1466	RAPID-SENSITIVITY TEST BROTH for antimicrobial susceptibility test	23.40	100 gm 500 gm	
TM 270	RAPPAPORT VASSILIADIS MEDIUM for enrichment of <i>Salmonella</i> based on its ability to multiply selectively at high osmotic pressure, low pH and at 43° C, with modest nutritional requirements	49.20	100 gm 500 gm	
TM 1281	RAPPAPORT VASSILIADIS MEDIUM for selective enrichment of <i>Salmonella</i> from food and environmental samples	41.77	100 gm 500 gm	
TM 1831	RAPPAPORT VASSILIADIS SOYA BROTH for selective enrichment of <i>Salmonella</i> spp.	33.37	100 gm 500 gm	
TM 2302	RAPPAPORT VASSILIADIS R10 MEDIUM for selectively enriching <i>Salmonella</i> species from meat and dairy products, faeces and sewage polluted water	26.62	500 gm	
TM 1282	RAPPAPORT VASSILIADIS SOYA BROTH (RVS BROTH) for selective enrichment of <i>Salmonella</i> species from the food and animal feeding stuff	26.75	100 gm 500 gm	
TMH 111	RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENT BROTH (as per USP/EP/JP/BP/IP) for selective enrichment & isolation of <i>Salmonella</i> species from pharmaceutical products	42.50	100 gm 500 gm	
TM 1596	RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENT BROTH for selective enrichment of <i>Salmonella</i> species under high osmotic conditions and low pH	27.11	100 gm 500 gm	
TM 1070	RAPPAPORT VASSILIADIS SOYABEAN MEAL BROTH (RVSM) for enrichment and isolation of <i>Salmonella</i>	26.75	100 gm 500 gm	
TM 2303	RAPPAPORT VASSILIADIS SOYABEAN MEAL BROTH (ISO 6579-1:2017) recommended as selective enrichment medium for the isolation of <i>Salmonella</i> species	26.58	100 gm 500 gm	
TM 1283	RAZI'S MEDIUM (SEMISOLID REINFORCED CLOSTRIDIAL MEDIUM W/ ASPARTATE) for maintenance of <i>Campylobacter</i> species	40.00	500 gm	
TM 1555	REDDYS DIFFERENTIAL AGAR, MODIFIED (LACTIC STREAK AGAR) qualitative and quantitative differentiation of lactic streptococci	58.00	500 gm	
TM 577	REINFORCED CLOSTRIDIAL AGAR for cultivation and enumeration of <i>Clostridia</i> and other anaerobes	51.00	100 gm 500 gm	
TMV 577	REINFORCED CLOSTRIDIAL AGAR (VEG.) for cultivation and enumeration of <i>Clostridia</i> and other anaerobes	51.00	100 gm 500 gm	

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 271	REINFORCED CLOSTRIDIAL BROTH for cultivation and enumeration of <i>Clostridia</i> and other anaerobes	38.00	100 gm 500 gm	
TMV 271	REINFORCED CLOSTRIDIAL BROTH (VEG.) for cultivation and enumeration of <i>Clostridia</i> and other anaerobes	38.00	100 gm 500 gm	
TM 840	REINFORCED CLOSTRIDIAL BROTH W/O AGAR for cultivation and enumeration of <i>Clostridia</i>	37.50	100 gm 500 gm	
TMH 115	REINFORCED CLOSTRIDIAL BROTH (as per USP/BP/JP/EP) for isolation, cultivation and enumeration of <i>Clostridia</i> species, highly nutritive for <i>Clostridium sporogenes</i> and other anaerobes	38.00	100 gm 500 gm	
TM 1071	RHAMNOSE BROTH for demonstration of rhamnose fermentation by <i>Listeria monocytogenes</i>	16.02	500 gm	
TM 385	RHIZOBIUM MEDIUM for cultivation and isolation of <i>Rhizobium</i> species	31.80	500 gm	
TM 1599	RICE EXTRACT AGAR for identification of <i>Candida albicans</i> by means of its chlamydospore production	40.00	500 gm	
TM 1600	RICE EXTRACT AGAR for differentiation of Yeasts by means of their typical chlamydospores and on the basis of morphological criteria	15.00	500 gm	
TM 1072	RICHARD'S SYNTHETIC AGAR for cultivation and isolation of Fungi from soil samples	82.50	500 gm	
TM 273	RINGER SALT SOLUTION POWDER an isotonic diluent for food, milk and dairy products during microbiological testing	08.91	100 gm	
TM 2304	RINSING FLUID used as a rinsing fluid in the membrane filtration procedure	09.00	100 gm 500 gm	
TM 1480	RIPPEY CABELLI AGAR BASE for isolation of <i>Aeromonas hydrophila</i> from water samples using membrane filter technique	32.24	100 gm	
TS 171	RIPPEY CABELLI SUPPLEMENT*	#7 vl	5 vl	
TM 842	ROBINSON MEDIUM FOR ENTAMOEBA (DOUBLE PACK) used as a substrate for growth of <i>Amoeba</i> by cultivating <i>E. coli</i>	(Part I) 85.00 (Part II) 40.00	500 gm	
TM 274	ROGOSA SL AGAR * for selective cultivation of oral, vaginal and faecal lactobacilli	75.00	500 gm	
TMV 274	ROGOSA SL AGAR (VEG.) for selective cultivation of oral, vaginal and faecal lactobacilli	75.00	500 gm	
TM 1073	ROGOSA SL AGAR W/ 0.15% OXGALL for selective isolation of bile tolerant lactobacilli	86.20	500 gm	
TM 275	ROGOSA SL BROTH * for selective cultivation of all lactobacilli including oral, vaginal and faecal lactobacilli	60.00	500 gm	
TMV 275	ROGOSA SL BROTH (VEG.) * for selective cultivation of all lactobacilli including oral, vaginal and faecal lactobacilli	60.00	500 gm	
TM 2305	ROGOSA AGAR, MODIFIED for the selective cultivation of lactobacilli from food	74.40	500 gm	
TM 276	ROSE BENGAL AGAR BASE for selective isolation and enumeration of Yeasts and Moulds from environmental materials and foods	31.55	500 gm	
TS 053	CHLORAMPHENICOL SELECTIVE SUPPLEMENT*	#32 vl	5 vl 25 vl	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 2306	ROSE BENGAL AGAR W/ CHLORTETRACYCLINE for the selective isolation and enumeration of Yeasts and Moulds	31.55	500 gm	
TS 138	CHLORTETRACYCLINE SELECTIVE SUPPLEMENT *	#16 vl	5 vl 25 vl	
TM 277	ROSE BENGAL CHLORAMPHENICOL AGAR * for selective isolation and enumeration of Yeasts and Moulds from environmental materials and foods	32.15	100 gm 500 gm	
TM 2307	RYE AGAR A for the isolation of <i>Phytophthora infestans</i>	95.00	500 gm	
TM 2308	RYE AGAR B for sporulation of <i>Phytophthora infestans</i>	95.05	500 gm	
TM 1074	SA AGAR BASE (as per APHA) for isolation, cultivation and differentiation of <i>Aeromonas hydrophila</i> from foods by starch hydrolysis	31.00	500 gm	
TS 097	AMPICILLIN SUPPLEMENT *	#17 vl	5 vl	
TM 563	SABHI AGAR BASE for cultivation and isolation of dermatophytes and other pathogenic fungi	59.00	500 gm	
TS 053	CHLORAMPHENICOL SELECTIVE SUPPLEMENT*	#17 vl	5 vl 25 vl	
TM 280	SBG ENRICHMENT BROTH for selective enrichment of <i>Salmonella</i> from clinical samples	23.67	100 gm	
TM 2309	SBG ENRICHMENT BROTH, MODIFIED (DOUBLE PACK) for selective enrichment of <i>Salmonella</i> species	(Part I) (Part II) 18.67 04.00	100 gm -	
TM 2310	SCHWARZ DIFFERENTIAL MEDIUM used in the brewing industry for the differentiation of Brewing Yeasts from Wild yeast	44.50	500 gm	
TM 843	SD AGAR for growth of Yeasts for molecular biology purposes	46.70	500 gm	
TM 281	SDS AGAR (SODIUM DODECYL SULPHATE POLYMYXIN SUCROSE AGAR) (as per APHA) for enrichment, isolation and enumeration of <i>Vibrio vulnificus</i> from sea food samples	66.08	500 gm	
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT *	#16 vl	5 vl 25 vl	
TM 844	SF BROTH for selective detection, differentiation and cultivation of enterococci from other cocci in diagnostic work	36.00	500 gm	
TM 845	SF BROTH, MODIFIED for detection of enterococci in diagnostic work	46.00	500 gm	
TM 846	S.F.P. AGAR BASE for presumptive identification and enumeration of <i>Clostridium perfringens</i> in foods	47.00	500 gm	
TS 054	S.F.P. SUPPLEMENT (PERFRINGENS S.F.P. SUPPLEMENT) *	#22 vl	5 vl 25 vl	
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#6 vl	5 vl	
TM 2311	S.F.P. AGAR BASE for the presumptive identification and enumeration of <i>Clostridium perfringens</i> in foods in accordance with BAM, 1998 FDA	47.00	500 gm	
TS 076	T.S.C. SUPPLEMENT (PERFRINGENS T.S.C. SUPPLEMENT) *	#22 vl	5 vl 25 vl	
TS 290	EGG YOLK EMULSION, 50%	#11 vl	5 vl	
TM 847	SIM MEDIUM for determination of hydrogen sulphide production, indole formation and motility of enteric bacilli	36.23	500 gm	

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TMV 847	SIM MEDIUM (VEG.) for determination of hydrogen sulphide production, indole formation and motility of enteric bacilli	36.23	500 gm	
TM 2312	SIM MOTILITY MEDIUM, MODIFIED for determination of hydrogen sulphide production, indole formation and motility of enteric bacilli in accordance with FDA BAM	30.00	500 gm	
TM 1076	SM SELECTIVE AGAR BASE for isolation and cultivation of <i>Pseudomonas solanacearum</i>	18.66	500 gm	
TS 167	SM SELECTIVE SUPPLEMENTTTC SOLUTION 1% (10 ml/vl) *	#27 vl	5 vl	
TS 042	TTC SOLUTION 1% (10 ml/vl) *	#27 vl	5 vl 25 vl	
TM 1284	SOC BROTH a medium for molecular biology	28.00	500 gm	
TM 1077	SPS AGAR * for detection of <i>Clostridium perfringens</i> in foods	40.00	500 gm	
TMV 1077	SPS AGAR (VEG.) * for detection of <i>Clostridium perfringens</i> in foods	40.00	500 gm	
TM 1078	SPS AGAR, MODIFIED * for selective isolation and enumeration of <i>Clostridium perfringens</i> from foodstuffs	41.28	500 gm	
TMV 1078	SPS AGAR, MODIFIED (VEG.) * for selective isolation and enumeration of <i>Clostridium perfringens</i> from foodstuffs	41.28	500 gm	
TM 386	SS AGAR (SALMONELLA SHIGELLA AGAR) for differential and selective isolation of <i>Salmonella</i> and <i>Shigella</i> species from pathological samples	63.00	100 gm 500 gm	
TMV 386	SS AGAR (SALMONELLA SHIGELLA AGAR) (VEG.) for differential and selective isolation of <i>Salmonella</i> and <i>Shigella</i> species from pathological samples	63.00	100 gm 500 gm	
TM 588	SS AGAR, MODIFIED for selective isolation & differentiation of <i>Salmonella</i> and <i>Shigella</i> species from clinical materials and foodstuff	57.00	500 gm	
TM 2313	SS AGAR W/ SUCROSE used for the selective isolation and differentiation of <i>Salmonella</i> and <i>Shigella</i> species	59.03	500 gm	
TM 2314	SS SELECTIVE AGAR, IMPROVED, ((DOUBLE PACK) for the selective detection and isolation of <i>Salmonella</i> and <i>Shigella</i> species	(Part I) 81.00 (Part II) 04.60	500 gm -	
TM 1828	S.S AGAR WITH SODIUM DEOXYCHOLATE & CaCl₂ (SSDC AGAR) for detection of presumptive pathogenic <i>Yersinia enterocolitica</i>	76.00	100 gm	
TM 2315	S.T.A. AGAR BASE for the isolation of <i>Brochothrix thermosphacta</i> from meat products	36.48	500 gm	
TS 305	S.T.A. SELECTIVE SUPPLEMENT *	#28 vl	5 vl 25 vl	
TM 2316	SABOURAUD AGAR GLUCOSE 4% for cultivation of Yeasts, Moulds and aciduric microorganisms	65.00	500 gm	
TM 587	SABOURAUD AGAR W/ ANTIBIOTICS (SABOURAUD CYCLOHEXIMIDE CHLORAMPHENICOL AGAR) for selective isolation and cultivation of pathogenic fungi	45.54	100 gm	
TM 622	SABOURAUD CHLORAMPHENICOL AGAR for selective isolation and cultivation of Yeasts and Moulds	65.05	100 gm 500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TMV 622	SABOURAUD CHLORAMPHENICOL AGAR (VEG.) for selective isolation and cultivation of Yeasts and Moulds	65.00	100 gm 500 gm	
TM 387	SABOURAUD DEXTROSE AGAR for cultivation of Yeasts, Moulds and aciduric microorganisms	65.00	100 gm 500 gm	
TMV 387	SABOURAUD DEXTROSE AGAR (VEG.) for cultivation of Yeasts, Moulds and aciduric microorganisms	65.00	100 gm 500 gm	
TM 1602	SABOURAUD DEXTROSE AGAR W/ SOYA LECTHIN & POLYSORBATE 80 used for cultivation of yeasts, Moulds and aciduric bacteria	70.70	500 gm	
TM 2317	SABOURAUD DEXTROSE AGAR W/ 3.0% AGAR for cultivation of Yeasts, Moulds and aciduric microorganisms (withstands longer autoclaving upto 30 minutes)	80.00	500 gm	
TMH 104	SABOURAUD DEXTROSE AGAR (as per USP/EP/JP/BP) for selection, isolation and cultivation of Yeasts and Fungi	65.00	100 gm 500 gm	
TM 1813	SABOURAUD DEXTROSE AGAR MEDIUM W/ CHLORAMPHENICOL (as per IP) for selective cultivation of Yeasts and Moulds	61.41	100 gm 500 gm	
TM 090	SABOURAUD DEXTROSE AGAR BASE, MODIFIED (DEXTROSE AGAR BASE, EMMONS) for selective cultivation of pathogenic Fungi	47.00	100 gm 500 gm	
TS 275	CC SUPPLEMENT *	#22 vl	5 vl	
TM 388	SABOURAUD DEXTROSE BROTH for cultivation of Yeasts, Moulds and aciduric microorganisms	30.00	100 gm 500 gm	
TMV 388	SABOURAUD DEXTROSE BROTH (VEG.) for cultivation of Yeasts, Moulds and aciduric microorganisms	30.00	100 gm 500 gm	
TMH 106	SABOURAUD DEXTROSE BROTH (as per USP/EP/JP/BP) for selection, isolation & cultivation of Yeasts, Moulds and aciduric microorganisms	30.00	100 gm 500 gm	
TM 2318	SABOURAUD DEXTROSE BROTH, MODIFIED for isolation of Yeasts and Moulds from cosmetics in accordance with FDA BAM, 1998	50.00	500 gm	
TM 849	SABOURAUD DEXTROSE MALTOSE AGAR for cultivation of Yeasts and Moulds and for testing antimycotic substances	45.00	500 gm	
TM 1080	SABOURAUD DEXTROSE MALTOSE BROTH for cultivation of Moulds, Yeasts & aciduric organisms as well as testing antimycotic substances	30.00	500 gm	
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT *	#34 vl	5 vl 25 vl	
TM 1951	SABOURAUD-GLUCOSE AGAR WITH ANTIBIOTICS (AGAR MEDIUM C) (as per EP/BP) for selective cultivation of Yeasts and Moulds	61.36	500 gm	
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT *	#6 vl	5 vl 25 vl	
TM 2320	SABOURAUD DEXTROSE AGAR MEDIUM W/ ANTIBIOTICS (as per IP) for selective cultivation of Yeasts and Moulds	65.00	500 gm	
TS 138	CHLORTETRACYCLINE SELECTIVE SUPPLEMENT *	#8 vl	5 vl 25 vl	
TM 2321	SABOURAUD DEXTROSE BROTH MEDIUM 3. (as per IP) for cultivation of Yeasts, Moulds and aciduric microorganisms	28.18	100 gm 500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 287	SABOURAUD MALTOSE AGAR for propagation of Yeasts and Moulds, particularly fungi concerned with skin and scalp lesions	65.00	500 gm	
TM 288	SABOURAUD MALTOSE BROTH for propagation of Yeasts and Moulds, particularly fungi concerned with skin and scalp lesions	31.00	500 gm	
TM 2319	SABOURAUD GLUCOSE AGAR W/ANTIBIOTICS for selective cultivation of Yeasts and Moulds	65.00	500 gm	
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT *	#16 vl	5 vl 25 vl	
TM 317	SABOURAUD MEDIUM, FLUID (FLUID SABOURAUD MEDIUM) sterility test medium for lower bacteria in pharmaceutical preparations and clinical samples	30.00	100 gm 500 gm	
TMV 317	SABOURAUD MEDIUM, FLUID (FLUID SABOURAUD MEDIUM) (VEG.) sterility test medium for lower bacteria in pharmaceutical preparations and clinical samples	30.00	100 gm 500 gm	
TM 850	SACCHAROSE BROTH for identification of saccharose fermenting microorganisms	32.53	500 gm	
TM 1605	SAKAZAKII DHL AGAR used for detection and isolation of pathogenic <i>Enterobacteriaceae</i> from all types of samples	63.53	500 gm	
TM 1606	SALENRICH BROTH for enrichment of sublethally injured <i>Salmonella</i> from food products	35.00	500 gm	
TS 212	SALENRICH SELECTIVE SUPPLEMENT *	#58 vl	5 vl 25 vl	
TM 1081	SALINE AGAR for alpha-toxin detection in <i>Clostridium perfringens</i>	23.50	500 gm	
TM 2322	SALINE LYSINE DECARBOXYLASE MEDIUM recommended as an identification media to detect lysine decarboxylase activity of <i>Vibrio parahaemolyticus</i>	39.01	100 gm 500 gm	
TM 1847	SALINE MEAT YEAST AGAR (as per ISO 16649) for identification of <i>Vibrio parahaemolyticus</i> from food products and animal feeding products	58.30	500 gm	
TM 2323	SALINE NUTRIENT AGAR recommended for isolation and cultivation of <i>Vibrio parahaemolyticus</i> from food products or animal feeding products	53.00	500 gm	
TM 2324	SALINE NUTRIENT AGAR FOR VIBRIO (ISO 21872-1-2017) recommended for enrichment of <i>Vibrio parahaemolyticus</i> and <i>Vibrio cholerae</i> species	43.00	500 gm	
TM 2325	SALINE PEPTONE WATER W/ 6% NaCl (ISO 21872-1-2017) recommended as a biochemical test to distinguish between <i>Vibrio</i> species based on salt tolerance	70.00	500 gm	
TM 2326	SALINE PEPTONE WATER W/ 10% NaCl (ISO 21872-1-2017) recommended for detection of <i>Vibrio parahaemolyticus</i> and <i>Vibrio cholerae</i> from food	110.00	500 gm	
TM 2327	SALINE TRYPTONE / TRYPTOPHAN MEDIUM (ISO 8914:1990) recommended for detection of indole production by <i>Vibrio parahaemolyticus</i>	41.00	500 gm	
TM 1816	SALMONELLA AGAR, ONOZ for selective isolation and identification of <i>Salmonella</i> from clinical samples	80.31	500 gm	
TM 1286	SALMONELLA DIFFERENTIAL AGAR (DOUBLE PACK) for selective isolation and identification of <i>Salmonella</i> from clinical samples	(Part I) 25.00 (Part II) 10.00	100 gm 500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME		F.Wt. Gm/Ltr	PACK SIZE	
TM 1203	SALMONELLA DIFFERENTIAL AGAR, MODIFIED (DOUBLE PACK) for differentiation of <i>Salmonella</i> species from members of <i>Enterobacteriaceae</i> especially	(Part I) (Part II)	31.00 10.00	100 gm 500 gm	
TM 2328	SALMONELLA SELECTIVE ENRICHMENT BROTH BASE for selective isolation and differentiation of <i>Salmonella</i> species		25.00	100 gm 500 gm	
TS 306	SALMONELLA SELECTIVE ENRICHMENT SUPPLEMENT *		#20 vl	5 vl	
TM 2329	SALMONELLA SELECTIVE PRIMARY BROTH a pre-enrichment medium used for recovery <i>Salmonella</i> species from foods prior to selective enrichment and isolation		20.00	500 gm	
TM 2330	SALMONELLA SELECTIVE SECONDARY BROTH for selective enrichment and isolation of <i>Salmonella</i> from food		73.90	500 gm	
TM 1082	SALT BROTH, MODIFIED for cultivation and differentiation of the enterococcal group D streptococci from nonenterococcal group D streptococci based on salt tolerance		86.01	500 gm	
TM 564	SALT MEAT BROTH for isolation of staphylococci from grossly contaminated samples		150.00	500 gm	
TM 851	SALT POLYMYXIN BROTH BASE for detection and enumeration of <i>Vibrio</i> species		33.00	500 gm	
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT *		#34 vl	5 vl 25 vl	
TM 1848	SALT POLYMYXIN BROTH BASE (ISO 8914:1990) for detection and enumeration of <i>Vibrio</i> species		29.70	500 gm	
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT *		#34 vl	5 vl 25 vl	
TM 2331	SAUTONS FLUID MEDIUM BASE for selective enrichment and isolation of <i>Salmonella</i> from food		03.19	100 gm 500 gm	
TM 291	SCHAEDLER AGAR for enumeration of various aerobic and anaerobic bacterial species in gastrointestinal tract		43.41	500 gm	
TM 292	SCHAEDLER BROTH for cultivation of wide variety of microorganisms particularly from anaerobic blood cultures		28.41	500 gm	
TM 1607	SCHUBERTS ARGININE BROTH for isolation of chlorine damaged <i>Pseudomonas aeruginosa</i> in swimming pool		35.50	500 gm	
TM 1075	SCHWARZ DIFFERENTIAL MEDIUM for differentiation of Brewing Yeasts from Yild yeasts		44.50	500 gm	
TM 2332	SELECTIVE BROTH FOR MRSA for improved detection of Methicillin Resistant <i>Staphylococcus aureus</i> (MRSA)		46.40	500 gm	
TS 307	SELECTIVE SUPPLEMENT FOR MRSA *		#11 vl	5 vl 25 vl	
TM 1083	SEA WATER AGAR (DOUBLE PACK) for cultivation of marine microorganism	(Part I) (Part II)	28.00 37.00	500 gm -	
TM 390	SEED AGAR (ANTIBIOTIC ASSAY MEDIUM NO.1) (as per IP/USP) for microbiological assay of β -lactam and other antibiotics		30.50	100 gm 500 gm	
TM 1084	SELECTIVE LYSINE AGAR (as per AOAC) for selective isolation and identification of <i>Salmonella</i>		38.33	500 gm	
TM 2333	SELENITE BROTH (SELENITE F BROTH) (DOUBLE PACK) as enrichment media for the isolation of <i>Salmonella</i> from faeces, urine or other pathological materials	(Part I) (Part II)	19.00 04.00	100 gm 500 gm	

CODE	PRODUCT NAME		F.Wt. Gm/Ltr	PACK SIZE	
TM 1840	SELECTIVE STREPTOCOCCUS AGAR for selective isolation of group A streptococci with blood		43.00	100 gm 500 gm	
TM 389	SELENITE BROTH (SELENITE F BROTH) (DOUBLE PACK) (IS:5887 (Part I, III and IV) 1976, reaffirmed 2005) for isolation and enrichment of <i>Salmonella</i> from faeces, urine or other pathological material	(Part I) (Part II)	19.00 04.00	100 gm 500 gm	
TMV 389	SELENITE BROTH (SELENITE F BROTH) (DOUBLE PACK) (VEG.) for isolation and enrichment of <i>Salmonella</i> from faeces, urine or other pathological material	(Part I) (Part II)	19.00 04.00	100 gm 500 gm	
TM 418	SELENITE BROTH (SELENITE F BROTH) (as per IP) for isolation and enrichment of <i>Salmonella</i> from faeces, urine or other pathological materials	(Part I)	19.00	100 gm 500 gm	
TM 853	SELENITE BROTH BASE W/O BIASELENITE enrichment of <i>Salmonella</i> from food, dairy products and pathological materials		19.00	500 gm	
428	SODIUM BIASELENITE		#4vl	100 gm	
TM 2334	SELENITE CYSTINE BROTH BASE W/O BIASELENITE for selective enrichment of <i>Salmonella</i> spp. and possibly <i>Shigella sonnei</i> from faeces, urine, water and foodstuffs		19.01	500 gm	
428	SODIUM BIASELENITE		#4vl	100 gm	
TM 721	SELENITE BROTH W/DULCITOL (DULCITOL SELENITE BROTH) (DOUBLE PACK) for selective enrichment of <i>Salmonella</i> species	(Part I) (Part II)	04.00	500 gm	
TM 294	SELENITE CYSTINE BROTH (FLUID SELENITE CYSTINE BROTH) (DOUBLE PACK) (ISO 6579:1993) an enrichment medium for isolation of <i>Salmonella</i> species from food, dairy and clinical samples	(Part I) (Part II)	19.01 04.00	100 gm 500 gm	
TMV 294	SELENITE CYSTINE BROTH (FLUID SELENITE CYSTINE BROTH) (VEG.) (DOUBLE PACK) an enrichment medium for isolation of <i>Salmonella</i> species from food, dairy and clinical samples	(Part I) (Part II)	19.01 04.00	100 gm 500 gm	
TM 854	SELENITE CYSTINE BROTH BASE (W/O BIASELENITE) for selective enrichment of <i>Salmonella</i> & possibly <i>Shigella sonnei</i> from faeces, urine, water & foodstuffs		19.01	500 gm	
428	SODIUM BIASELENITE		#4vl	100 gm	
TM 1454	SELENITE MANNITOL BROTH (MANNITOL SELENITE BROTH) (DOUBLE PACK) for selective enrichment of <i>Salmonella</i> from clinical samples	(Part I) (Part II)	19.00 04.00	500 gm -	
TM 1085	SELLERS DIFFERENTIAL AGAR for identification and differentiation of gram-negative non-fermentative bacilli particularly <i>Pseudomonas aeruginosa</i> and <i>Acinetobacter calcoaceticus</i>		45.00	500 gm	
TM 1127	SEMISOLID RAPPAPORT VASSILIADIS MEDIUM, MODIFIED for detection of motile <i>Salmonella</i> species from food, faeces and environmental specimens		31.65	500 gm	
TS 051	NOVOBIOCIN SUPPLEMENT *		#32 vl	5 vl 25 vl	
TM 2135	SENSITIVITY TEST AGAR for determination of antibiotic susceptibility of fastidious microorganisms		31.32	500 gm	
TM 856	SENSITIVITY TEST MEDIUM for sensitivity tests with sulphonamides and other antibiotics		51.04	500 gm	
TM 1289	SERRATIA DIFFERENTIAL MEDIUM (SD MEDIUM) (DOUBLE PACK) for cultivation and differentiation of <i>Serratia</i> species on the basis of arabinose fermentation and Ornithine decarboxylation	(Part I) (Part II)	29.04 10.00	100 gm -	
TM 1290	SHAPTON MEDIUM for enumeration of <i>Bacillus stearothermophilus</i> spores from canned foods with pH>4.5		27.30	500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 1067	SHAW AND CLARKE MEDIUM (PHENYLALANINE MALONATE BROTH) for differentiation of <i>Enterobacteriaceae</i> based on their ability to utilize malonate and produce pyruvic acid from phenylalanine	11.00	100 gm	
TM 1087	SHEEP BLOOD AGAR BASE (W/O BLOOD) for improved haemolytic reactions of organisms	40.50	100 gm 500 gm	
TM 2335	SHEEP BLOOD AGAR BASE, MODIFIED (ISO 21871:2006) for cultivation and studying haemolytic reactions of <i>Bacillus cereus</i>	37.50	500 gm	
TM 857	SHIGELLA BROTH BASE for isolation and cultivation of <i>Shigella</i> species from foods	31.50	500 gm	
TS 082	SHIGELLA SELECTIVE SUPPLEMENT *	#16 vl	5 vl	
TM 1088	SIMMONS AGAR BASE for differentiation between faecal coliform and members of the aerogenes group on the basis of citrate utilization	21.30	100 gm	
TM 348	SIMMONS CITRATE AGAR for differentiation of <i>Enterobacteriaceae</i> on the basis of citrate utilization	24.28	100 gm 500 gm	
TM 1291	SIMMONS CITRATE AGAR (IS : 5887 (Part I) 1976, reaffirmed 2005) for differentiation between faecal coliforms and members of the aerogenes group on the basis of citrate utilization	24.28	100 gm 500 gm	
TM 006	SIMMON'S CITRATE AGAR, MODIFIED (ACETATE DIFFERENTIAL AGAR) for differentiation of <i>Shigella</i> species from <i>Escherichia coli</i> and non- fermentative gram negative microorganisms	29.18	500 gm	
TM 574	SKIM MILK for cultivation of dairy organisms and differentiation of <i>Clostridium</i> species	100.00	500 gm	
TM 295	SKIM MILK AGAR for cultivation and enumeration of bacteria encountered in dairy industry	51.50	500 gm	
TM 1608	SKIM MILK AGAR (PLATE COUNT AGAR) (PCA) for determining the microbial count in milk and dairy products	20.00	500 gm	
TM 1405	SLANETZ AND BARTLEY MEDIUM for detection and enumeration of faecal streptococci by membrane filtration technique	46.50	500 gm	
TM 2336	SLANETZ AND BARTLEY MEDIUM (ISO/DIS 7899-2: 2000) for detection and enumeration of faecal streptococci from water samples by membrane filtration technique	46.50	500 gm	
TM 1609	SLANETZ AND BARTLEY MEDIUM W/O TTC for detection and enumeration of faecal streptococci by membrane filtration technique	46.40	500 gm	
TS 042	TTC SOLUTION 1% (10 ml/VIAL)	#8 v	5 vl 25 vl	
TM 035	SNYDER TEST AGAR (BCG DEXTROSE AGAR) for estimation of <i>Lactobacilli</i> , an indication of caries activity	65.00	500 gm	
TM 1195	SOB MEDIUM (HANAHAN'S BROTH) for cultivation of recombinant strains of <i>Escherichia coli</i>	28.08	500 gm	
TM 2337	SODIUM AZIDE CRYSTAL VIOLET BLOOD AGAR for selective cultivation of <i>Erysipelothrix rhusiopathiae</i>	50.50	100 gm	

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 858	SOIL EXTRACT AGAR for isolation of soil microorganisms	34.25	500 gm	
TM 201	SORBITOL AGAR (MacCONKEY SORBITOL AGAR) (DOUBLE PACK) for isolation and identification of enteropathogenic <i>E. coli</i> strains associated with infant diarrhoea	(Part I) 40.00 (Part II) 10.00	100 gm 500 gm	
TM 859	SORBITOL IRON AGAR for identification and differentiation of enteropathogenic <i>E. coli</i> without fermenting sorbitol	46.00	500 gm	
TM 1440	SOYA PEPTONE DIGEST AGAR for enrichment and isolation of fastidious microorganisms with or without blood	40.00	100 gm 500 gm	
TM 1089	SOYA PEPTONE YEAST EXTRACT AGAR for selective isolation of dermatophytes especially <i>Trichophyton verrucosum</i> and other pathogenic	72.08	500 gm	
TM 546	SOYA BEAN BILE BROTH BASE for enrichment and isolation of <i>Escherichia coli</i> 0157:H7 from foods	32.60	500 gm	
TS 070	NOVOBIOCIN SELECTIVE SUPPLEMENT*	#16 vl	5 vl	
TM 345	SOYA CASEIN DIGEST AGAR (TRYPTONE SOYA AGAR) (CASO AGAR) (as per USP) for enrichment and isolation of fastidious microorganisms with or without blood	40.00	100 gm 500 gm	
TMV 345	SOYA BEAN CASEIN DIGEST AGAR (TRYPTONE SOYA AGAR) (CASO AGAR) (VEG.) (as per USP) for enrichment and isolation of fastidious microorganisms with or without blood	40.00	100 gm 500 gm	
TMH 103	SOYA CASEIN DIGEST AGAR (TRYPTONE SOYA AGAR) (CASO AGAR) (as per USP/EP/JP/BP/IP) for the cultivation of various microorganisms from pharmaceuticals products in accordance with harmonized method	40.00	100 gm 500 gm	
TM 614	SOYA CASEIN DIGEST AGAR W/ TWEEN 80 AND LECTHIN (MICROBIAL CONTENT TEST AGAR) for detection and enumeration of microorganisms present on the surfaces of sanitary importance	45.70	100 gm 500 gm	
TMV 614	SOYA CASEIN DIGEST AGAR W/ TWEEN 80 AND LECTHIN (MICROBIAL CONTENT TEST AGAR) (VEG.) for detection and enumeration of microorganisms present on the surfaces of sanitary importance	45.70	100 gm 500 gm	
TM 1861	SOYA CASEIN DIGEST AGAR W/ LTHTh for determining the efficiency of sanitization of containers, equipment surfaces etc and for enumeration of organisms from water insoluble & fatty products containing antimicrobials or preservatives	46.70	100 gm 500 gm	
TM 1928	SOYA CASEIN DIGEST AGAR W/ LTHTh, Modified for determining the efficiency of sanitization of containers, equipment surfaces etc and for enumeration of organisms from water insoluble & fatty products containing antimicrobials or preservatives	82.00	100 gm 500 gm	
TM 860	SOYA BEAN CASEIN DIGEST AGAR W/ YEAST EXTRACT AND HEMIN (TRYPTONE SOYA AGAR W/ YEAST EXTRACT AND HEMIN) for cultivation of fastidious microorganisms like <i>Bordetella pertussis</i> and <i>Neisseria meningitidis</i>	45.52	100 gm	
TM 1506	SOYA CASEIN DIGEST AGAR WITH INHIBITOR a general purpose medium with inhibitor that inhibit the growth of staphylococci	40.50	500 gm	
TM 332S	SOYA CASEIN DIGEST BROTH (TRYPTONE SOYA BROTH W/ SPS) for cultivation of fastidious and non-fastidious microorganism especially <i>H. influenzae</i> , <i>N. meningitidis</i> , <i>S. pneumoniae</i>	30.03	500 gm	
TM 1931	SOYA BEAN CASEIN DIGEST MEDIUM BASE W/O POLYMYXIN for selective isolation and MPN method of <i>B. cereus</i> in accordance with FDA BAM	30.01	500 gm	
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT *	#34.vl	5 vl 25 vl	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 332	SOYA CASEIN DIGEST MEDIUM (ANTIBIOTIC ASSAY MEDIUM NO.37) (TRYPTONE SOYA BROTH) (CASO BROTH) for sterility testing and cultivation of fastidious and non-fastidious microorganisms	30.00	100 gm 500 gm	
TMV 332	SOYA CASEIN DIGEST MEDIUM (ANTIBIOTIC ASSAY MEDIUM NO.37) (TRYPTONE SOYA BROTH) CASO BROTH (VEG.) for sterility testing and cultivation of fastidious and non-fastidious microorganisms	30.00	100 gm 500 gm	
TMH 102	SOYA BEAN CASEIN DIGEST MEDIUM (TRYPTONE SOYA BROTH) (CASO BROTH) (as per USP/EP/JP/BP) for cultivation of wide variety of microorganisms recommended for sterility testing of Moulds and lower bacteria	30.00	100 gm 500 gm	
TMHV 102	SOYA BEAN CASEIN DIGEST MEDIUM (TRYPTONE SOYA BROTH) (CASO BROTH) (as per USP/EP/JP/BP) (VEG.) for cultivation of wide variety of microorganisms recommended for sterility testing of Moulds and lower bacteria	30.00	100 gm 500 gm	
TM 1929	SOYA BEAN CASEIN DIGEST MEDIUM W/ BCP (TRYPTONE SOYA BROTH W/BCP) for the cultivation of a wide variety of microorganisms. With the addition of carbohydrates, it can also be used for fermentation studies	30.01	500 gm	
TM 1930	SOYA BEAN CASEIN DIGEST MEDIUM W/O DEXTROSE (TRYPTONE SOYA BROTH W/O DEXTROSE) for cultivation of anaerobic microorganisms when the presence of carbohydrates is not desired	27.50	500 gm	
TM 1862	SOYA CASEIN DIGEST MEDIUM W/ LTHTh for determining the efficiency of sanitization of containers, equipment surfaces etc and for enumeration of organisms from water insoluble & fatty products containing antimicrobials or preservatives	31.70	100 gm 500 gm	
TM 2453	SOYA BEAN CASEIN DIGEST AGAR W/ 0.5% LECITHIN & 4% POLYSORBATE 80 for validation of cleanliness on surfaces of containers, equipment surfaces and water miscible cosmetics	90.00	500 gm	
TM 1932	SOYA BEAN CASEIN DIGEST MEDIUM W/ 0.5% SOYA LECITHIN for sanitary examination of surfaces	35.00	500 gm	
TM 2388	SOYA BEAN CASEIN DIGEST MEDIUM WITH 0.1% AGAR (TRYPTONE SOYA BROTH W/ 0.1% AGAR) for cultivation of anaerobes from root canals, blood and other specimens	31.00	500 gm	
TM 1896	SOYA BEAN CASEIN DIGEST MEDIUM WITH NEUTRALIZER this medium is used for determining efficiency of sanitization of containers, equipment surfaces, water miscible cosmetics, etc. It can also be used to enumerate the organisms from water insoluble products and fatty products containing preservatives or antimicrobials	35.70	500 gm	
TM 1897	SOYA BEAN CASEIN DIGEST MEDIUM WITH TWEEN 80 AND LECITHIN it is used for determining the efficiency of sanitization of containers, equipment surfaces, water miscible cosmetics, etc	35.70	500 gm	
TM 2339	SOYA BEAN CASEIN DIGEST MEDIUM W/ YEAST EXTRACT AND LTHTh is recommended in disinfectant testing where neutralization of the chemical is important for determining its bactericidal activity	60.23	500 gm	
TM 1611	SOYA BEAN BILE BROTH W/ NOVIOBIOCIN (ISO 16654:2001) * for the detection and enrichment of <i>Escherichia coli</i> 0157:H7 from foods	33.02	500 gm	
TM 419	SOYA CASEIN DIGEST MEDIUM (TRYPTONE SOYA BROTH) (as per IP) for cultivation of various microorganisms and sterility testing of moulds and lower bacteria	30.00	100 gm 500 gm	
TM 1408	SPECIMEN PRESERVATIVE MEDIUM BASE (SP HAJNA) for collection, transportation and preservation of stool samples or rectal swabs for the isolation of members of <i>Enterobacteriaceae</i>	17.90	100 gm	

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 1409	SPIRIT BLUE AGAR for detection and enumeration of lipolytic microorganisms	32.15	500 gm	
TM 2340	SPIROLATE BROTH, OMATA for mass cultivation of <i>Treponema pallidum</i> , Reiter strain for antigen production and other studies	29.00	100 gm	
TM 1326	SPORULATION AGAR (ARRET AND KIRSHBAUM MEDIUM) (AK AGAR NO.2) for production of spores of <i>Bacillus subtilis</i> ATCC 6633 which are used as inoculum in detection of penicillin and other antibiotic residues in milk and other dairy product	30.80	500 gm	
TM 1292	SPORULATION BROTH for promoting sporulation in <i>Bacillus subtilis</i>	15.80	500 gm	
TM 2341	STAIBS MEDIUM (BIRD SEED AGAR) for selective isolation and differentiation of <i>Cryptococcus neoformans</i> from other <i>Cryptococcus</i> species & Yeasts	100.83	100 gm	
TM 864	STANDARD INFUSION AGAR (MEAT INFUSION AGAR) for mass cultivation of microorganisms in vaccine or toxin production	50.00	500 gm	
TM 363	STANDARD METHODS AGAR (PLATE COUNT AGAR) for determination of plate counts of microorganisms in milk & dairy products by pour plate method	17.50	100 gm 500 gm	
TMV 363	STANDARD METHODS AGAR (PLATE COUNT AGAR) (VEG.) for determination of plate counts of microorganisms in milk & dairy products by pour plate method	17.52	100 gm 500 gm	
TM 544	STANDARD METHODS AGAR (PLATE COUNT AGAR) (ISO 4833-1 & 2:2013) for determination of plate counts of microorganisms in foods, water, waste water & also from clinical samples	23.50	100 gm 500 gm	
TM 2342	STANDARD METHODS AGAR W/ STARCH for the detection of aerobic bacterial spores	24.50	500 gm	
TM 2284	PLATE COUNT AGAR W/ TWEEN 80 & LECITHIN (STANDARD METHODS AGAR W/ TWEEN 80 & LECITHIN) for sanitary examination of surfaces that is for counts before and after application of disinfectants	29.20	100 gm 500 gm	
TM 1411	STANDARD METHODS CASEINATE AGAR for detection of proteolytic microorganisms	40.13	100 gm	
TM 596	STANDARD NUTRIENT AGAR a general purpose medium for cultivation and enumeration of fastidious and non fastidious microorganisms	45.00	500 gm	
TM 2343	STANDARD NUTRIENT AGAR, MODIFIED recommended for the cultivation and enrichment of less fastidious bacteria	25.00	500 gm	
TM 865	STANDARD NUTRIENT AGAR NO.1 for cultivation of fastidious microorganisms	37.00	500 gm	
TM 1614	STANDARD NUTRIENT AGAR NO.2 for cultivation and enrichment of less fastidious bacteria in meat	25.00	500 gm	
TM 866	STANDARD NUTRIENT BROTH NO.1 for cultivation of fastidious microorganisms	25.00	500 gm	
TM 1615	STANDARD NUTRIENT BROTH NO.2 for enrichment of less fastidious microorganisms	15.00	500 gm	
TM 2344	STANDARD RIDEAL WALKER BROTH recommended for determination of phenol coefficient of disinfectants using <i>Salmonella typhi</i> as a test organism	30.00	100 gm 500 gm	
TM 298	STANDARD NUTRIENT BROTH (H.S VACCINE MEDIUM) for large scale cultivation of bacteria for vaccine production	25.00	500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TMV 298	STANDARD NUTRIENT BROTH (H.S VACCINE MEDIUM) (VEG.) for large scale cultivation of bacteria for vaccine production	25.00	500 gm	
TM 299	STANDARD STAPHYLOCOCCUS BROTH for cultivation of staphylococci	20.00	500 gm	
TM 300	STAPHYLOCOCCUS AGAR NO.110 (GELATIN MANNITOL SALT AGAR) for selective isolation and differentiation of staphylococci	149.50	100 gm 500 gm	
TM 1090	STAPHYLOCOCCUS AGAR NO. 110 W/ AZIDE for selective isolation of staphylococci for clinical samples	149.60	500 gm	
TM 313	DISINFECTANT TEST BROTH (USING S. AUREUS as TEST ORGANISM) (as per BIS) for enrichment of staphylococcus aureus	20.00	500 gm	
TM 430	STARCH AGAR for detection of starch hydrolysing microorganisms	30.00	500 gm	
TM 867	STARCH AGAR used as diluents for carrying out microbial limit test	25.00	100 gm 500 gm	
TM 1091	STARCH CASEIN AGAR for detection of saccharolytic marine bacteria	63.00	500 gm	
TM 868	STARCH MILK AGAR for detection of spores in heated milk and milk products	25.00	500 gm	
TM 869	STERILITY TESTING MEDIUM-A for checking presence of aerobic microorganisms in pharmacopeial articles	25.00	500 gm	
TM 870	STERILITY TESTING MEDIUM-B for checking presence of aerobic microorganisms in pharmacopeial articles	26.00	500 gm	
TM 431	STOCK CULTURE AGAR (AYERS AND JOHNSON AGAR) for maintenance of cultures of streptococci and other microorganisms	50.00	500 gm	
TM 2345	STREPTOCOCCUS AGALACTIAE SELECTIVE AGAR BASE for selective isolation of <i>Streptococcus agalactiae</i> from dairy products	34.34	500 gm	
TM 584	STREPTOCOCCUS ENRICHMENT BROTH (SE BROTH) for enrichment of streptococci	42.75	500 gm	
TMV 584	STREPTOCOCCUS ENRICHMENT BROTH (SE BROTH) (VEG.) for enrichment of streptococci	42.75	500 gm	
TM 2346	STREPTOCOCCUS LACTIS DIFFERENTIAL AGAR BASE for differentiation of citrate-utilizing lactic streptococci - <i>Lactococcus lactis</i> (<i>Streptococcus lactis</i>) subspecies diacetylactis from citrate nonutilizing <i>Lactococcus lactis</i> (<i>Streptococcus lactis</i>) and <i>Lactococcus lactis</i> (<i>Streptococcus lactis</i>) subspecies cremoris	32.50	500 gm	
TM 432	STREPTOCOCCUS SELECTION AGAR (STREPTOSEL AGAR) for selective isolation and enumeration of streptococci including group A beta haemolytic strains	45.60	500 gm	
TMV 432	STREPTOCOCCUS SELECTION AGAR (STREPTOSEL AGAR) (VEG.) for selective isolation and enumeration of streptococci including group A beta haemolytic strains	45.60	500 gm	
TM 532	STREPTOCOCCUS SELECTION BROTH (STREPTOSEL BROTH) for selective isolation and cultivation of streptococci including group A beta haemolytic strains	30.60	500 gm	
TMV 532	STREPTOCOCCUS SELECTION BROTH (STREPTOSEL BROTH) (VEG.) for selective isolation and cultivation of streptococci including group A beta haemolytic strains	30.60	500 gm	
TM 2347	b-STREPTOCOCCUS SELECTIVE AGAR BASE for the isolation of beta-haemolytic streptococci from clinical specimens heavily contaminated with other bacteria	25.12	500 gm	
TM 871	STREPTOCOCCUS THERMOPHILUS ISOLATION AGAR for determination of the ratio of <i>Streptococcus thermophilus</i> and <i>Lactobacillus bulgaricus</i> in yogurt	42.00	500 gm	

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 1092	STREPTOMYCES AGAR for cultivation and maintenance of <i>Streptomyces</i>	32.00	500 gm	
TM 1295	STREPTOMYCES MEDIUM for cultivation and maintenance of <i>Streptomyces kanamyceticus</i>	36.70	500 gm	
TM 2348	STUART TRANSPORT MEDIUM W/O METHYLENE BLUE WITH CHARCOAL for the preservation and transportation of <i>Neisseria</i> species and other fastidious organisms from the clinic to laboratory	24.00	100 gm 500 gm	
TM 017	STREPTOMYCIN ASSAY AGAR W/ YEAST EXTRACT (ANTIBIOTIC ASSAY MEDIUM NO. 5) (as per IP/USP) for microbiological assay of Streptomycin using <i>Bacillus subtilis</i>	25.50	500 gm	
TM 420	STUART TRANSPORT MEDIUM (TRANSPORT MEDIUM, STUART) for preservation and transport of <i>Neisseria</i> species and other fastidious organisms	14.10	100 gm 500 gm	
TM 2349	STUART TRANSPORT MEDIUM W/O METHYLENE BLUE for the preservation and transportation of gonococcal species and other fastidious organisms	14.00	100 gm 500 gm	
TM 2350	STUART TRANSPORT MEDIUM W/O SODIUM GLYCEROPHOSPHATE with addition of sodium glycerophosphate, is used for routine transport of gonococcus species and other fastidious organisms	04.10	100 gm 500 gm	
TM 1296	SUCROSE AGAR FOR BREWERY ISOLATES for isolation of dextran producing <i>Leuconostoc</i> species	90.00	500 gm	
TM 2351	SUCROSE DILUENT 40% used as diluent in osmophilic Yeasts and Moulds test method	400.00	500 gm	
TM 736	SUCROSE SALICIN AGAR (GILLIES AGAR NO. 2) for detection of motility, hydrogen sulphide, indole production, fermentation of sucrose and salicin during identification of <i>Salmonella</i> and <i>Shigella</i> species	48.28	100 gm	
TM 548	SUGAR FREE AGAR for butter testing as per International Dairy Federations	34.00	500 gm	
TM 2352	SULPHA SENSITIVITY TEST AGAR used to test the susceptibility of common pathogens to sulphonamides	35.96	500 gm	
TM 1925	SULPHATE API AGAR W/O SODIUM LACTATE * for detection and estimation of sulphate reducing bacteria	25.41	500 gm	
TM 594	SULPHATE API BROTH W/O SODIUM LACTATE * for detection of sulphate reducing bacteria	11.41	500 gm	
TM 1317	SULPHATE API BROTH W/O SODIUM LACTATE (DOUBLE STRENGTH) for detection of sulphate reducing bacteria	11.41	100 gm 500 gm	
TM 595	SULPHATE API BROTH W/O NaCl for detection, differentiation and estimation of sulphate reducing bacteria	01.40	100 gm 500 gm	
TM 1094	SULPHATE REDUCING MEDIUM (DOUBLE PACK) for detection, differentiation and estimation of sulphate reducing bacteria <i>Thiobacillus thioparus</i>	(Part I) 02.32 (Part II) 10.00	100 gm 500 gm	
TM 1095	SULPHATE REDUCING MEDIUM (TRIPLE PACK) enumeration of sulphate reducing bacteria in water	(Part I) 07.10 (Part II) 00.49 (Part III) 03.50	100 gm 500 gm -	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME		F.Wt. Gm/Ltr	PACK SIZE	
TM 433	SULPHITE AGAR for detection of thermophilic sulphide producing anaerobes		31.00	500 gm	
TM 1297	SULPHUR MEDIUM (DOUBLE PACK) for cultivation of <i>Thiobacillus thiooxidans</i>	(Part I) (Part II)	04.07 10.00	100 gm 500 gm	
TM 2353	SUPER BROTH for the mass cultivation of <i>Escherichia coli</i>		60.00	500 gm	
TM 2354	SUPER BROTH NO. II for the cultivation of recombinant strains of <i>Escherichia coli</i>		49.10	500 gm	
TM 2355	SYNCASE BROTH for the detection of coliforms in food samples		37.21	500 gm	
TM 2356	SYNTHETIC BROTH, AOAC (WRIGHT AND MUNDY BROTH) for growing inoculum, making subcultures and preparing various dilutions while testing disinfectants		16.90	500 gm	
TM 1097	SYNTHETIC SEA SALT (ISO 9308-3:1998) for preparation of special diluents		19.19	500 gm	
TM 435	T.A.T. BROTH BASE for sterility testing of highly viscous substances such as ointments, salves and other cosmetic products		25.00	500 gm	
TMV 435	T.A.T. BROTH BASE (VEG.) for sterility testing of highly viscous substances such as ointments, salves and other cosmetic products		25.00	500 gm	
TM 1616	T.A.T. BROTH WITH TWEEN 20 (as per USP) for sterility testing of highly viscous or gelatinous substances in Cosmetic and Pharma		25.00	500 gm	
TM 1339	TBX AGAR (CHROMOGENIC E. COLI AGAR) (CHROMOGENIC TRYPTONE BILE GLUCURONIDE AGAR) (ISO 16649-1:2001 / 16649-2:2001 / 16649-3:2015) for enumeration of <i>Escherichia coli</i> from food samples, animal feed and water samples		36.57	100 gm 500 gm	
TM 2357	TB BROTH BASE for cultivation of <i>Mycobacterium tuberculosis</i>		12.10	500 gm	
TM 2358	TB BROTH BASE W/O TWEEN 80 for cultivation of <i>Mycobacteria</i> when the presence of oleic acid is undesirable		11.60	500 gm	
TM 1357	TTC BROTH BASE (ITC BROTH BASE) (IRGASAN TICARCILLIN AND POTASSIUM CHLORATE BROTH BASE) for selective enrichment and enumeration of <i>Yersinia enterocolitica</i>		76.00	500 gm	
TS 131	TICARCILLIN SUPPLEMENT*		#7 vl	5 vl	
TS 132	POTASSIUM CHLORATE SUPPLEMENT*		-	5 vl	
TM 436	TCBS AGAR (VIBRIO SELECTIVE AGAR) for selective isolation of <i>Vibrio cholerae</i> & other enteropathogenic <i>Vibrios</i> causing food poisoning		89.00	100 gm 500 gm	
TMV 436	TCBS AGAR (VIBRIO SELECTIVE AGAR) (VEG.) for selective isolation of <i>Vibrio cholerae</i> & other enteropathogenic <i>Vibrios</i> causing food poisoning		89.00	100 gm 500 gm	
TM 875	TCBS AGAR (SELECTIVE) for selective isolation of <i>Vibrio cholerae</i> and other enteropathogenic <i>Vibrios</i>		89.00	100 gm 500 gm	

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 876	TCBS AGAR (MODIFIED) for selective isolation of <i>Vibrio cholerae</i> and other enteropathogenic <i>Vibrio</i> 's	88.00	100 gm 500 gm	
TM 1299	TCBS AGAR (IS:5887 (Part V) 1976, reaffirmed 2005) for selective isolation of <i>Vibrio cholerae</i> and other enteropathogenic <i>Vibrio</i> 's	89.00	100 gm 500 gm	
TM 437	TGB AGAR (TRYPTONE GLUCOSE BEEF EXTRACT AGAR) for enumeration of bacteria in water and dairy products	24.00	100 gm 500 gm	
TMV 437	TGB AGAR (VEG.) for enumeration of bacteria in water and dairy products	24.00	100 gm 500 gm	
TM 1100	TMAO MEDIUM (TRIMETHYLAMINE-N-OXIDE MEDIUM) (as per APHA) for cultivation and differentiation of <i>Campylobacter</i> species from foods, except <i>Campylobacter jejuni</i> and <i>Campylobacter coli</i>	29.00	500 gm	
TM 1101	TN AGAR for isolation and cultivation of <i>Vibrios</i> from food samples	35.00	500 gm	
TM 1102	TOC AGAR for presumptive identification and differentiation of <i>Candida albicans</i> and <i>Cryptococcus neoformans</i>	40.30	100 gm	
TM 438	TPEY AGAR BASE for selective isolation and enumeration of staphylococci from foods and other materials	60.00	500 gm	
TS 002	EGG YOLK EMULSION (100 ml/vl) *	# 3 vl	5 vl	
TS 005	POTASSIUM TELLURITE 1% (1ml/vl) *	#9 vl	5 vl 25 vl	
TM 2359	TS SALINE AGAR (TRIPLE SUGAR SALINE IRON AGAR) for identification of <i>Vibrio</i> species especially <i>Vibrio parahaemolyticus</i> on the basis of dextrose, lactose and sucrose fermentation and hydrogen sulphide production	92.62	500 gm	
TM 1357	TTC BROTH BASE (TRICLOSAN TICARCILLIN CHLORATE BROTH) for selective enrichment and enumeration of <i>Yersinia enterocolitica</i>	76.00	500 gm	
TS 131	TICARCILLIN SUPPLEMENT *	#7 vl	5 vl	
TS 132	POTASSIUM CHLORATE SUPPLEMENT *		5 vl	
TM 1477	TARTOFF-HOBBS BROTH (TERRIFIC BROTH) a buffered enriched medium for propagation of recombinant <i>E. coli</i>	47.60	500 gm	
TSM 1477	TARTOFF-HOBBS BROTH (TERRIFIC BROTH) a buffered enriched medium for propagation of recombinant <i>E. coli</i>	47.60	500 gm	
TM 2360	TAUROCHOLATE BROTH for selective isolation of coliforms from water, milk and other food products	40.03	500 gm	
TM 2361	TEEPOL BROTH (DOUBLE PACK) for selective isolation and identification of enteric, lactose fermenting bacteria	(Part I) 35.02 (Part II) 01.00	500 gm -	
TM 879	TELLURITE BLOOD AGAR BASE for selective isolation and cultivation of <i>Corynebacterium</i> species	31.00	500 gm	
TS 021	HAEMOGLOBIN POWDER *	300 gm	100 gm	
TS 005	POTASSIUM TELLURITE 1% (1 ml/vl) *	#17 vl	5 vl 25 vl	
TS 022	VITAMINS AMINO GROWTH SUPPLEMENT (VITAMINS & AMINO ACIDS MIXTURE) *	#17 vl	5 vl 25 vl	
TM 439	TELLURITE GLYCINE AGAR BASE for quantitative detection of coagulase positive staphylococci from foods and other sources	56.00	500 gm	
TS 005	POTASSIUM TELLURITE 1% (1 ml/vl) *	#18 vl	5 vl 25 vl	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 440	TERGITOL-7 AGAR BASE (IS : 5887 (Part I) 1976, reaffirmed 2005) for selective isolation and identification of coliform bacteria from water	33.13	100 gm 500 gm	
TS 042	T.T.C. SOLUTION 1% (10 ml/vl) *	5 vl	5 vl 25 vl	
TMV 440	TERGITOL-7 AGAR BASE (VEG.) for selective isolation and identification of coliform bacteria from water	33.13	100 gm 500 gm	
TS 042	T.T.C. SOLUTION 1% (10 ml/vl) *	#5 vl	5 vl 25 vl	
TM 2362	TERGITOL-7 AGAR H for selective isolation and differentiation of enteric bacteria from urine specimens	34.13	500 gm	
TS 042	T.T.C. SOLUTION 1% (10 ml/vl) *	#5 vl	5 vl 25 vl	
TM 2363	TERGITOL-7 AGAR BASE, MODIFIED for selective isolation and identification of coliform bacteria from water	57.15	100 gm 500 gm	
TM 441	TERGITOL-H-7 BROTH a selective and differential medium for detection and enumeration of coliforms	18.13	500 gm	
TS 042	T.T.C. SOLUTION 1% (10 ml/vl) *	#9 vl	5 vl 25 vl	
TM 1477	TERRIFIC BROTH (TARTOFF-HOBBS BROTH) a buffered enriched medium for propagation of recombinant <i>E. coli</i>	47.60	500 gm	
TMV 1477	TERRIFIC BROTH (VEG.) (TARTOFF-HOBBS BROTH) a buffered enriched medium for propagation of recombinant <i>E. coli</i>	47.60	500 gm	
TM 2364	TETRATHIONATE BRILLIANT GREEN BILE BROTH for isolation and identification of <i>Salmonella</i>	63.07	500 gm	
TM 442	TETRATHIONATE BRILLIANT GREEN BILE BROTH (as per IP/EP/BP) for isolation and identification of <i>Salmonella</i>	63.00	500 gm	
TM 423	TETRATHIONATE BROTH BASE W/O IODINE & BG (FLUID TETRATHIONATE MEDIUM W/O IODINE & BG) for selective isolation of <i>Salmonella</i> from foods and other pathological materials	46.00	100 gm 500 gm	
TM 413	TETRATHIONATE BROTH BASE (as per IP) for isolation of <i>Salmonella</i> from faecal samples, sewage and other samples	77.40	100 gm 500 gm	
TM 443	TETRATHIONATE BROTH BASE, HAJNA (TT BROTH BASE) for enrichment and isolation of <i>Salmonella</i>	91.50	100 gm 500 gm	
TM 2365	TETRATHIONATE CV ENRICHMENT BROTH for the selective enrichment of <i>Salmonella</i> from meat and foodstuff	35.00	500 gm	
TM 933	THAYER MARTIN MEDIUM BASE for selective isolation of gonococci from clinical samples	42.00	100 gm 500 gm	
TS 021	HAEMOGLOBIN POWDER *	50 gm	100 gm	
TS 022	VITAMINS AMINO GROWTH SUPPLEMENT (VITAMINS & AMINO ACIDS MIXTURE) *	#24 vl	5 vl 25 vl	
TS 036	G.C. SUPPLEMENT W/ANTIBIOTICS *	#24 vl	5 vl 25 vl	
TS 038	V.C.N. SUPPLEMENT *	#24 vl	5 vl 25 vl	
TS 039	V.C.N.T. SUPPLEMENT *	#24 vl	5 vl 25 vl	
TM 1301	THERMOACIDURANS AGAR for isolation of <i>Bacillus thermoacidurans</i> from foods	39.00	500 gm	

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 2366	THERMOACIDURANS BROTH recommended for detection of thermophilic/mesophilic aerobic and anaerobic aciduric spore formers and sterility testing for acid food	19.00	100 gm 500 gm	
TM 1818	THERMOPHILIC ACID RESISTANT MEDIUM for growth and detection of thermophilic acid resistant microorganisms	39.00	500 gm	
TM 1302	THIOBACILLUS AGAR for cultivation and isolation of <i>Thiobacillus</i> species	22.66	500 gm	
TM 1303	THIOBACILLUS BROTH for cultivation of <i>Thiobacillus</i> species	10.16	500 gm	
TM 2367	THIOBACILLUS BROTH (ATCC MEDIA 152) for cultural isolation of <i>Thiobacillus</i> intermedia	09.97	500 gm	
TM 639	THIOGLYCOLLATE AGAR for cultivation of anaerobic microorganisms	49.00	500 gm	
TM 216	THIOGLYCOLLATE BROTH W/ LIVER EXTRACT (B.Q.VACCINE MEDIUM) for mass cultivation of anaerobes for vaccine production	30.00	500 gm	
TMV 216	THIOGLYCOLLATE BROTH W/ LIVER EXTRACT (B.Q.VACCINE MEDIUM) (VEG.) for mass cultivation of anaerobes for vaccine production	30.00	500 gm	
TM 301	NIH THIOGLYCOLLATE MEDIUM (ALTERNATIVE THIOGLYCOLLATE MEDIUM) (as per USP) for sterility testing of turbid or viscous biological products	29.00	100 gm 500 gm	
TM 318	THIOGLYCOLLATE MEDIUM, FLUID (FLUID THIOGLYCOLLATE MEDIUM) (as per USP) for sterility testing of biologicals and for cultivation of aerobes, anaerobes and microaerophiles	29.75	100 gm 500 gm	
TM 881	THIOGLYCOLLATE MEDIUM W/ CALCIUM CARBONATE for maintenance of anaerobic cultures, particularly highly fermentative types	30.15	500 gm	
TM 2368	THIOGLYCOLLATE MEDIUM W/ HEMIN AND VITAMIN K * for routine cultivation of fastidious anaerobic microorganisms. Also used for blood culturing and studying fermentation reactions	29.65	500 gm	
TM 2369	THIOGLYCOLLATE MEDIUM W/ K AGAR for cultivation of anaerobic, microaerophilic and aerobic microorganisms and for sterility testing procedures	29.75	500 gm	
TM 2370	THIOGLYCOLLATE MEDIUM W/O DEXTROSE for cultivation of aerobes, microaerophiles, anaerobes and for fermentation studies with various carbohydrates	25.70	500 gm	
TM 447	THIOGLYCOLLATE MEDIUM W/O INDICATOR (DIAGNOSTIC THIOGLYCOLLATE MEDIUM) a general-purpose medium for the cultivation of microorganisms, especially obligate anaerobes	30.00	500 gm	
TM 2371	THIOGLYCOLLATE MEDIUM W/O DEXTROSE AND INDICATOR used as a base for fermentation studies of anaerobic and microaerophilic organisms and for detecting microorganisms in normally sterile materials	24.00	500 gm	
TM 306	THIOGLYCOLLATE MEDIUM, LINDEN (BREWER THIOGLYCOLLATE MEDIUM, MODIFIED) for sterility testing of biological products and isolation of aerobic and anaerobic organisms	38.50	100 gm 500 gm	
TM 535	THIOGEL MEDIUM for differentiation of microorganisms based on their ability to liquify gelatin	80.00	100 gm 500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 448	THIOL BROTH for cultivation of bacteria from body fluids containing Penicillin, Streptomycin and Sulphonamides	29.00	500 gm	
TM 449	THIOL MEDIUM for cultivation of bacteria from body fluids containing Penicillin, Streptomycin and Sulphonamides	30.00	500 gm	
TM 1305	THIOMERSAL ASSAY MEDIUM (as per IP) for microbiological assay of Thiomersal	33.50	500 gm	
TM 2372	THIOSTARCH BROTH for sterility testing of pharmaceutical or biological products	30.25	500 gm	
TM 882	THIOSULPHATE AGAR for cultivation of sulphur metabolizing bacteria present in soil samples	25.40	500 gm	
TM 883	THIOSULPHATE RINGER SOLUTION POWDER for verification of sterility of dairy plant after hypochlorite has been used for disinfection purposes	03.21	100 gm 500 gm	
TM 450	TINSDALE AGAR BASE for selective isolation and differentiation of <i>Corynebacterium diphtheriae</i>	40.70	500 gm	
TS 059	DIPHTHERIA VIRULENCE SUPPLEMENT (Part A & B) DOUBLE PACK *	#13 vI	1 Kit	
TM 451	TODD HEWITT BROTH for cultivation of group A haemolytic streptococci used for serological studies	37.00	100 gm 500 gm	
TM 2373	TOLUIDINE BLUE DNA AGAR for detection of thermostable deoxyribonuclease activity	26.48	100 gm	
TM 2374	TOLUIDINE BLUE DNA AGAR (ISO 8870:2006(E) 83:2006(E)) for detection of thermostable deoxyribonuclease activity to establish speciation of <i>S. aureus</i> in contaminated foods	26.56	100 gm	
TM 2375	TOLUIDINE BLUE DNA AGAR, MODIFIED for detection of thermostable deoxyribonuclease activity and establish speciation of <i>S. aureus</i> in contaminated foods in accordance with FDA BAM, 1998	26.48	100 gm	
TM 2376	TOMATO JUICE AGAR for cultivation and enumeration of lactobacilli	51.00	500 gm	
TM 2377	TOMATO JUICE AGAR, SPECIAL for the cultivation and enumeration of lactobacilli from saliva and other acidophilic bacteria	60.00	500 gm	
TM 2378	TOMATO JUICE BROTH for cultivation of yeasts and other aciduric microorganisms	41.23	500 gm	
TM 2379	TOMATO JUICE MEDIUM BASE for isolation and identification of lactobacilli encountered in wine	40.00	500 gm	
TS 308	LACTOBACILLI SUPPLEMENT *	#5 vI	5 vI 25 vI	
TM 1105	TRANSGROW MEDIUM BASE for cultivation and transport of fastidious microorganisms especially <i>Neisseria</i> species	92.00	500 gm	
TS 021	HAEMOGLOBIN POWDER *	45.50	100 gm	
TS 038	V.C.N. SUPPLEMENT *	#11 vI	5 vI 25 vI	
TS 039	V.C.N.T. SUPPLEMENT *	#11 vI	5 vI 25 vI	
TS 022	VITAMINS AMINO GROWTH SUPPLEMENT (VITAMINS & AMINO ACIDS MIXTURE) *	#11 vI	5 vI 25 vI	
TM 884	TRANSPORT CHARCOAL MEDIUM for transportation of clinical samples	24.00	500 gm	

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 2380	TRANSPORT LIQUID MEDIUM for recovery of microorganisms by neutralizing the disinfectants and antiseptics used while taking swab specimens from wounds, burns and other clinical specimens	18.50	500 gm	
TM 420	TRANSPORT MEDIUM, STUART (STUART TRANSPORT MEDIUM) for preservation and transportation of <i>Neisseria</i> species and other fastidious organisms	14.10	100 gm 500 gm	
TM 415	TRANSPORT MEDIUM W/O CHARCOAL (CARY-BLAIR MEDIUM BASE) for collection and shipment of clinical specimen	12.60	100 gm 500 gm	
TM 456	TRANSPORT MEDIUM, AMIES W/O CHARCOAL for transportation and preservation of clinical samples	09.75	100 gm 500 gm	
TM 009	TRANSPORT MEDIUM, AMIES W/CHARCOAL for transportation and preservation of microbiological samples	20.00	100 gm 500 gm	
TM 885	TRIBUTYRIN AGAR BASE W/O TRIBUTYRIN for detection of lipolytic microorganisms	23.00	100 gm 500 gm	
TS 080	TRIBUTYRIN (10 ml/vl) *	#22 vl	5 vl	
TM 1873	TRICHODERMA HARZIANUM SELECTIVE AGAR BASE for selective isolation of <i>Trichoderma harzianum</i>	25.40	500 gm	
TS 251	TRICHODERMA HARZIANUM SELECTIVE SUPPLEMENT *	#20 vl	5 vl	
TM 1307	TRICHOMONAS AGAR BASE for detection and isolation of <i>Trichomonas vaginalis</i> and <i>Candida albicans</i> from clinical samples	37.50	500 gm	
TS 014	HORSE SERUM *	1.1 ltr	100 ml	
TS 133	TRICHOMONAS SELECTIVE SUPPLEMENT II *	#27 vl	5 vl	
TM 1308	TRICHOMONAS BROTH BASE NO.2 for isolation of <i>Trichomonas vaginalis</i>	68.13	500 gm	
TS 014	HORSE SERUM *	#1.9 ltr	100 ml	
TM 1212	TRICHOMONAS BROTH BASE, KUPFERBERG (KUPFERBERG TRICHOMONAS BROTH BASE) for cultivation and selective isolation of <i>Trichomonas</i> species	23.50	500 gm	
TS 112	TRICHOMONAS SELECTIVE SUPPLEMENT I *	#43 vl	5 vl	
TM 1250	TRICHOMONAS MODIFIED CPLM MEDIUM BASE (MODIFIED CPLM MEDIUM BASE) for cultivation of <i>Trichomonas</i> species	56.00	500 gm	
TM 424	TRIPLE SUGAR IRON AGAR for confirmation of gram negative enteric bacilli on basis of dextrose, lactose and sucrose fermentation and H ₂ S production	64.52	100 gm 500 gm	
TM 1625	TRIPLE SUGAR IRON AGAR for identification of gram-negative enteric bacilli on the basis of dextrose, lactose and sucrose fermentation and H ₂ S production	64.52	100 gm 500 gm	
TMV 1625	TRIPLE SUGAR IRON AGAR (VEG.) for identification of gram-negative enteric bacilli on the basis of dextrose, lactose and sucrose fermentation and H ₂ S production	64.52	100 gm 500 gm	
TM 886	TRIPLE SUGAR IRON AGAR (as per EP) for confirmation of gram-negative enteric bacilli on the basis of dextrose, lactose and sucrose fermentation and H ₂ S production	64.42	100 gm 500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 887	TRIPLE SUGAR IRON AGAR (as per USP) for identification of gram-negative enteric bacilli on the basis of dextrose, lactose and sucrose fermentation and H ₂ S production	59.42	100 gm 500 gm	
TM 391	TRIPLE SUGAR IRON AGAR (as per IP) for identification of gram-negative enteric bacilli on the basis of dextrose, lactose and sucrose	64.42	100 gm 500 gm	
TM 1955	TRIPLE SUGAR, IRON AGAR (AGAR MEDIUM M) (as per BP/EP) for identification of gram-negative enteric bacilli on the basis of glucose, lactose and sucrose fermentation sulphide production fermentation and H ₂ S production	64.02	100 gm 500 gm	
TM 1819	TRIPLE SUGAR IRON AGAR (ISO 6785:2001/ISO 6579:2017) for identification of gram negative enteric bacteria on the basis of sugar fermentation & H ₂ S production	65.00	100 gm 500 gm	
TM 1874	TRIPLE SUGAR IRON AGAR (IS : 5887 (Part I, III and V) 1976, reaffirmed 2005) for confirmation of gram negative enteric bacilli on basis of dextrose, lactose and sucrose fermentation and H ₂ S production	64.32	100 gm 500 gm	
TM 2381	TRYPTIC SOYA AGAR for a cultivation and maintenance of <i>Salmonella typhi</i>	45.00	500 gm	
TM 888	TRYPTIC DIGEST BROTH (FIELD'S TRYPTIC DIGEST BROTH) for cultivation of fastidious microorganisms	16.00	500 gm	
TM 889	TRYPTONE AGAR general purpose medium for growth of non-fastidious microorganisms	33.00	100 gm 500 gm	
TM 890	TRYPTONE AGAR BASE for determination of motility and carbohydrate fermentation reactions of aerobes and anaerobes	23.52	500 gm	
TM 392	TRYPTONE BROTH (TRYPTONE WATER) for detection of indole producing microorganisms	15.00	100 gm 500 gm	
TMV 392	TRYPTONE BROTH (TRYPTONE WATER) (VEG.) for detection of indole producing microorganisms	15.00	100 gm 500 gm	
TM 892	TRYPTONE BILE AGAR for fast detection and enumeration of <i>Escherichia coli</i> in foods using direct plating method	36.50	100 gm 500 gm	
TM 2460	TRYPTONE BILE GLUCURONIC AGAR (TBX AGAR) For the detection and enumeration of <i>Escherichia coli</i> in foodstuffs, animal feed, water and clinical samples without further confirmation on membrane filter or by indole reagent.	 39.60	500 gm	
TM 893	TRYPTONE DEXTROSE AGAR for studying motility and fermentation of dextrose by aerobes and anaerobes	28.51	500 gm	
TM 437	TRYPTONE GLUCOSE BEEF EXTRACT AGAR (TGB AGAR) for cultivation and enumeration of bacteria in water, air, milk and dairy products	24.00	100 gm 500 gm	
TMV 437	TRYPTONE GLUCOSE BEEF EXTRACT AGAR (TGB AGAR) (VEG.) for cultivation and enumeration of bacteria in water, air, milk and dairy products	24.00	100 gm 500 gm	
TM 466	TRYPTONE GLUCOSE YEAST EXTRACT AGAR for enumeration of bacteria in water, air, milk and dairy products	24.00	100 gm 500 gm	
TMV 466	TRYPTONE GLUCOSE YEAST EXTRACT AGAR (VEG.) for enumeration of bacteria in water, air, milk and dairy products	24.00	100 gm 500 gm	
TM 467	TRYPTONE GLUCOSE YEAST EXTRACT BROTH (STANDARD METHOD BROTH) for enumeration of microorganisms from foods by MPN technique	17.25	500 gm	
TMV 467	TRYPTONE GLUCOSE YEAST EXTRACT BROTH (STANDARD METHOD BROTH) (VEG.) for enumeration of microorganisms from foods by MPN technique	17.25	500 gm	

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 2383	TRYPTONE LACTOSE IRON AGAR for identification of anaerobes on the basis of motility, hydrogen sulphide production and lactose fermentation	34.20	500 gm	
TM 1108	TRYPTONE LACTOSE IRON AGAR for identification of anaerobes on the basis of motility, H ₂ S production and lactose fermentation	34.20	500 gm	
TM 468	TRYPTONE NITRATE MEDIUM (INDOLE NITRATE MEDIUM) for identification of microorganisms by Indole production and Nitrate reduction	25.00	100 gm 500 gm	
TMV 468	TRYPTONE NITRATE MEDIUM (INDOLE NITRATE MEDIUM) (VEG.) for identification of microorganisms by Indole production and Nitrate reduction	25.00	100 gm 500 gm	
TM 1467	TRYPTONE PEPTONE GLUCOSE YEAST EXTRACT BROTH BASE W/O TRYPSIN for testing toxicity by <i>Clostridium botulinum</i>	80.00	500 gm	
TM 512	TRYPTONE PHOSPHATE BROTH for cultivation of enteropathogenic <i>Escherichia coli</i> from foods	30.50	500 gm	
TMV 512	TRYPTONE PHOSPHATE BROTH (VEG.) for cultivation of enteropathogenic <i>Escherichia coli</i> from foods	30.50	500 gm	
TM 2384	TRYPTONE SALT AGAR, W/1% NaCl for differentiation of El Tor and Classical biotypes of <i>Vibrio</i> in accordance with FDA BAM, 1998	40.00	500 gm	
TM 2385	TRYPTONE SALT BROTH (ISO:1999 ISO/DIS 6887-1:2017) for preparation of specimens, stock suspensions and decimal dilutions for microbiological tests	09.50	100 gm 500 gm	
TM 1310	TRYPTONE SALT BROTH for preparation of specimens, stock suspensions and decimal dilutions for microbiological tests	09.50	100 gm 500 gm	
TM 345	TRYPTONE SOYA AGAR (SOYA BEAN CASEIN DIGEST AGAR) (as per USP) for enrichment and isolation of fastidious microorganisms with or without blood	40.00	100 gm 500 gm	
TM 1440	TRYPTONE SOYA AGAR for enrichment and isolation of various fastidious microorganisms with or without blood	40.00	100 gm 500 gm	
TM 860	TRYPTONE SOYA AGAR W/ YEAST EXTRACT AND HEMIN for cultivation of fastidious microorganisms like <i>Bordetella pertussis</i> and <i>Neisseria meningitidis</i>	45.52	100 gm	
TM 614	TRYPTONE SOYA AGAR W/ TWEEN 80 AND LECITHIN (MICROBIAL CONTENT TEST AGAR) (CASEIN DIGEST AGAR WITH LECTHIN AND TWEEN 80) for detection and enumeration of microorganisms present on the surfaces of sanitary importance	45.70	100 gm 500 gm	
TMV 614	TRYPTONE SOYA AGAR W/ TWEEN 80 AND LECITHIN (MICROBIAL CONTENT TEST AGAR)(CASEIN DIGEST AGAR WITH LECTHIN AND TWEEN 80) (VEG.) for detection and enumeration of microorganisms present on the surfaces of sanitary importance	45.70	100 gm 500 gm	
TM 2386	TRYPTONE SOYA AGAR W/ADDED NaCl a highly nutritious general purpose medium recommended for use when 1% Sodium Chloride is needed in medium	45.00	500 gm	
TMV 2386	TRYPTONE SOYA AGAR W/ADDED NaCl (VEG.) a highly nutritious general purpose medium recommended for use when 1% Sodium Chloride is needed in medium	45.00	500 gm	
TM 895	TRYPTONE SOYA AGAR W/ MgSO₄ (as per AOAC) (TSAM) for cultivation of coliforms	41.50	500 gm	
TM 2387	TRYPTONE SOYA AGAR W/ NaCl for cultivation of <i>Salmonella typhimurium</i>	55.00	500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 332S	TRYPTONE SOYA BROTH W/ SPS for cultivation of fastidious and non-fastidious microorganism especially <i>H. influenzae</i> , <i>N. meningitidis</i> , <i>S. pneumoniae</i>	30.50	500 gm	
TM 861	TRYPTONE SOYA BROTH W/ YEAST EXTRACT AND HEMIN (SOYA CASEIN DIGEST MEDIUM W/ YEAST EXTRACT AND HEMIN) for excellent growth of fastidious microorganisms	32.52	100 gm	
TM 419	TRYPTONE SOYA BROTH (SOYA CASEIN DIGEST MEDIUM) (as per IP) for cultivation of various microorganisms and sterility testing of Moulds and bacteria	30.00	100 gm 500 gm	
TMV 419	TRYPTONE SOYA BROTH (SOYA CASEIN DIGEST MEDIUM) (as per IP) (VEG.) for cultivation of various microorganisms and sterility testing of Moulds and bacteria	30.00	100 gm 500 gm	
TM 471	TRYPTONE SOYA YEAST EXTRACT AGAR for isolation and cultivation of <i>Listeria</i> from Henry's light	51.00	500 gm	
TM 549	TRYPTONE SOYA YEAST EXTRACT BROTH (ISO 11290-2:1998) for isolation and cultivation of <i>Listeria</i> from Henry's light	36.00	500 gm	
TM 2388	TRYPTONE SOYA BROTH W/ 0.1% AGAR (SOYA BEAN CASEIN DIGEST MEDIUM WITH 0.1% AGAR) for cultivation of anaerobes from root canals, blood and other specimens	31.00	500 gm	
TM 2389	TRYPTONE SOYA BROTH W/4% POLYSORBATE 20 & 0.5% LECITHIN recommended for sanitary examination of surfaces	(Part I) 35.00 (Part II) 40.00	500 gm -	
TM 1930	TRYPTONE SOYA BROTH W/O DEXTROSE (SOYA BEAN CASEIN DIGEST MEDIUM W/O DEXTROSE) for cultivation of anaerobic microorganisms when the presence of carbohydrates is not desired	27.50	500 gm	
TM 2390	TRYPTONE SOYA BROTH, W/ FERROUS SULPHATE for isolation of <i>Salmonella</i> species from food samples in accordance with FDA BAM, 1998	30.03	500 gm	
TM 2391	TRYPTONE SOYA BROTH W/ 10% NACL AND 1% SODIUM PYRUVATE for enumeration of <i>Staphylococcus aureus</i> in dairy products by MPN technique	135.00	500 gm	
TM 2392	TRYPTONE SOYA BROTH W/PHENOL RED a general purpose medium used for cultivation of a wide variety of microorganisms and recommended for sterility testing of Moulds and lower bacteria	30.02	500 gm	
TM 2393	TSB CAP4 W/TWEEN 80 - (Part I) & (Part II) for determining efficiency of sanitizaion of containers, equipment surfaces, water miscible cosmetics etc	37.50 42.50	500 gm	
TM 2394	TRYPTONE SOYA SALT AGAR W/ MAGNESIUM SULPHATE for enumeration of <i>Vibrio parahaemolyticus</i> from seafood by membrane filter technique	101.50	500 gm	
TM 2395	TRYPTONE SOYA-TRYPTOSE BROTH for identification of <i>Salmonella</i> species from food samples in accordance with FDA BAM, 1998	31.50	500 gm	
TM 2396	TRYPTONE SOYA YEAST EXTRACT AGAR, MODIFIED recommended for confirmation of <i>Listeria</i> and <i>Yersinia</i> in accordance with FDA BAM, 1998	46.00	500 gm	
TM 1311	TRYPTONE SUCROSE TETRAZOLIUM AGAR BASE (TSTA) for isolation of <i>Vibrio</i> species with addition of TTC	85.50	500 gm	
TS 042	TTC SOLUTION 1% (10 ml/vl) *	#2 vl	5 vl 25 vl	
TM 1109	TRYPTONE TELLURITE AGAR BASE for selective isolation of pathogens from clinical samples, especially from nose, throat and vagina	47.00	500 gm	
TS 005	POTASSIUM TELLURITE 1% (1 ml/vl) *	#11 vl	5 vl 25 vl	
TM 392	TRYPTONE WATER (TRYPTONE BROTH) for detection of indole producing microorganisms	15.00	100 gm 500 gm	

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TMV 392	TRYPTONE WATER (TRYPTONE BROTH) (VEG.) for detection of indole producing microorganisms	15.00	100 gm 500 gm	
TM 1110	TRYPTONE WATER for detection of indole production by microorganisms	25.00	500 gm	
TM 1849	TRYPTONE WATER (as per ISO 11866) for detection of indole production by coliforms	25.00	100 gm 500 gm	
TM 891	TRYPTONE WATER W/O NaCl (BIS) (IS : 5887 (Part V) 1976, reaffirmed 2005) for detection of <i>Vibrio cholerae</i> and <i>Vibrio parahaemolyticus</i>	10.00	100 gm 500 gm	
TM 2397	TRYPTONE WATER BROTH W/ BCP for the cultivation of <i>Salmonella</i> species from food	17.29	500 gm	
TM 897	TRYPTONE YEAST EXTRACT AGAR for estimation of microbial counts in water	21.00	500 gm	
TM 898	TRYPTONE YEAST EXTRACT AGAR (W/ BCP) for isolation and enumeration of <i>Enterobacteriaceae</i> and <i>Bacillus cereus</i>	41.52	500 gm	
TM 2398	TRYPTONE YEAST EXTRACT CYSTINE W/ SUCROSE & W/O BACITRACIN AGAR BASE TYCSB agar base is recommended for selective isolation of <i>Streptococcus mutans</i>	249.99	500 gm	
TS 309	TYCSB SUPPLEMENT *	#2 vL	5 vL	
TM 2400	TRYPTONE YEAST SODIUM SULPHITE AGAR BASE (ISO 14189:2013) recommended for the enumeration of <i>Clostridium perfringens</i> from water	42.00	500 gm	
TS 076	PERFRINGEN'S T.S.C.SUPPLEMENT (TSC SUPPLEMENT *)	#1 vL	5 vL 25 vL	
TS 250	CLOSTRIDIUM PERFRINGENS SUPPLEMENT *	#22 vL	5 vL	
TM 126	TRYPTONE YEAST EXTRACT BROTH (ISP MEDIUM NO.1) a general purpose enrichment medium for fastidious and non fastidious microorganisms	08.00	100 gm 500 gm	
TM 899	TRYPTOPHAN MEDIUM for detection of indole production	16.00	100 gm 500 gm	
TM 472	TRYPTOSE AGAR for isolation, cultivation and differentiation of <i>Brucella</i> and also for streptococci, meningococci and other pathogenic bacteria	41.00	500 gm	
TM 2401	TRYPTOSE AGAR W/ THIAMINE HCL for the isolation, cultivation and differentiation of fastidious microorganisms in an infusion free medium	41.00	500 gm	
TM 473	TRYPTOSE BLOOD AGAR BASE for enrichment and isolation of various fastidious microorganisms and determining the haemolytic reactions	33.00	100 gm 500 gm	
TM 474	TRYPTOSE BLOOD AGAR BASE W/ YEAST EXTRACT for cultivation and maintenance of various fastidious microorganisms & determining the haemolytic reactions	34.00	500 gm	
TM 476	TRYPTOSE BROTH for cultivation of <i>Brucella</i> species microorganisms and determining the haemolytic reactions	26.00	500 gm	
TM 2402	TRYPTOSE BROTH W/ THIAMINE HCl for the cultivation and differentiation of fastidious microorganisms in an infusion free medium	26.00	500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 809	TRYPTOSE CYCLOSERINE AZIDE AGAR BASE for enumeration of sulphite reducing anaerobes essentially <i>Clostridia</i>	47.05	500 gm	
TS 076	PERFRINGENS T.S.C. SUPPLEMENT *	#22 vl	5 vl 25 vl	
TM 902	TRYPTOSE CYCLOSERINE DEXTROSE AGAR BASE for isolation of mesophilic spore forming anaerobes in food spoilage	46.00	500 gm	
TS 076	PERFRINGENS T.S.C. SUPPLEMENT *	#22 vl	5 vl 25 vl	
TM 511	TRYPTOSE PHOSPHATE BROTH for cultivation of fastidious bacteria and as an adjuvant to tissue culture media	29.50	100 gm 500 gm	
TMV 511	TRYPTOSE PHOSPHATE BROTH (VEG.) for cultivation of fastidious bacteria and as an adjuvant to tissue culture media	29.50	100 gm 500 gm	
TM 2403	TRYPTOSE PHOSPHATE BROTH, MODIFIED for the cultivation of fastidious bacteria	29.50	500 gm	
TM 2405	TRYPTOSE SERUM BROTH BASE (MODIFIED NEWINGS TRYPTOSE BROTH BASE) for routine identification of <i>Mycoplasma</i> species	27.50	500 gm	
TS 310	MYCOPLASMA SELECTIVE SUPPLEMENT *	# 18 vl	5 vl	
TS 311	PIG SERUM *	108 ml	100 ml	
TS 054	PERFRINGENS S.F.P. SUPPLEMENT (S.F. P. SUPPLEMENT) *	# 11 vl	5 vl 25 vl	
TS 076	PERFRINGENS T.S.C. SUPPLEMENT *	# 11 vl	5 vl 25 vl	
TS 002	EGG YOLK EMULSION (100 ml/vl) *	# 3 vl	5 vl	
TM 615	PERFRINGENS AGAR BASE (T.S.C./S.F.P. AGAR BASE) for presumptive identification and enumeration of <i>Clostridium perfringens</i> from food	47.00	500 gm	
TS 054	PERFRINGENS S.F.P. SUPPLEMENT (S.F. P. SUPPLEMENT) *	#22 vl	5 vl 25 vl	
TS 076	PERFRINGENS T.S.C. SUPPLEMENT *	#22 vl	5 vl 25 vl	
TS 002	EGG YOLK EMULSION (100 ml/vl)*	#6 vl	5 vl	
TMV 615	PERFRINGENS AGAR BASE (T.S.C./S.F.P. AGAR BASE) (VEG.) for presumptive identification and enumeration of <i>Clostridium perfringens</i> from food	47.00	500 gm	
TS 054	PERFRINGENS S.F.P. SUPPLEMENT (S.F. P. SUPPLEMENT) *	#22 vl	5 vl 25 vl	
TS 076	PERFRINGENS T.S.C. SUPPLEMENT *	#22 vl	5 vl 25 vl	
TS 002	EGG YOLK EMULSION (100 ml/vl)*	#6 vl	5 vl	
TM 609	TRYPTOSE SULPHITE NEOMYCIN AGAR for selective isolation and enumeration of <i>Clostridium perfringens</i> in foods or other samples	40.00	100 gm	
TM 1112	TRYPTOSE YEAST EXTRACT BROTH (as per AOAC) for detection of <i>Clostridium perfringens</i> with the addition of salicin, raffinose and phenol red	30.00	500 gm	
TM 2406	TWEEN ESTERASE TEST AGAR BASE (ISO 10273:2017) recommended for confirmation of <i>Yersinia enterocolitica</i>	30.01	100 gm 500 gm	

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 1826	TRYPTOSE SULPHITE CYCLOSERINE AGAR BASE (PERFRINGENS AGAR BASE) (ISO 7937: 2004, ISO 14189:2013) for enumeration of <i>Clostridium perfringens</i> from food	42.00	500 gm	
TS 076	PERFRINGENS T. S.C. SUPPLEMENT *	#24 vl	5 vl 25 vl	
TS 250	CLOSTRIDIUM PERFRINGENS SUPPLEMENT *	#24 vl	5 vl	
TM 132	TYROSINE AGAR (ISP MEDIUM NO.7) (as per ISP) for isolation and characterization of <i>Streptomyces</i> species as per International Streptomyces Project	23.00	100 gm 500 gm	
TM 1628	UNIVERSAL BEER AGAR (UB AGAR) for culturing microorganisms having significance in brewing industry	62.16	100 gm	
TMV 1628	UNIVERSAL BEER AGAR (UB AGAR) (VEG.) for culturing microorganisms having significance in brewing industry	62.16	100 gm	
TM 2407	UNIVERSAL BEER AGAR, MODIFIED for culturing microorganisms of significance in the brewery industry	55.04	100 gm	
TM 2408	UNIVERSAL FASTIDIOUS CULTURE AGAR for the cultivation of fastidious microorganisms when enriched with blood	35.00	500 gm	
TM 2409	UNIVERSAL FASTIDIOUS CULTURE BROTH for the cultivation of fastidious microorganisms when enriched with blood	25.00	500 gm	
TM 1629	UNIVERSAL LIQUID MEDIUM * for cultivation of bacteria in brewery	50.00	500 gm	
TM 1630	UNIVERSAL PRE-ENRICHMENT BROTH for enrichment of sublethally injured <i>Salmonella</i> and <i>Listeria</i> species	38.05	500 gm	
TM 394	UREA AGAR BASE (CHRISTENSEN) (AUTOCLAVABLE) for detection of urease producing bacteria	24.00	100 gm 500 gm	
TS 030	UREA 40% (5 ml/vl) *	#208 vl	5 vl 25 vl	
TMV 394	UREA AGAR BASE (CHRISTENSEN) (AUTOCLAVABLE) (VEG.) for detection of urease producing bacteria	24.00	100 gm 500 gm	
TS 030	UREA 40% (5 ml/vl) *	#208 vl	5 vl 25 vl	
TM 629	UREA AGAR BASE W/O AGAR (FILTER STERILIZABLE) for detection of urea splitting microorganisms	29.00	500 gm	
TM 1113	UREA AGAR BASE (CHRISTENSEN) for detection of urease production, particularly by <i>Proteus vulgaris</i> , micrococci & <i>Paracolon</i> organisms	24.51	100 gm 500 gm	
TS 030	UREA 40% (5 ml/vl) *	#208 vl	5 vl 25 vl	
TM 2410	UREA AGAR BASE (CHRISTENSEN) (IS:5887 (Part-I)-1976) for detection of urease production, particularly by <i>Proteus vulgaris</i> , micrococci & <i>Paracolon</i> organisms	24.01	100gm 500 gm	
TS 030	UREA 40% (5 ml/vl) *	#204 vl	5 vl 25 vl	
TM 906	UREA BROTH (FILTER STERILIZABLE) for identification of bacteria on the basis of urea utilization, especially for the differentiation of <i>Proteus</i> species from <i>Salmonella</i> and <i>Shigella</i> species	38.71	500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 425	UREA BROTH (UREA BROTH MEDIUM) (as per IP 2007) for identification of bacteria on the basis of urea utilization, especially for the differentiation of <i>Proteus</i> , <i>Salmonella</i> and <i>Shigella</i> species	38.70	500 gm	
TM 2411	UREA INDOLE BROTH, MODIFIED (ISO 10273:2003) for confirmation of <i>Yersinia enterocolitica</i> by urease and indole test	30.02	100 gm 500 gm	
TM 1851	UREA BROTH BASE (CHRISTENSEN) for the detection of urease production, particularly by members of the genus <i>Proteus</i>	09.00	100 gm 500 gm	
TS 030	UREA SOLUTION 40% (5 ml/vl) *	#208 vl	5 vl 25 vl	
TM 477	UREA BROTH BASE (DIAGNOSTIC STUART'S UREA BROTH BASE) for identification of bacteria on the basis of urea utilization, especially for differentiation of <i>Proteus</i> , <i>Salmonella</i> and <i>Shigella</i> species	18.70	100 gm 500 gm	
TS 030	UREA SOLUTION 40% (5 ml/vl)*	#268 vl	5 vl 25 vl	
TM 1850	UREA INDOLE MEDIUM (as per ISO 10273:2003) for differentiation of microorganism especially <i>Enterobacteriaceae</i> on the basis of their ability to hydrolyze urea and indole production	30.01	100 gm 500 gm	
TM 1267	UROGENITAL MYCOPLASMA MEDIUM BASE for selective isolation of <i>Mycoplasma hominis</i> and <i>Ureaplasma urealyticum</i>	28.65	500 gm	
TS 014	HORSE SERUM *	1.8 ltr	100 ml	
TS 022	VITAMINS AMINO GROWTH SUPPLEMENT (VITAMINS & AMINO ACIDS MIXTURE) *	#35 vl	5 vl 25 vl	
TS 126	UREA SOLUTION 5% (5 ml/vl) *	#35 vl	5 vl 25 vl	
TS 249	MYCOPLASMA UROGENITAL SELECTIVE SUPPLEMENT *	#35 vl	5 vl 25 vl	
TM 1420	V-8 MEDIUM FOR LACTOBACILLI for cultivation and enumeration of lactobacilli	43.10	500 gm	
TM 2413	V-8 JUICE AGAR for the cultivation of Yeasts and Moulds	44.30	500 gm	
TM 2414	VEG 8 JUICE BROTH for cultivation of Fungi-Yeasts and Moulds	24.30	500 gm	
TM 908	VP MEDIUM for isolation of <i>Vibrio parahaemolyticus</i>	100.28	500 gm	
TM 2412	VP MEDIUM FOR LISTERIA (ISO 11290-2-2017) recommended for the distinction of <i>Listeria</i> species from other species based on Voges-Proskauer test from food samples	17.00	500 gm	
TM 1642	VRE AGAR BASE (VANCOMYCIN RESISTANT ENTEROCOCCI AGAR) for the isolation of Vancomycin Resistant Enterococci (VRE) and High Level Aminoglycoside Resistant enterococci (HLARE) from clinical samples	42.65	100 gm 500 gm	
TS 216	MEROPENEM SUPPLEMENT *	#12 vl	5 vl	
TS 218	VANCOMYCIN SUPPLEMENT *	#24 vl	5 vl 25 vl	
TM 1312	VAGINALIS AGAR BASE for isolation and differentiation of <i>Gardenerella vaginalis</i> from clinical samples	52.50	500 gm	
TM 1643	VRE BROTH BASE (VANCOMYCIN RESISTANT ENTEROCOCCI BROTH) for the isolation of Vancomycin Resistant Enterococci (VRE) and High Level Aminoglycoside Resistant Enterococci (HLARE) from clinical samples	37.00	100 gm 500 gm	
TS 216	MEROPENEM SUPPLEMENT *	#27 vl	5 vl	

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 909	VEAL INFUSION AGAR for cultivation of fastidious pathogenic bacteria	40.00	500 gm	
TM 910	VEAL INFUSION BROTH for cultivation of fastidious pathogenic bacteria	25.00	500 gm	
TM 2415	VEILLONELLA AGAR BASE for selective isolation of <i>Veillonella</i> species	23.75	500 gm	
TM 911	VIBRIO AGAR for selective cultivation of <i>Vibrio</i> species	80.10	500 gm	
TMV 911	VIBRIO AGAR (VEG.) for selective cultivation of <i>Vibrio</i> species	80.10	500 gm	
TM 1313	VIBRIO PARAHAEMOLYTICUS SUCROSE AGAR (as per APHA) (VPSA) for isolation and enumeration of <i>Vibrio parahaemolyticus</i> from seafood	73.52	500 gm	
TMV 1313	VIBRIO PARAHAEMOLYTICUS SUCROSE AGAR (as per APHA) (VPSA) (VEG.) for isolation and enumeration of <i>Vibrio parahaemolyticus</i> from seafood	73.52	500 gm	
TM 2416	VIBRIO VULNIFICUS AGAR (VVA) for identification of <i>Vibrio</i> in accordance with FDA BAM, 1998	85.06	100 gm	
TM 426	VIOLET RED BILE AGAR for isolation and enumeration of coli-aerogenes in water, milk and other dairy food products	41.53	100 gm 500 gm	
TMV 426	VIOLET RED BILE AGAR (VEG.) for isolation and enumeration of coli-aerogenes in water, milk and other dairy food products	41.53	100 gm 500 gm	
TM 1314	VIOLET-RED BILE AGAR (IS : 5401 (Part 1) : 2002) for selective isolation, detection and enumeration of coli-aerogenes in water, milk products	41.53	100 gm 500 gm	
TM 2417	VIOLET RED BILE AGAR (1.2 %) for selective isolation and enumeration of coliaerogenes bacteria in water, milk and other dairy food products	38.53	500 gm	
TM 2418	VIOLET RED BILE AGAR W/ GLUCOSE AND LACTOSE for selective isolation and enumeration of coli-aerogenes bacteria in water, milk, other dairy food products and clinical samples	48.53	500 gm	
TM 1627	VIOLET RED BILE AGAR W/ GLUCOSE & LACTOSE (as per USP) for selective isolation, detection and enumeration of coli-aerogenes gram negative bacteria in water, milk and other dairy products	50.63	500 gm	
TM 482	VIOLET RED BILE BROTH for detection and enumeration of coliform bacteria in water and food	26.53	500 gm	
TMV 482	VIOLET RED BILE BROTH (VEG.) for detection and enumeration of coliform bacteria in water and food	26.53	500 gm	
TM 483	VIOLET RED BILE GLUCOSE AGAR W/O LACTOSE (ISO 21528-1 & 2:2017) for detection and enumeration of <i>Enterobacteriaceae</i> in raw foods	38.53	500 gm	
TMH 108	VIOLET RED BILE DEXTROSE AGAR (as per USP/BP/EP/JP) for detection and enumeration of coliform bacteria	41.53	100 gm 500 gm	
TM 1927	VIOLET RED BILE GLUCOSE AGAR for selective isolation, detection and enumeration of coli-aerogenes bacteria in water, milk other dairy products and clinical samples	41.53	100 gm 500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TMH 117	VIOLET RED BILE GLUCOSE AGAR (USP/EP/JP/BP/IP) for detection and enumeration of <i>Enterobacteriaceae</i> especially subculturing of bile tolerant gram negative bacteria from pharmaceutical products in accordance with microbial limit test	41.53	100 gm 500 gm	
TM 550	VIOLET RED BILE GLUCOSE AGAR W/ LACTOSE (as per EP) for detection and enumeration of <i>Enterobacteriaceae</i> in raw foods	50.13	500 gm	
TM 1860	VIOLET RED BILE LACTOSE AGAR (ISO 4832:2006) for detection and enumeration of coliform bacteria in food, water and dairy products	38.53	100 gm 500 gm	
TM 1868	VITAMIN B12 AGAR* for microbiological assay of Vitamin B12 by using <i>Lactobacillus leichmannii</i> as test organism	88.62	100 gm	
TM 2419	VITAMIN FREE YEAST BASE * for studying vitamin requirements of Yeasts	16.75	100 gm	
TM 395	VOGEL-JOHNSON AGAR BASE W/O TELLURITE (V. J. AGAR BASE) for selective isolation of coagulase positive, mannitol fermenting <i>S. aureus</i> from foods & clinical samples	61.00	100 gm 500 gm	
TS 005	POTASSIUM TELLURITE 1% (1 ml/vl) *	#17 vl	5 vl 25 vl	
TMV 395	VOGEL JOHNSON AGAR BASE W/O TELLURITE (V. J. AGAR BASE) (VEG.) for selective isolation of coagulase positive, mannitol fermenting <i>S. aureus</i> from foods & clinical samples	61.00	100 gm 500 gm	
TS 005	POTASSIUM TELLURITE 1% (1 ml/vl) *	#17 vl	5 vl 25 vl	
TM 2420	VOGEL JOHNSON AGAR BASE W/ 1.5% AGAR for selective isolation of coagulase positive, mannitol fermenting <i>Staphylococcus aureus</i> from heavily contaminated foods in accordance with FDA BAM, 1998	62.03	500 gm	
TS 005	POTASSIUM TELLURITE 1% (10 ml/vl) *	#17 vl	5 vl 25 vl	
TM 1722	VOGEL JOHNSON AGAR MEDIUM (as per USP) for selective isolation of coagulase positive, mannitol fermenting <i>S. aureus</i> from foods & clinical samples	61.00	100 gm 500 gm	
TS 005	POTASSIUM TELLURITE 1% (10 ml/vl) *	#17 vl	5 vl 25 vl	
TM 1820	VOGEL JOHNSON AGAR MEDIUM (as per IP) for selective isolation of coagulase positive mannitol fermenting <i>S. aureus</i> from foods & clinical samples	61.00	100 gm 500 gm	
TS 005	POTASSIUM TELLURITE 1% (10 ml/vl) *	#17 vl	5 vl 25 vl	
TM 2421	VOGES PROSKAUER MEDIUM, MODIFIED for performance of the Voges- Proskauer test in differentiation of <i>Bacillus cereus</i> in accordance with FDA BAM 1998	17.00	500 gm	
TM 565	WL-DIFFERENTIAL AGAR for selective isolation and enumeration of bacteria encountered in breweries and industrial fermentations	80.26	100 gm 500 gm	
TMV 565	WL-DIFFERENTIAL AGAR (VEG.) for selective isolation and enumeration of bacteria encountered in breweries and industrial fermentations	80.26	100 gm 500 gm	
TM 485	WL-DIFFERENTIAL BROTH for selective isolation and enumeration of bacteria encountered in breweries and industrial fermentations	60.26	100 gm 500 gm	
TMV 485	WL-DIFFERENTIAL BROTH (VEG.) for selective isolation and enumeration of bacteria encountered in breweries and industrial fermentations	60.26	100 gm 500 gm	
TM 486	WL-NUTRIENT BROTH for cultivation of Yeasts, Moulds and Bacteria encountered in breweries and industrial fermentations	60.25	500 gm	

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE
TMV 486	WL-NUTRIENT BROTH (VEG.) for cultivation of Yeasts, Moulds and Bacteria encountered in breweries and industrial fermentations	60.25	500 gm
TM 487	WL-NUTRIENT MEDIUM (WL - NUTRIENT AGAR) for cultivation and isolation of microorganisms encountered in breweries and industrial fermentations	80.25	500 gm
TMV 487	WL-NUTRIENT MEDIUM (VEG.) (WL-NUTRIENT AGAR) (VEG.) for cultivation and isolation of microorganisms encountered in breweries and industrial fermentations	80.25	500 gm
TM 632	WAGATSUMA AGAR BASE for performance of Kanagawa test to identify virulent <i>Vibrio parahaemolyticus</i> strains	113.00	500 gm
TM 914	WATER AGAR for enumeration, cultivation and observation of sporulation of some Fungi	20.00	500 gm
TM 928	WESLEY BROTH BASE (as per APHA) for isolation and enrichment of <i>Campylobacter jejuni</i> from poultry products	39.25	500 gm
TS 081	CAMPYLOBACTER SELECTIVE SUPPLEMENT (WESELY) *	#13 vl	5 vl
TM 2422	WILD YEAST MEDIUM for detection of Wild Yeast	44.50	500 gm
TM 915	WILKINS CHALGREN ANAEROBIC AGAR BASE for isolation, cultivation and susceptibility testing of anaerobes by agar dilution method	43.00	500 gm
TS 055	NON SPORE ANAEROBIC SUPPLEMENT *	#24 vl	5 vl
TS 056	G.N. SPORE ANAEROBIC SUPPLEMENT *		5 vl 25 vl
TM 916	WILKINS CHALGREN ANAEROBIC BROTH BASE for cultivation and susceptibility testing of anaerobic bacteria	33.00	500 gm
TS 055	NON SPORE ANAEROBIC SUPPLEMENT *	#31 vl	5 vl
TS 056	G. N. SPORE ANAEROBIC SUPPLEMENT *		5 vl 25 vl
TM 1319	WILLIS AND HOBBS' MEDIUM BASE (IS : 5887 (Part 4) : 1999) for isolation and identification of <i>Clostridium</i> from foods	47.03	500 gm
TS 002	EGG YOLK EMULSION (100 ml/vl)*	#4vl	5 vl
TS 098	WILLIS AND HOBBS' SUPPLEMENT*	#22 vl	5 vl
TM 2423	WILSON AND BLAIR'S BBS AGAR MEDIUM 10. (as per IP) (TRIPLE PACK) recommended for the selective subculture of <i>Salmonella</i> species	(Part I) 04.50 (Part II) 05.60 (Part III) 0.045	100 gm 500 gm -
TM 489	WILSON BLAIR AGAR BASE for isolation and cultivation of <i>Salmonella typhi</i> with addition of selective reagent	60.00	100 gm 500 gm
TM 917	WILSON BLAIR AGAR W/ BG (BRILLIANT GREEN) for isolation and preliminary identification of <i>Salmonella typhi</i> from clinical samples	52.32	100 gm 500 gm
TM 490	WORT AGAR for cultivation and enumeration of Yeasts	48.30	100 gm 500 gm
TM 551	WORT BROTH for cultivation and enrichment of Yeasts	33.28	500 gm
TM 1315	WURTZ MEDIUM for isolation and differentiation of lactose fermenting bacteria	38.00	500 gm
TM 2424	2 XYT GROWTH MEDIUM optimized formulation for the growth and maintenance of M13 phage or other filamentous ss DNA bacteriophages	31.50	500 gm

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 2425	2 XYT GROWTH AGAR optimized formulation for the growth and maintenance of M13 phage or other filamentous ss DNA bacteriophages	46.00	500 gm	
TM 2426	2 XYT GROWTH TOP AGAR optimized formulation for the growth and maintenance of M13 phage or other filamentous ss DNA bacteriophages	38.00	500 gm	
TM 2427	4 XYT GROWTH MEDIUM optimized formulation for the growth and maintenance of M13 phage or other filamentous ss DNA bacteriophages	57.00	500 gm	
TM 1478	XYLOSE LYSINE AGAR BASE for isolation, cultivation and identification of pathogenic enteric bacilli	46.83	500 gm	
TM 491	XYLOSE LYSINE AGAR BASE for isolation, cultivation and identification of pathogenic enteric bacilli	45.08	500 gm	
TM 1448	XLD AGAR (XYLOSE LYSINE DEOXYCHOLATE AGAR MEDIUM) (as per IP) for isolation of <i>S. typhi</i> and other <i>Salmonella</i> species	55.18	100 gm 500 gm	
TM 492	XLD AGAR for selective isolation and enumeration of <i>Salmonella typhi</i> and other <i>Salmonella</i> species	56.68	100 gm 500 gm	
TMV 492	XLD AGAR (VEG.) for selective isolation and enumeration of <i>Salmonella typhi</i> and other <i>Salmonella</i> species	56.68	100 gm 500 gm	
TM 1621	XLD AGAR MODIFIED (ISO 6579-2002) for isolation and enumeration of <i>Salmonella typhi</i> and other <i>Salmonella</i> species	55.43	100 gm 500 gm	
TMH 112	XLD AGAR (XYLOSE LYSINE DEOXYCHOLATE AGAR) (as per USP/BP/JP/EP) for selective differentiation and enrichment medium of <i>Salmonella</i> and <i>Shigella</i> species	55.18	100 gm 500 gm	
TM 493	XLT4 AGAR BASE for selective isolation of <i>Salmonella</i> species other than <i>Salmonella typhi</i>	59.00	500 gm	
TS 072	XLT4 SUPPLEMENT *	#9 vl	1 vl	
TM 2428	YE GROWTH MEDIUM for the growth of <i>Schizosaccharomyces pombe</i>	35.00	500 gm	
TM 2429	YE GROWTH AGAR for the growth of <i>Schizosaccharomyces pombe</i>	50.00	500 gm	
TM 1116	YEP AGAR for isolation of dimorphic pathogenic fungi from clinical samples	21.50	500 gm	
TM 2430	YEP AGAR, MODIFIED recommended for plate count of microorganism in water	40.00	500 gm	
TM 2431	YEM AGAR for the cultivation of <i>Agrobacterium</i> species and other soil microorganisms	26.80	500 gm	
TM 1884	YEM BROTH for cultivation of <i>Agrobacterium</i> species and other soil microorganisms	11.80	500 gm	
TM 2432	YEP BROTH for cultivation of <i>Agrobacterium</i> species and other soil microorganisms recommended for cultivation of aerobic microorganisms and also <i>Agrobacterium</i> species and other soil microorganisms for phytology studies	25.00	500 gm	

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 1449	YPD AGAR (YEPD AGAR) for growth of <i>Saccharomyces cerevisiae</i> in molecular biology	65.00	500 gm	
TM 1121	YPD BROTH (YEPD BROTH) for growth of <i>Saccharomyces cerevisiae</i> in molecular biology	50.00	500 gm	
TM 2433	YPD (YEPD) GROWTH MEDIUM for the growth of <i>Saccharomyces cerevisiae</i>	50.00	500 gm	
TM 918	YPG AGAR for growth of <i>Saccharomyces cerevisiae</i> in molecular biology	50.00	500 gm	
TM 2434	YSG AGAR for the detection of <i>Alicyclobacillus</i> in fruit juices in accordance with official method of IFU	20.00	500 gm	
TM 2435	YSG BROTH for cultivation of <i>Alicyclobacillus</i> in fruit juices in accordance with official method of IFU	05.00	500 gm	
TM 592	YT AGAR for growth of <i>Escherichia coli</i> K12 strains used in the preparation of phage and plasmid DNA according to Miller	28.00	500 gm	
TM 621	YT BROTH (2X YT BROTH) for cultivation of recombinant strains of <i>Escherichia coli</i>	31.00	500 gm	
TM 937	YXT AGAR BASE for detecting Yeasts and Moulds in foods with or without added tetracycline	33.00	500 gm	
TM 553	YEAST & MOLD AGAR for cultivation and maintenance of Yeasts and Moulds	40.00	500 gm	
TM 1117	YEAST & MOLD BROTH for isolation and cultivation of Yeasts and Moulds	20.00	500 gm	
TM 2436	YEAST BEEF AGAR (ANTIBIOTIC ASSAY MEDIUM NO. 4) for detection of Penicillin-G in milk samples	26.05	500 gm	
TM 920	YEAST BEEF ASSAY BROTH for assay of Amphotericin B using <i>Candida tropicalis</i> ATCC 13803 as the test organism	27.50	500 gm	
TM 495	YEAST CARBON BASE * for classification of Yeasts based on their ability to assimilate nitrogen compounds	11.70	100 gm	
TM 504	YEAST DEXTROSE AGAR for cultivation of various heterotrophic microorganisms	35.00	500 gm	
TM 496	YEAST EXTRACT AGAR for plate count of microorganisms in water	23.00	100 gm 500 gm	
TM 1827	YEAST EXTRACT AGAR (ISO 6222:1999) for enumeration of microorganisms from water	24.00	100 gm 500 gm	
TM 2437	YEAST EXTRACT CALCIUM CARBONATE GLUCOSE AGAR for the isolation and cultivation of <i>Erwinia</i> species	65.00	500 gm	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 921	YEAST EXTRACT ROSE BENGAL BROTH BASE for cold enrichment and recovery of <i>Yersinia enterocolitica</i> and <i>Yersinia pseudotuberculosis</i> from foods	26.30	500 gm	
TMV 921	YEAST EXTRACT ROSE BENGAL BROTH BASE (VEG.) for cold enrichment and recovery of <i>Yersinia enterocolitica</i> and <i>Yersinia pseudotuberculosis</i> from foods	26.30	500 gm	
TM 497	YEAST GLUCOSE BEEF AGAR for cultivation of lactic streptococci for determining growth characteristics	48.00	500 gm	
TM 575	YEAST GLUCOSE BEEF BROTH for cultivation of lactic streptococci for determining growth characteristics	33.00	500 gm	
TM 498	YEAST GLUCOSE CHLORAMPHENICOL AGAR (IS : 5403:1999 reaffirmed 2005) for selective enumeration of Yeasts and Moulds in milk and milk products	40.00	100 gm 500 gm	
TM 1832	YEAST GLUCOSE CHLORAMPHENICOL AGAR for isolation, detection and enumeration of Yeast and Moulds	40.00	100 gm 500 gm	
TM 610	YEAST LACTOSE AGAR for cultivation of soil microorganisms like <i>Rhizobium</i> species	26.80	100 gm	
TMV 397	YEAST MALT AGAR (YM AGAR) (ISP MEDIUM NO.2) (VEG.) for isolation and cultivation of Yeasts, Moulds and aciduric microorganisms	41.00	100 gm 500 gm	
TM 397	YEAST MALT AGAR (ISP MEDIUM NO. 2) for cultivation of yeasts, Moulds and aciduric microorganisms	41.00	100 gm 500 gm	
TS 049	10% LACTIC ACID SOLUTION (10 ml/vl) *	#25 vl	5 vl 25 vl	
TM 398	YEAST MALT BROTH (YM BROTH) for cultivation of Yeasts, Moulds and aciduric microorganisms	21.00	100 gm 500 gm	
TS 049	10% LACTIC ACID SOLUTION (10 ml/vl) *	#48 vl	5 vl 25 vl	
TMV 398	YEAST MALT BROTH (YM BROTH) (VEG.) for cultivation of Yeasts, Moulds and aciduric microorganisms	21.00	100 gm 500 gm	
TS 049	10% LACTIC ACID SOLUTION (10 ml/vl) *	#48 vl	5 vl 25 vl	
TM 399	YEAST MANNITOL AGAR W/ 1.5% AGAR (YEAST MOLD BROTH 'TBL') for cultivation, enumeration and isolation of soil microorganisms like <i>Rhizobium</i> species	27.80	100 gm 500 gm	
TM 922	YEAST MANNITOL AGAR W/ CONGO RED for cultivation of soil microorganisms like <i>Rhizobium</i> species	31.80	500 gm	
TM 566	YEAST MANNITOL BROTH for cultivation of <i>Rhizobium</i> species	12.80	500 gm	
TM 2438	YEAST MOULD CHLORAMPHENICOL AGAR, MODIFIED for enumeration of Yeasts and Moulds from food using membrane filter technique. Also recommended when ISO-Grid and Neo-Grid protocols of filtration are followed	67.53	500 gm	
TS 138	CHLORTETRACYCLINE SELECTIVE SUPPLEMENT *	#8 vl	5 vl 25 vl	

Culture Media & Supplements

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm/Ltr	PACK SIZE	
TM 1821	YEAST MOLD BROTH 'TBL' for enrichment and cultivation of Yeasts and Moulds	41.00	500 gm	
TM 923	YEAST MORPHOLOGY AGAR * for classification of Yeasts on the basis of their colonial characteristics and cell morphology	34.75	100 gm	
TM 1119	YEAST NITROGEN BASE * for classification of Yeasts on the basis of their ability to assimilate carbon compounds	06.70	100 gm	
TM 400	YEAST NITROGEN AGAR BASE (DOUBLE PACK) for carbohydrate assimilation test in the characterization and identification of Yeasts	(Part I) 40.00 (Part II) 06.75	100 gm -	
TM 499	YEAST NITROGEN BASE (W/O AMINO ACIDS) * for classification of Yeasts on the basis of their ability to assimilate nitrogen and carbon compounds	06.70	100 gm	
TM 500	YEAST NITROGEN BASE (W/O AMINO ACIDS AND AMMONIUM SULPHATE) * for isolation of dimorphic pathogenic fungi	01.70	100 gm	
TM 554	YEAST PHOSPHATE AGAR for enrichment of <i>Yersinia</i> species, particularly <i>Yersinia enterocolitica</i>	21.50	100 gm	
TM 924	YERSINIA ENRICHMENT BROTH BASE * for enrichment of <i>Yersinia</i> species, particularly <i>Yersinia enterocolitica</i>	13.01	500 gm	
TM 925	YERSINIA IDENTIFICATION BROTH BASE for identification of <i>Yersinia</i> species	10.00	100 gm 500 gm	
TS 030	UREA 40% (5 ml/vl) *	#500 vl	5 vl 25 vl	
TM 617	YERSINIA ISOLATION AGAR * for selective isolation of <i>Yersinia</i> species from foods	79.02	500 gm	
TM 501	YERSINIA SELECTIVE AGAR BASE (CIN AGAR) for selective isolation enumeration of <i>Yersinia enterocolitica</i> from clinical & food samples	58.00	500 gm	
TS 057	YERSINIA SELECTIVE SUPPLEMENT *	#18 vl	5 VL 25 vl	
TM 2439	YERSINIA SELECTIVE AGAR BASE W/ 1.2% AGAR for the selective, isolation and enumeration of <i>Yersinia enterocolitica</i> from food samples in accordance with FDA BAM, 1998	57.54	500 gm	
TS 057	YERSINIA SELECTIVE SUPPLEMENT *	#18 vl	5 vl 25 vl	
TS 312	YERSINIA SELECTIVE SUPPLEMENT-2 *	#18 vl	5 vl	
TM 2440	YERSINIA SELECTIVE BROTH BASE for the selective enrichment of <i>Yersinia enterocolitica</i>	40.20	100 gm 500 gm	
TS 057	YERSINIA SELECTIVE SUPPLEMENT *	#18 vl	5 vl 25 vl	
TM 1622	YOSHIKA MEDIUM for isolation of bifido bacteria in milk and milk powder	62.60	500 gm	
TM 1926	ZINC SOLUBILIZING AGAR for isolation and detection of zinc solubilizing soil microorganisms	27.50	500 gm	
TM 1893	ZINC SOLUBILIZING MEDIUM for growth and maintenance of zinc solubilizing soil microorganism	12.50	500 gm	
TM 207	ZOBELL MARINE AGAR 2216. (MARINE AGAR 2216) for cultivation, isolation and enumeration of heterotrophic marine bacteria	55.25	100 gm 500 gm	
TM 208	ZOBELL MARINE BROTH 2216. (MARINE BROTH 2216) for cultivation, isolation and enumeration of heterotrophic marine bacteria	40.25	100 gm 500 gm	